

**This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.**

**Author(s):** Plutenko, Maksym O.; Haukka, Matti; Husak, Alina O.; Iskenderov, Turganbay, S.; Mulloev, Nurullo U.

**Title:** Crystal structure and Hirshfeld surface analysis of poly[[bis[ $\mu$ 4-N,N'-(1,3,5-oxadiazinane-3,5-diyl)bis(carbamoylmethanoato)]nickel(II)tetrapotassium] 4.8-hydrate]

**Year:** 2021

**Version:** Published version

**Copyright:** © 2021 the Authors

**Rights:** CC BY 4.0

**Rights url:** <https://creativecommons.org/licenses/by/4.0/>

**Please cite the original version:**

Plutenko, M. O., Haukka, M., Husak, A. O., Iskenderov, T., & Mulloev, N. U. (2021). Crystal structure and Hirshfeld surface analysis of poly[[bis[ $\mu$ 4-N,N'-(1,3,5-oxadiazinane-3,5-diyl)bis(carbamoylmethanoato)]nickel(II)tetrapotassium] 4.8-hydrate]. *Acta Crystallographica Section E : Crystallographic Communications*, 77(3), 298-304.  
<https://doi.org/10.1107/s205698902100205x>



# Crystal structure and Hirshfeld surface analysis of poly[[bis[ $\mu_4$ -*N,N'*-(1,3,5-oxadiazinane-3,5-diyl)bis-(carbamoylmethanoato)]nickel(II)tetrapotassium] 4.8-hydrate]

Maksym O. Plutenko,<sup>a,\*</sup> Matti Haukka,<sup>b</sup> Alina O. Husak,<sup>a,c</sup> Turganbay S. Iskenderov<sup>a</sup> and Nurullo U. Mulloev<sup>d,\*</sup>

Received 20 January 2021

Accepted 22 February 2021

Edited by M. Weil, Vienna University of Technology, Austria

**Keywords:** crystal structure; nickel(II) complex; template reaction; pseudomacrocyclic ligand; hydrazide-based ligand; SHAPE analysis; Hirshfeld surface analysis.

**CCDC reference:** 2064313

**Supporting information:** this article has supporting information at journals.iucr.org/e

<sup>a</sup>Department of Chemistry, National Taras Shevchenko University, Volodymyrska Street 64, 01601 Kyiv, Ukraine,


<sup>b</sup>Department of Chemistry, University of Jyväskylä, P.O. Box 35, FI-40014 Jyväskylä, Finland, <sup>c</sup>PBMR Labs Ukraine,

Murmanska 1, 02094 Kiev, Ukraine, and <sup>d</sup>The Faculty of Physics, Tajik National University, Rudaki Avenue 17, 734025 Dushanbe, Tajikistan. \*Correspondence e-mail: plutenkom@gmail.com, voruch@eml.ru


The title compound,  $\{[K_4Ni_2(C_7H_6N_4O_7)_2] \cdot 4.8H_2O\}_n$ , was obtained as a result of a template reaction between oxalohydrazidehydroxamic acid, formaldehyde and nickel(II) nitrate followed by partial hydrolysis of the formed intermediate. The two independent  $[Ni(C_7H_6N_4O_7)]^{2-}$  complex anions exhibit pseudo- $C_s$  symmetry and consist of an almost planar metal-containing fragment and a 1,3,5-oxadiazinane ring with a chair conformation disposed nearly perpendicularly with respect to the former. The central Ni<sup>II</sup> atom has a square-planar  $N_2O_2$  coordination arrangement formed by two amide N and two carboxylate O atoms. In the crystal, the nickel(II) complex anions form layers parallel to the *ab* plane. Neighboring complex anion layers are connected by layers of potassium cations for which two of the four independent cations are disordered over two sites [ratios of 0.54 (3):0.46 (3) and 0.9643 (15):0.0357 (15)]. The framework is stabilized by an extensive system of hydrogen bonds where the water molecules act as donors and the carboxylic O atoms, the amide O atoms and the oxadiazinane N atoms act as acceptors.

## 1. Chemical context


Coordination compounds of paramagnetic metal ions based on polydentate ligands comprising amide, hydrazide and hydroxamate functional groups are of great interest as they often form novel oligonuclear structures with interesting supramolecular features (Mezei *et al.*, 2007; Strotmeyer *et al.*, 2003). Frequently, these compounds exhibit unusual magnetic properties (Pavlishchuk *et al.*, 2010; Gumienna-Kontecka *et al.*, 2007; Pavlishchuk *et al.*, 2011; Huang *et al.*, 2014) and have potential biological activity (Raja *et al.*, 2012). The use of hydrazide metal complexes as synthons for template reactions has allowed coordination compounds with more complicated, sometimes unpredictable molecular structures to be obtained (Clark *et al.*, 1976). In particular, for ring-closure reactions, aldehydes (especially formaldehyde) can be used successfully as capping reagents for template condensation, as has been shown in several studies (Fritsky *et al.*, 1998, 2006; Tomyn *et al.*, 2017). Importantly, depending on the nature and coordination preference of the metal ion, the products of the ring-closure reactions can be both macrocyclic or pseudomacrocyclic ( $Ni^{2+}$ ,  $Cu^{2+}$ ; Fritsky *et al.*, 1998, 2006; Tomyn *et al.*, 2017) and macrobicyclic ( $Fe^{4+}$ ; Tomyn *et al.*, 2017, Shylin *et al.*, 2019a,b).



OPEN ACCESS



Here, we report the crystal structure of the polymeric title compound  $\{K_4[Ni(L-2H)]_2 \cdot 4.8H_2O\}_n$  [ $L = N,N'$ -(1,3,5-oxadiazinane-3,5-diyl)bis(carbamoylmethanoic acid)] (**1**) obtained as a result of a template reaction between oxalohydrazidehydroxamic acid, formaldehyde and nickel(II) nitrate followed by partial hydrolysis of the formed intermediate. The plausible mechanism of formation for (**1**) includes the deprotonation of oxalohydrazidehydroxamic acid and coordination to the metal ions in a tetradentate mode, followed by template condensation of two hydrazide moieties with three molecules of formaldehyde and metal-promoted hydrolysis of the hydroxamate group of the formed intermediate, which



**Figure 1**  
The plausible mechanism for the formation of the  $[Ni(L-2H)]^{2-}$  anion.


eventually results in the formation of the nickel(II) complex anion  $[Ni(L-2H)]^{2-}$  (Fig. 1). The crystallization process causes the bonding of such anions with the potassium counter-cations and the water solvent molecules, forming the three-dimensional coordination polymer  $\{K_4[Ni(L-2H)]_2 \cdot 4.8H_2O\}_n$  (**1**).

## 2. Structural commentary

The asymmetric unit of (**1**) (Fig. 2) contains two complex anions  $[Ni(L-2H)]^{2-}$  (which contain Ni1 and Ni1B, respectively), four potassium cations (two of which, K3 and K4, are disordered over two sites) and five solvent water molecules, one of which is disordered over two sets of sites (O4WA and O4WB in a ratio of 0.8:0.2), and one (O5W) that has an occupancy of 0.8.

Both complex anions  $[Ni(C_7H_6N_4O_7)]^{2-}$  have a pseudo- $C_s$  symmetry with similar bond lengths and angles. Each anion consists of an almost planar metal-containing  $\{NiN_2O_2\}$  fragment [the maximum deviation of the atoms involved in the anion from the least-squares plane is 0.1232 (12) Å for the anion centred by Ni1 and  $-0.1510$  (13) Å for the anion centred by Ni1B] and an 1,3,5-oxadiazinane ring disposed nearly perpendicularly with respect to the former. The 1,3,5-oxadiazinane ring in each anion adopts a chair conformation. The dihedral angle between the mean planes formed by the non-hydrogen atoms of these two fragments is 87.22 (5)° for the Ni1 anion and 86.89 (5)° for the Ni1B anion. Thus, the complex anions reveal an L-like shape.

The ligand molecule (*L-2H*) coordinates in a tetradentate  $\{O_{\text{carboxyl}}, N_{\text{amide}}, N_{\text{amide}}, O_{\text{carboxyl}}\}$  mode, thus forming three fused chelate rings (two five-membered and one six-membered). The central  $Ni^{II}$  atom of the complex anion has a square-planar coordination arrangement with an  $N_2O_2$  chromophore. The deviation of the  $Ni^{II}$  atom from the mean plane



**Figure 2**  
The asymmetric unit of (**1**) with displacement ellipsoids shown at the 50% probability level. The potassium cations K3 and K4 and the solvate water molecule O4W are disordered over two positions, namely K3A and K3B, K4A and K4B, O4WA and O4WB, respectively.

**Table 1**  
Selected geometric parameters (Å, °).


Ni1—N4	1.8429 (15)	Ni1B—N1B	1.8436 (16)
Ni1—N1	1.8479 (15)	Ni1B—N4B	1.8463 (16)
Ni1—O1	1.8830 (13)	Ni1B—O2B	1.8922 (14)
Ni1—O2	1.9012 (13)	Ni1B—O1B	1.8975 (14)
N4—Ni1—N1	96.01 (7)	N1B—Ni1B—N4B	95.98 (7)
N4—Ni1—O1	85.25 (6)	N1B—Ni1B—O2B	85.01 (6)
N1—Ni1—O1	178.74 (6)	N4B—Ni1B—O2B	177.89 (7)
N4—Ni1—O2	178.28 (7)	N1B—Ni1B—O1B	178.86 (7)
N1—Ni1—O2	85.10 (6)	N4B—Ni1B—O1B	85.08 (7)
O1—Ni1—O2	93.65 (6)	O2B—Ni1B—O1B	93.94 (6)

defined by the four donor atoms is 0.0098 (8) and 0.0116 (9) Å for Ni1 and Ni1B, respectively. The Ni—N and Ni—O bond lengths (Table 1) are in the range 1.8429 (15)–1.8479 (15) and 1.8830 (13)–1.9012 (13) Å, respectively, typical for square-planar nickel(II) complexes with similar tetradentate ligands (Fritsky *et al.*, 2004; Sliva *et al.*, 1997*a,b*; Duda *et al.*, 1997). The bite angles O1—Ni1—N4, N1—Ni1—O2 and N1—Ni1—N4 for both anions (Table 1) deviate from the ideal value of 90°, conditioned by the formation of five-membered chelate rings. N—N', N—C and C—O and C=O bond lengths within the (*L*-2H) ligand indicate values typical for the coordinating deprotonated hydrazide and carboxyl groups.


### 3. Supramolecular features

In the crystal, the nickel(II) complex anions [Ni(*L*-2H)]<sup>2-</sup> form layers parallel to *ab* plane (Fig. 3). Neighboring complex anion layers are sandwiched by layers of potassium counter-cations (Fig. 4). Thus, complex anion layers and potassium layers are stacked along the *c*-axis direction (Fig. 5).

The potassium cations are bound to the nickel(II) complex anions through the amide and the carboxylic O atoms (K1, K4A) or through the amide O and the oxadiazinane N atoms (K2, K3B). In addition, the potassium cations have contacts with the O atoms of the water molecules, with the amide and the carboxylic O atoms, and with the oxadiazinane N atoms of




**Figure 3**  
Layers formed by the anionic nickel(II) complexes.



**Figure 4**  
The layer of potassium cations and their coordination arrangement. The minor disordered components of K3 and K4 atoms (K3A and K4B) are omitted for clarity. [Symmetry codes: (i)  $x - \frac{1}{2}, -y + \frac{1}{2}, -z + 1$ ; (iii)  $x - \frac{1}{2}, y, -z + \frac{1}{2}$ ; (vi)  $x, -y + \frac{1}{2}, z + \frac{1}{2}$ ; (vii)  $x + \frac{1}{2}, -y + \frac{1}{2}, -z + 1$ ; (x)  $-x + 1, y + \frac{1}{2}, -z + \frac{1}{2}$ ; (xi)  $-x + \frac{1}{2}, y + \frac{1}{2}, -z$ ; (xii)  $-x + \frac{3}{2}, y + \frac{1}{2}, z$ ; (xiii)  $x + 1, -y + 1, -z + 1$ ; (xiv)  $-x + \frac{2}{3}, -y + 1, z + \frac{1}{2}$ ].

neighboring complex anions. For definition of the coordination spheres around the cations, K—O and K—N contacts that do not exceed the sum of the ionic radii by more than 0.2 Å were defined as bonding contacts [the values of the ionic radii were taken from Shannon (1976)]. The K1, K2 and K4A cations exhibit O<sub>6</sub>, O<sub>6</sub>N<sub>2</sub> and O<sub>6</sub> coordination sets. As a result of the disorder of the water molecules, the K3B site has an O<sub>6</sub>N or O<sub>7</sub>N coordination set. In addition, there are K1...O2W, K1...O7B and K2...O2B remote non-bonding contacts, which are significantly greater than the sum of the ionic radii.



**Figure 5**  
Crystal packing of the title compound in a stick model, showing the coordination polyhedra of the potassium cations in lilac. H atoms of the C—H groups and minor disordered components (K3A and K4B, O4WB water molecule) are omitted for clarity.

Table 2

Values for continuous shapes measures (CShM) of the polyhedra centred by the potassium cations (only major components for the disordered parts are considered).

Shape	CShM	
	K1	K4A
Hexagon ( $D_{6h}$ )	30.965	33.688
Pentagonal pyramid ( $C_{5v}$ )	9.924	22.357
Octahedron ( $Oh$ )	13.859	4.985
Trigonal prism ( $D_{3h}$ )	4.697	10.581
Johnson pentagonal pyramid J2 ( $C_{5v}$ )	13.919	26.100
	K2	K3B
Octagon ( $D_{8h}$ )	32.591	28.712
Heptagonal pyramid ( $C_{7v}$ )	18.314	20.510
Hexagonal bipyramid ( $D_{6h}$ )	14.891	13.393
Cube ( $Oh$ )	14.913	14.525
Square antiprism ( $D_{4d}$ )	6.805	19.105
Triangular dodecahedron ( $D_{2d}$ )	4.992	17.608
Johnson gyrobifastigium J26 ( $D_{2d}$ )	10.479	16.378
Johnson elongated triangular bipyramid J14 ( $D_{3h}$ )	23.441	18.219
Biaugmented trigonal prism J50 ( $C_{2v}$ )	6.800	16.341
Biaugmented trigonal prism ( $C_{2v}$ )	5.698	16.739
Snub diphenoid J84 ( $D_{2d}$ )	6.894	15.895
Triakis tetrahedron ( $Td$ )	15.016	14.550
Elongated trigonal bipyramid ( $D_{3h}$ )	17.893	13.966

For an evaluation of the coordination geometry of each potassium cation, the *SHAPE 2.1* software (Llunell *et al.*, 2013) was used. A *SHAPE* analysis of the potassium coordination sphere (Table 2, Fig. 6) yields the lowest continuous shape measure (CShM) value for a distorted trigonal prism (4.697 for K1), a distorted triangular dodecahedron (4.992 for K2), a distorted hexagonal bipyramid (13.393 for K3B) and a distorted octahedron (4.985 for K4A). For K2 and K3B, comparable CShM values were obtained for a biaugmented trigonal prism (5.698) and an elongated trigonal bipyramid (13.966), respectively.




Figure 6

Polyhedral views of the coordination environments for the potassium cations; the minor disordered components of atoms K3 and K4 (K3A and K4B) are omitted for clarity. [Symmetry codes: (i)  $x - \frac{1}{2}, -y + \frac{1}{2}, -z + 1$ ; (ii)  $-x + 1, -y, -z + 1$ ; (iii)  $x - \frac{1}{2}, y, -z + \frac{1}{2}$ ; (iv)  $x + \frac{1}{2}, y, -z + \frac{1}{2}$ ; (v)  $-x + \frac{1}{2}, -y, z - \frac{1}{2}$ ; (vi)  $x, -y + \frac{1}{2}, z + \frac{1}{2}$ ].

Table 3

Hydrogen-bond geometry ( $\text{\AA}, ^\circ$ ).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
$O1W-H1W1 \cdots O6^i$	0.92	1.94	2.840 (2)	166
$O1W-H2W1 \cdots O5W^{ii}$	0.83	2.61	3.120 (4)	121
$O1W-H2W1 \cdots O3B^{iii}$	0.83	2.23	3.001 (2)	154
$O2W-H2W2 \cdots O4^{iv}$	0.93	1.83	2.754 (2)	171
$O4WA-H2W4 \cdots O4B^{ii}$	0.91	2.44	2.993 (2)	119
$O4WA-H2W4 \cdots N2B^{ii}$	0.91	2.02	2.895 (3)	161
$O5W-H5WC \cdots O6B^v$	0.85	1.95	2.774 (3)	162
$O4WB-H3W4 \cdots O4B^{ii}$	0.85	2.09	2.848 (9)	149
$O4WB-H4W4 \cdots O6B^v$	0.88	2.15	3.024 (9)	174

Symmetry codes: (i)  $-x + \frac{1}{2}, -y, z + \frac{1}{2}$ ; (ii)  $x - \frac{1}{2}, y, -z + \frac{1}{2}$ ; (iii)  $x - \frac{1}{2}, -y + \frac{1}{2}, -z + 1$ ; (iv)  $-x + 1, -y, -z + 1$ ; (v)  $x - \frac{1}{2}, -y + \frac{1}{2}, -z$ .

The polyhedra around neighboring potassium cations are connected with each other through common vertices (K1 with K2, K1 with K4A, K3B with K4A), edges (K1 with K1, K1 with K2, K1 with K3B) and faces (K2 with K4A). The K–O and K–N bond lengths are normal for potassium cations and close to those reported in the structures of related carboxylate and amide complexes (Fritsky *et al.*, 1998; Świątek-Kozłowska *et al.*, 2000; Mokhir *et al.*, 2002).

The polymeric framework is stabilized by an extensive system of hydrogen-bonding interactions where the water molecules act as donors and the carboxylic O atoms, the amide O atoms and the oxadizidine N atoms act as acceptors (Table 3, Fig. 7).

#### 4. Hirshfeld analysis

The Hirshfeld surface analysis (Spackman & Jayatilaka, 2009) was performed and the associated two-dimensional fingerprint plots (McKinnon *et al.*, 2007) were obtained with *Crystal-Explorer17* (Turner *et al.*, 2017). The Hirshfeld surfaces of the complex anions are colour-mapped with the normalized contact distance ( $d_{\text{norm}}$ ) from red (distances shorter than the





Figure 7


Crystal packing of the title compound. Hydrogen bonds are indicated by dashed lines. H atoms of the C–H groups and minor disordered components (K3A and K4B, O4WB water molecule) are omitted for clarity.




**Figure 8**  
The Hirshfeld surfaces of the two complex anions (A = Ni and B = NiB) mapped over  $d_{\text{norm}}$ .

sum of the van der Waals radii) through white to blue (distances longer than the sum of the van der Waals radii). The Hirshfeld surface mapped over  $d_{\text{norm}}$ , in the colour range  $-0.6411$  to  $0.9651$  a.u. for the anion centred by Ni1 (A) and  $-0.6382$  to  $0.9607$  a.u. for the anion centred by Ni1B (B) is shown in Fig. 8. Both complex anions are connected to the other moieties of the crystal structure mainly through the amide and the carboxylic O atoms.

A two-dimensional fingerprint plot contains information related to specific intermolecular interactions. The blue colour refers to the frequency of occurrence of the ( $d_i$ ,  $d_e$ ) pair with



**Figure 9**  
(a) Full two-dimensional fingerprint plot of the A complex anion (Ni1), and delineated into (b)  $\text{O}\cdots\text{H}/\text{H}\cdots\text{O}$  (41.3%) (c)  $\text{O}\cdots\text{K}/\text{K}\cdots\text{O}$  (15.8%) and (d)  $\text{H}\cdots\text{H}$  (13.7%) contacts.



**Figure 10**  
(a) Full two-dimensional fingerprint plot of the B complex anion (Ni1B), and delineated into (b)  $\text{O}\cdots\text{H}/\text{H}\cdots\text{O}$  (41.0%) (c)  $\text{O}\cdots\text{K}/\text{K}\cdots\text{O}$  (15.8%) and (d)  $\text{H}\cdots\text{H}$  (15.1%) contacts.

the full fingerprint plot outlined in gray. Figs. 9a and 10a show the two-dimensional fingerprint plots for the anion centred by Ni1 (A) and by Ni1B (B), represented by the sum of the contacts contributing to the Hirshfeld surface in normal mode. The most significant contribution to the Hirshfeld surface is from  $\text{O}\cdots\text{H}/\text{H}\cdots\text{O}$  contacts (41.3% for complex A and 41.0% for complex B, respectively; Fig. 9b and 10b). In addition,  $\text{O}\cdots\text{K}/\text{K}\cdots\text{O}$  (15.8% for complex anions A and B; Fig. 9c and 10c) and  $\text{H}\cdots\text{H}$  (13.7% for complex anion A and 15.1% for complex anion B; Fig. 9d and 10d) are other significant contributions to the total Hirshfeld surface.

## 5. Database survey

A search of the Cambridge Structural Database (CSD version 5.41, update of November 2019; Groom *et al.*, 2016) for complexes obtained by hydrazide, aldehyde and 3d-metal salt interactions gave eleven hits for structures with full atomic coordinates. All these compounds include macrocyclic or pseudo-macrocyclic ligands formed by template binding of several hydrazide groups by aldehyde molecules. The 3d-metal ions of these complexes are often in high oxidation states:  $\text{Cu}^{\text{III}}$  (Oliver *et al.*, 1982; Fritsky *et al.*, 1998, 2006) and  $\text{Fe}^{\text{IV}}$  (Tomyn *et al.*, 2017) complexes have been described.

## 6. Synthesis and crystallization

A solution of  $\text{Ni}(\text{NO}_3)_2\cdot 6\text{H}_2\text{O}$  (0.073 g, 0.25 mmol) in 5 ml of water was added to a warm solution of oxalohydrazide-hydroxamic acid (0.06 g, 0.5 mmol) in 5 ml of water. The

**Table 4**  
Experimental details.

Crystal data	
Chemical formula	[K <sub>4</sub> Ni <sub>2</sub> (C <sub>7</sub> H <sub>6</sub> N <sub>4</sub> O <sub>7</sub> ) <sub>2</sub> ].4.8H <sub>2</sub> O
<i>M<sub>r</sub></i>	876.66
Crystal system, space group	Orthorhombic, <i>Pbca</i>
Temperature (K)	100
<i>a</i> , <i>b</i> , <i>c</i> (Å)	15.0694 (3), 16.9659 (3), 22.1920 (4)
<i>V</i> (Å <sup>3</sup> )	5673.74 (18)
<i>Z</i>	8
Radiation type	Mo <i>K</i> α
<i>μ</i> (mm <sup>-1</sup> )	2.01
Crystal size (mm)	0.31 × 0.26 × 0.23
Data collection	
Diffractometer	Bruker Kappa APEXII CCD
Absorption correction	Multi-scan ( <i>SADABS</i> ; Krause <i>et al.</i> , 2015)
<i>T</i> <sub>min</sub> , <i>T</i> <sub>max</sub>	0.572, 0.653
No. of measured, independent and observed [ <i>I</i> > 2σ( <i>I</i> )] reflections	51429, 8287, 7371
<i>R</i> <sub>int</sub>	0.037
(sin θ/λ) <sub>max</sub> (Å <sup>-1</sup> )	0.707
Refinement	
<i>R</i> [ <i>F</i> <sup>2</sup> > 2σ( <i>F</i> <sup>2</sup> )], <i>wR</i> ( <i>F</i> <sup>2</sup> ), <i>S</i>	0.033, 0.076, 1.10
No. of reflections	8287
No. of parameters	448
H-atom treatment	H-atom parameters constrained
Δρ <sub>max</sub> , Δρ <sub>min</sub> (e Å <sup>-3</sup> )	0.81, -0.69

Computer programs: *APEX3* and *SAINT* (Bruker, 2016), *SHELXS97* (Sheldrick, 2008), *SHELXL2018/1* (Sheldrick, 2015), *DIAMOND* (Brandenburg, 2009) and *publCIF* (Westrip, 2010).

resulting light-green mixture was stirred with heating (320–330 K) for 20 min, and then 1 ml of a 4M KOH solution was added. As a result, the color of the solution changed to pink. After 5 min of stirring, 0.03 g of paraformaldehyde (1 mmol) were added, followed by stirring with heating (320–330 K) for 30 min. The resulting orange solution was left for crystallization by slow diffusion of methanol vapor. After two months, orange crystals suitable for X-ray diffraction studies were obtained. The crystals were filtered off, washed with diethyl ether and dried in air.

## 7. Refinement

Crystal data, data collection and structure refinement details are summarized in Table 4. The potassium cations K3 and K4 were found to be disordered over two positions with occupancy factors for the major disorder component of 0.54 (3) (K3B) and 0.9643 (15) (K4A). The solvate water molecule O4W appeared to be disordered over two positions with relative occupancies of 0.805 (4) (O4WA) and 0.195 (4) (O4WB). The solvate water molecule O5W was found to be incompatible with the second positions of the water molecule O4W and thus was refined with the same occupancy factor as the major fraction of O4W as they are linked by a hydrogen bond. The O–H hydrogen atoms were located from a difference-Fourier map and constrained to ride on their parent atoms with  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{O})$ . The methylene C–H

hydrogen atoms were positioned geometrically and were constrained to ride on their parent atoms, with C–H = 0.99 Å, and  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ .

## Funding information

This project has received funding from the European Union's Horizon 2020 Research and Innovation Programme under the Marie Skłodowska-Curie grant agreement No. 778245. MOP, AOH and TSI acknowledge funding received from the Ministry of Education and Science of Ukraine (grant No. 19BF037–04).

## References

- Brandenburg, K. (2009). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2016). *APEX3* and *SAINT*. Bruker AXS BV., Madison, Wisconsin, USA.
- Clark, G. R., Skelton, B. W. & Waters, T. N. (1976). *J. Chem. Soc. Dalton Trans.* pp. 1528–1536.
- Duda, A. M., Karaczyn, A., Kozłowski, H., Fritsky, I. O., Głowiak, T., Prisyazhnaya, E. V., Sliva, T. Yu. & Świątek-Kozłowska, J. (1997). *J. Chem. Soc. Dalton Trans.* pp. 3853–3860.
- Fritsky, I. O., Kozłowski, H., Kandal, O. M., Haukka, M., Świątek-Kozłowska, J., Gumienna-Kontecka, E. & Meyer, F. (2006). *Chem. Commun.* pp. 4125–4127.
- Fritsky, I. O., Kozłowski, H., Sadler, P. J., Yefetova, O. P., Świątek-Kozłowska, J., Kalibabchuk, V. A. & Głowiak, T. (1998). *J. Chem. Soc. Dalton Trans.* pp. 3269–3274.
- Fritsky, I. O., Świątek-Kozłowska, J., Dobosz, A., Sliva, T. Y. & Dudarenko, N. M. (2004). *Inorg. Chim. Acta*, **357**, 3746–3752.
- Groom, C. R., Bruno, I. J., Lightfoot, M. P. & Ward, S. C. (2016). *Acta Cryst. B* **72**, 171–179.
- Gumienna-Kontecka, E., Golenya, I. A., Dudarenko, N. M., Dobosz, A., Haukka, M., Fritsky, I. O. & Świątek-Kozłowska, J. (2007). *New J. Chem.* **31**, 1798–1805.
- Huang, X.-C., Zhou, C., Shao, D. & Wang, X.-Y. (2014). *Inorg. Chem.* **53**, 12671–12673.
- Krause, L., Herbst-Irmer, R., Sheldrick, G. M. & Stalke, D. (2015). *J. Appl. Cryst.* **48**, 3–10.
- Llunell, M., Casanova, D., Cirera, J., Alemany, P. & Alvarez, S. (2013). *SHAPE*. Universitat de Barcelona, Barcelona, Spain.
- McKinnon, J. J., Jayatilaka, D. & Spackman, M. A. (2007). *Chem. Commun.* pp. 3814–3816.
- Mezei, G., Zaleski, C. M. & Pecoraro, V. L. (2007). *Chem. Rev.* **107**, 4933–5003.
- Mokhir, A. A., Gumienna-Kontecka, E., Świątek-Kozłowska, J., Petkova, E. G., Fritsky, I. O., Jerzykiewicz, L., Kapshuk, A. A. & Sliva, T. Yu. (2002). *Inorg. Chim. Acta*, **329**, 113–121.
- Oliver, K. J. & Waters, T. N. (1982). *J. Chem. Soc. Chem. Commun.* pp. 1111–1112.
- Pavlishchuk, A. V., Kolotilov, S. V., Zeller, M., Shvets, O. V., Fritsky, I. O., Loffland, S. E., Addison, A. W. & Hunter, A. D. (2011). *Eur. J. Inorg. Chem.* pp. 4826–4836.
- Pavlishchuk, A. V., Kolotilov, S. V., Zeller, M., Thompson, L. K., Fritsky, I. O., Addison, A. W. & Hunter, A. D. (2010). *Eur. J. Inorg. Chem.* pp. 4851–4858.
- Raja, D. S., Bhuvanesh, N. S. P. & Natarajan, K. (2012). *Dalton Trans.* **41**, 4365–4377.
- Shannon, R. D. (1976). *Acta Cryst.* **A32**, 751–767.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Sheldrick, G. M. (2015). *Acta Cryst.* **C71**, 3–8.
- Shylin, S. I., Pavliuk, M. V., D'Amario, L., Fritsky, I. O. & Berggren, G. (2019a). *Faraday Discuss.* **215**, 162–174.

- Shylin, S. I., Pavliuk, M. V., D'Amario, L., Mamedov, F., Sá, J., Berggren, G. & Fritsky, I. O. (2019b). *Chem. Commun.* **55**, 3335–3338.
- Sliva, T. Yu., Duda, A. M., Głowiak, T., Fritsky, I. O., Amirkhanov, V. M., Mokhir, A. A. & Kozłowski, H. (1997a). *J. Chem. Soc. Dalton Trans.* pp. 273–276.
- Sliva, T. Yu., Kowalik-Jankowska, T., Amirkhanov, V. M., Głowiak, T., Onindo, C. O., Fritskii, I. O. & Kozłowski, H. (1997b). *J. Inorg. Biochem.* **65**, 287–294.
- Spackman, M. A. & Jayatilaka, D. (2009). *CrystEngComm*, **11**, 19–32.
- Strotmeyer, K. P., Fritsky, I. O., Ott, R., Pritzkow, H. & Krämer, R. (2003). *Supramol. Chem.* **15**, 529–547.
- Świątek-Kozłowska, J., Fritsky, I. O., Dobosz, A., Karaczyn, A., Dudarenko, N. M., Sliva, T. Yu., Gumienna-Kontecka, E. & Jerzykiewicz, L. (2000). *J. Chem. Soc. Dalton Trans.* pp. 4064–4068.
- Tomyn, S., Shylin, S. I., Bykov, D., Ksenofontov, V., Gumienna-Kontecka, E., Bon, V. & Fritsky, I. O. (2017). *Nat. Commun.* **8**, 14099, 1–9.
- Turner, M. J., McKinnon, J. J., Wolff, S. K., Grimwood, D. J., Spackman, P. R., Jayatilaka, D. & Spackman, M. A. (2017). *CrystalExplorer17*. University of Western Australia. <http://hirshfeldsurface.net>
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.



## supporting information

*Acta Cryst.* (2021). E77, 298-304 [https://doi.org/10.1107/S205698902100205X]

## Crystal structure and Hirshfeld surface analysis of poly[[bis[ $\mu_4$ -*N,N'*-(1,3,5-oxadiazinane-3,5-diyl)bis(carbamoylmethanoato)]nickel(II)tetrapotassium] 4.8-hydrate]

**Maksym O. Plutenko, Matti Haukka, Alina O. Husak, Turganbay S. Iskenderov and Nurullo U. Mulloev**

### Computing details

Data collection: *APEX3* (Bruker, 2016); cell refinement: *SAINTE* (Bruker, 2016); data reduction: *SAINTE* (Bruker, 2016); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL2018/1* (Sheldrick, 2015); molecular graphics: *DIAMOND* (Brandenburg, 2009); software used to prepare material for publication: *publCIF* (Westrip, 2010).

Poly[[bis[ $\mu_4$ -*N,N'*-(1,3,5-oxadiazinane-3,5-diyl)bis(carbamoylmethanoato)]nickel(II)tetrapotassium] 4.8-hydrate]

### Crystal data

[K<sub>4</sub>Ni<sub>2</sub>(C<sub>7</sub>H<sub>6</sub>N<sub>4</sub>O<sub>7</sub>)<sub>2</sub>]·4.8H<sub>2</sub>O

*M<sub>r</sub>* = 876.66

Orthorhombic, *Pbca*

*a* = 15.0694 (3) Å

*b* = 16.9659 (3) Å

*c* = 22.1920 (4) Å

*V* = 5673.74 (18) Å<sup>3</sup>

*Z* = 8

*F*(000) = 3552

*D<sub>x</sub>* = 2.053 Mg m<sup>-3</sup>

Mo *K*α radiation, λ = 0.71073 Å

Cell parameters from 18674 reflections

θ = 1.0–30.0°

μ = 2.01 mm<sup>-1</sup>

*T* = 100 K

Block, orange

0.31 × 0.26 × 0.23 mm

### Data collection

Bruker Kappa APEXII CCD  
diffractometer

Radiation source: fine-focus sealed tube

Horizontally mounted graphite crystal  
monochromator

Detector resolution: 16 pixels mm<sup>-1</sup>

φ scans and ω scans with κ offset

Absorption correction: multi-scan  
(SADABS; Krause *et al.*, 2015)

*T<sub>min</sub>* = 0.572, *T<sub>max</sub>* = 0.653

51429 measured reflections

8287 independent reflections

7371 reflections with *I* > 2σ(*I*)

*R<sub>int</sub>* = 0.037

θ<sub>max</sub> = 30.2°, θ<sub>min</sub> = 2.0°

*h* = -20→21

*k* = -23→19

*l* = -31→31

### Refinement

Refinement on *F*<sup>2</sup>

Least-squares matrix: full

*R*[*F*<sup>2</sup> > 2σ(*F*<sup>2</sup>)] = 0.033

*wR*(*F*<sup>2</sup>) = 0.076

*S* = 1.10

8287 reflections

448 parameters

0 restraints

Hydrogen site location: mixed

H-atom parameters constrained

*w* = 1/[σ<sup>2</sup>(*F<sub>o</sub>*<sup>2</sup>) + (0.0165*P*)<sup>2</sup> + 9.9285*P*]

where *P* = (*F<sub>o</sub>*<sup>2</sup> + 2*F<sub>c</sub>*<sup>2</sup>)/3

$$(\Delta/\sigma)_{\max} = 0.002$$

$$\Delta\rho_{\max} = 0.81 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.69 \text{ e } \text{\AA}^{-3}$$

### Special details

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
Ni1	0.39976 (2)	0.03560 (2)	0.25909 (2)	0.01144 (6)	
K1	0.42066 (3)	0.10115 (3)	0.50619 (2)	0.01944 (9)	
K2	0.62602 (3)	0.12976 (3)	0.37947 (2)	0.01642 (8)	
K3A	0.6573 (3)	0.0634 (2)	0.0628 (2)	0.0156 (10)	0.46 (3)
K3B	0.6592 (3)	0.0786 (9)	0.0646 (2)	0.0447 (9)	0.54 (3)
K4A	0.81367 (4)	0.18864 (3)	0.48907 (2)	0.02787 (14)	0.9643 (15)
K4B	0.8620 (12)	0.1672 (10)	0.4887 (6)	0.02787 (14)	0.0357 (15)
O1	0.48022 (9)	0.05193 (8)	0.19539 (6)	0.0158 (3)	
O2	0.48968 (8)	0.03838 (8)	0.31915 (6)	0.0147 (3)	
O3	0.50728 (9)	0.01073 (9)	0.41691 (6)	0.0175 (3)	
O4	0.32237 (9)	-0.00551 (9)	0.42549 (6)	0.0187 (3)	
O5	0.23246 (9)	-0.10170 (8)	0.25535 (6)	0.0175 (3)	
O6	0.29549 (9)	0.06429 (10)	0.09851 (6)	0.0209 (3)	
O7	0.48153 (10)	0.07263 (11)	0.09625 (7)	0.0290 (4)	
O1W	0.24931 (12)	0.08231 (11)	0.54478 (7)	0.0294 (4)	
H1W1	0.236269	0.039493	0.568245	0.044*	
H2W1	0.226969	0.122493	0.559745	0.044*	
O2W	0.63486 (14)	0.13337 (10)	0.50382 (8)	0.0361 (4)	
H1W2	0.624292	0.171955	0.530219	0.054*	
H2W2	0.647697	0.086965	0.524420	0.054*	
O3W	0.91669 (13)	0.06558 (12)	0.52097 (8)	0.0383 (4)	
H1W3	0.926510	0.062280	0.482596	0.057*	
H2W3	0.967921	0.084541	0.536516	0.057*	
O4WA	0.60586 (13)	0.23598 (13)	0.07782 (10)	0.0309 (6)	0.805 (4)
H1W4	0.655353	0.218452	0.090399	0.046*	0.805 (4)
H2W4	0.567382	0.239687	0.109145	0.046*	0.805 (4)
O5W	0.5651 (2)	0.16499 (15)	-0.03385 (13)	0.0532 (9)	0.805 (4)
H5WC	0.546573	0.207539	-0.049704	0.080*	0.805 (4)
H5WB	0.588393	0.177329	-0.000284	0.080*	0.805 (4)
O4WB	0.5638 (6)	0.2234 (6)	0.0249 (4)	0.032 (2)	0.195 (4)
H3W4	0.531930	0.234322	0.055384	0.048*	0.195 (4)
H4W4	0.532796	0.240423	-0.006182	0.048*	0.195 (4)
N1	0.32286 (10)	0.01942 (9)	0.32277 (7)	0.0125 (3)	
N2	0.22857 (10)	0.01217 (10)	0.31956 (7)	0.0129 (3)	
N3	0.22075 (10)	0.02637 (10)	0.20888 (7)	0.0137 (3)	
N4	0.31391 (10)	0.03568 (10)	0.19995 (7)	0.0128 (3)	

C1	0.46081 (12)	0.01956 (11)	0.37164 (8)	0.0134 (3)
C2	0.35945 (12)	0.00948 (11)	0.37637 (8)	0.0131 (3)
C3	0.19564 (12)	0.05825 (11)	0.26801 (8)	0.0138 (3)
H3A	0.130103	0.060914	0.270332	0.017*
H3B	0.218626	0.112739	0.271334	0.017*
C4	0.20301 (13)	-0.07011 (12)	0.31134 (9)	0.0167 (4)
H4A	0.228229	-0.101882	0.344615	0.020*
H4B	0.137568	-0.074362	0.313553	0.020*
C5	0.19597 (13)	-0.05675 (12)	0.20682 (9)	0.0177 (4)
H5A	0.130467	-0.061003	0.208006	0.021*
H5B	0.216417	-0.079534	0.168170	0.021*
C6	0.34091 (12)	0.05407 (11)	0.14507 (8)	0.0146 (3)
C7	0.44272 (12)	0.06056 (12)	0.14422 (9)	0.0166 (4)
Ni1B	0.85260 (2)	0.23735 (2)	0.24199 (2)	0.01304 (6)
O1B	0.77709 (9)	0.22102 (9)	0.17472 (6)	0.0180 (3)
O2B	0.75916 (9)	0.23086 (8)	0.29873 (6)	0.0162 (3)
O3B	0.73206 (9)	0.26008 (9)	0.39495 (7)	0.0212 (3)
O4B	0.91522 (10)	0.28278 (10)	0.41008 (7)	0.0220 (3)
O5B	1.01572 (10)	0.37800 (8)	0.24472 (7)	0.0203 (3)
O6B	0.96972 (11)	0.21209 (10)	0.08487 (7)	0.0253 (3)
O7B	0.78613 (11)	0.19730 (10)	0.07598 (7)	0.0251 (3)
N1B	0.92407 (10)	0.25393 (10)	0.30822 (7)	0.0148 (3)
N2B	1.01790 (10)	0.26347 (10)	0.30814 (7)	0.0151 (3)
N3B	1.03515 (10)	0.25123 (10)	0.19792 (7)	0.0160 (3)
N4B	0.94292 (10)	0.23990 (10)	0.18580 (7)	0.0153 (3)
C1B	0.78284 (12)	0.25187 (11)	0.35171 (9)	0.0152 (3)
C2B	0.88312 (12)	0.26501 (11)	0.36010 (9)	0.0153 (3)
C3B	1.05635 (12)	0.21901 (12)	0.25760 (9)	0.0159 (3)
H3B1	1.121650	0.217835	0.262372	0.019*
H3B2	1.034773	0.163958	0.259596	0.019*
C4B	1.04157 (13)	0.34622 (12)	0.30124 (9)	0.0196 (4)
H4B1	1.012978	0.376994	0.333794	0.024*
H4B2	1.106608	0.351872	0.305799	0.024*
C5B	1.05732 (13)	0.33496 (12)	0.19717 (10)	0.0200 (4)
H5B1	1.122471	0.340939	0.200622	0.024*
H5B2	1.038927	0.357734	0.158040	0.024*
C6B	0.92131 (13)	0.22112 (12)	0.13005 (9)	0.0171 (4)
C7B	0.82017 (13)	0.21177 (12)	0.12558 (9)	0.0178 (4)

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Ni1	0.00784 (10)	0.01467 (12)	0.01179 (11)	-0.00082 (8)	-0.00019 (7)	0.00124 (8)
K1	0.0243 (2)	0.0196 (2)	0.01449 (18)	0.00216 (16)	-0.00152 (15)	-0.00092 (15)
K2	0.01387 (17)	0.0187 (2)	0.01671 (18)	-0.00075 (14)	0.00052 (14)	0.00027 (14)
K3A	0.0119 (9)	0.018 (2)	0.0172 (9)	0.0053 (6)	-0.0008 (6)	-0.0050 (9)
K3B	0.0199 (9)	0.083 (3)	0.0313 (13)	-0.0053 (16)	-0.0054 (8)	0.0187 (14)
K4A	0.0356 (3)	0.0307 (3)	0.0173 (2)	0.0017 (2)	-0.00088 (19)	-0.00179 (19)

---

K4B	0.0356 (3)	0.0307 (3)	0.0173 (2)	0.0017 (2)	-0.00088 (19)	-0.00179 (19)
O1	0.0110 (6)	0.0210 (7)	0.0154 (6)	-0.0016 (5)	0.0011 (5)	0.0024 (5)
O2	0.0110 (6)	0.0193 (7)	0.0138 (6)	-0.0006 (5)	-0.0022 (5)	0.0009 (5)
O3	0.0155 (6)	0.0211 (7)	0.0160 (6)	0.0007 (5)	-0.0042 (5)	0.0005 (5)
O4	0.0162 (6)	0.0268 (8)	0.0132 (6)	0.0031 (6)	0.0017 (5)	0.0019 (5)
O5	0.0177 (7)	0.0146 (7)	0.0203 (7)	-0.0005 (5)	-0.0007 (5)	0.0000 (5)
O6	0.0153 (6)	0.0338 (9)	0.0136 (6)	-0.0009 (6)	-0.0015 (5)	0.0034 (6)
O7	0.0168 (7)	0.0527 (11)	0.0176 (7)	-0.0055 (7)	0.0049 (6)	0.0025 (7)
O1W	0.0343 (9)	0.0321 (9)	0.0219 (7)	-0.0018 (7)	0.0047 (7)	-0.0029 (7)
O2W	0.0642 (13)	0.0242 (9)	0.0199 (8)	0.0043 (8)	-0.0021 (8)	0.0021 (6)
O3W	0.0388 (10)	0.0525 (12)	0.0236 (8)	0.0080 (9)	0.0036 (7)	0.0022 (8)
O4WA	0.0185 (9)	0.0401 (13)	0.0341 (12)	0.0043 (8)	0.0101 (8)	0.0022 (9)
O5W	0.073 (2)	0.0320 (14)	0.0542 (17)	-0.0034 (13)	-0.0292 (15)	0.0080 (12)
O4WB	0.022 (4)	0.039 (5)	0.035 (5)	0.010 (4)	0.003 (3)	0.012 (4)
N1	0.0084 (6)	0.0152 (8)	0.0139 (7)	0.0007 (5)	0.0009 (5)	0.0004 (6)
N2	0.0081 (6)	0.0157 (8)	0.0150 (7)	-0.0004 (5)	0.0000 (5)	0.0016 (6)
N3	0.0072 (6)	0.0181 (8)	0.0158 (7)	-0.0021 (5)	0.0002 (5)	0.0014 (6)
N4	0.0083 (6)	0.0167 (8)	0.0133 (7)	-0.0014 (5)	0.0004 (5)	0.0021 (6)
C1	0.0137 (8)	0.0108 (8)	0.0159 (8)	0.0015 (6)	-0.0011 (6)	-0.0014 (6)
C2	0.0123 (8)	0.0126 (8)	0.0143 (8)	0.0026 (6)	0.0006 (6)	0.0001 (6)
C3	0.0103 (7)	0.0153 (9)	0.0159 (8)	0.0008 (6)	0.0004 (6)	0.0022 (6)
C4	0.0146 (8)	0.0171 (9)	0.0184 (9)	-0.0031 (7)	0.0008 (7)	0.0036 (7)
C5	0.0157 (8)	0.0192 (10)	0.0183 (9)	-0.0039 (7)	-0.0008 (7)	-0.0002 (7)
C6	0.0120 (8)	0.0169 (9)	0.0151 (8)	-0.0006 (6)	-0.0002 (6)	0.0008 (7)
C7	0.0139 (8)	0.0190 (10)	0.0169 (8)	-0.0011 (7)	0.0014 (7)	0.0004 (7)
Ni1B	0.00973 (10)	0.01497 (12)	0.01442 (11)	-0.00085 (8)	-0.00058 (8)	-0.00124 (8)
O1B	0.0152 (6)	0.0210 (7)	0.0179 (6)	-0.0014 (5)	-0.0030 (5)	-0.0007 (5)
O2B	0.0114 (6)	0.0196 (7)	0.0175 (6)	-0.0014 (5)	-0.0002 (5)	-0.0011 (5)
O3B	0.0159 (6)	0.0268 (8)	0.0210 (7)	-0.0019 (6)	0.0040 (5)	-0.0030 (6)
O4B	0.0181 (7)	0.0302 (8)	0.0177 (7)	-0.0016 (6)	-0.0019 (5)	-0.0070 (6)
O5B	0.0196 (7)	0.0133 (7)	0.0280 (8)	-0.0002 (5)	0.0034 (6)	-0.0014 (6)
O6B	0.0247 (8)	0.0331 (9)	0.0180 (7)	-0.0001 (6)	0.0047 (6)	-0.0061 (6)
O7B	0.0276 (8)	0.0291 (9)	0.0186 (7)	-0.0036 (6)	-0.0072 (6)	0.0003 (6)
N1B	0.0099 (7)	0.0166 (8)	0.0178 (7)	-0.0002 (6)	-0.0007 (5)	-0.0028 (6)
N2B	0.0091 (6)	0.0160 (8)	0.0202 (8)	-0.0001 (6)	-0.0006 (6)	-0.0044 (6)
N3B	0.0118 (7)	0.0170 (8)	0.0191 (8)	-0.0014 (6)	0.0017 (6)	-0.0022 (6)
N4B	0.0122 (7)	0.0154 (8)	0.0183 (7)	-0.0016 (6)	0.0004 (6)	-0.0021 (6)
C1B	0.0144 (8)	0.0139 (9)	0.0172 (8)	-0.0006 (7)	0.0011 (6)	-0.0004 (7)
C2B	0.0136 (8)	0.0146 (9)	0.0178 (8)	-0.0006 (6)	0.0001 (6)	-0.0016 (7)
C3B	0.0109 (8)	0.0144 (9)	0.0224 (9)	0.0018 (6)	0.0005 (6)	-0.0024 (7)
C4B	0.0153 (8)	0.0188 (10)	0.0248 (10)	-0.0027 (7)	0.0010 (7)	-0.0064 (8)
C5B	0.0158 (9)	0.0186 (10)	0.0255 (10)	-0.0024 (7)	0.0047 (7)	-0.0002 (8)
C6B	0.0187 (9)	0.0143 (9)	0.0183 (9)	-0.0002 (7)	0.0008 (7)	-0.0009 (7)
C7B	0.0210 (9)	0.0131 (9)	0.0193 (9)	-0.0012 (7)	-0.0034 (7)	-0.0003 (7)

---

## Geometric parameters (Å, °)

Ni1—N4	1.8429 (15)	K4B—O3B	3.263 (17)
Ni1—N1	1.8479 (15)	K4B—C2B	3.316 (14)
Ni1—O1	1.8830 (13)	K4B—O6B <sup>vi</sup>	3.374 (15)
Ni1—O2	1.9012 (13)	O1—C7	1.277 (2)
K1—O4B <sup>i</sup>	2.7086 (15)	O2—C1	1.284 (2)
K1—O1W	2.7392 (18)	O3—C1	1.234 (2)
K1—O3 <sup>ii</sup>	2.7739 (14)	O4—C2	1.251 (2)
K1—O3	2.8254 (15)	O5—C4	1.424 (2)
K1—O6B <sup>iii</sup>	2.8588 (16)	O5—C5	1.430 (2)
K1—O4	2.9456 (15)	O6—C6	1.252 (2)
K1—O7B <sup>iii</sup>	3.1774 (17)	O7—C7	1.232 (2)
K1—O2W	3.274 (2)	O1W—H1W1	0.9152
K1—C1	3.3464 (19)	O1W—H2W1	0.8297
K1—C2	3.4015 (19)	O2W—H1W2	0.8929
K1—K4A <sup>i</sup>	3.9153 (7)	O2W—H2W2	0.9306
K1—K4B <sup>i</sup>	4.030 (16)	O3W—H1W3	0.8662
K2—O3B	2.7495 (16)	O3W—H2W3	0.9048
K2—O2W	2.7634 (17)	O4WA—H1W4	0.8501
K2—O3	2.8232 (15)	O4WA—H2W4	0.9075
K2—O6 <sup>iv</sup>	2.8273 (15)	O5W—H5WC	0.8499
K2—O6B <sup>iii</sup>	2.8505 (17)	O5W—H5WB	0.8499
K2—O2	2.9013 (14)	O4WB—H3W4	0.8501
K2—N3 <sup>iv</sup>	2.9932 (16)	O4WB—H4W4	0.8827
K2—N3B <sup>iii</sup>	3.0121 (17)	N1—C2	1.322 (2)
K2—C1	3.1184 (19)	N1—N2	1.428 (2)
K2—O2B	3.1903 (14)	N2—C4	1.460 (2)
K2—C1B	3.2025 (19)	N2—C3	1.472 (2)
K2—C6B <sup>iii</sup>	3.459 (2)	N3—N4	1.427 (2)
K3A—O3W <sup>v</sup>	2.625 (4)	N3—C5	1.460 (3)
K3A—O7	2.755 (4)	N3—C3	1.469 (2)
K3A—O4 <sup>iv</sup>	2.761 (4)	N4—C6	1.321 (2)
K3A—O1W <sup>iv</sup>	2.779 (5)	C1—C2	1.541 (2)
K3A—N2 <sup>iv</sup>	2.954 (5)	C3—H3A	0.9900
K3A—O7B	3.003 (5)	C3—H3B	0.9900
K3A—O4WA	3.047 (4)	C4—H4A	0.9900
K3A—O5W	3.082 (5)	C4—H4B	0.9900
K3A—O4WB	3.171 (9)	C5—H5A	0.9900
K3A—C2 <sup>iv</sup>	3.456 (5)	C5—H5B	0.9900
K3A—K4B <sup>v</sup>	4.254 (16)	C6—C7	1.538 (3)
K3B—O7	2.769 (5)	Ni1B—N1B	1.8436 (16)
K3B—O1W <sup>iv</sup>	2.783 (5)	Ni1B—N4B	1.8463 (16)
K3B—O7B	2.789 (13)	Ni1B—O2B	1.8922 (14)
K3B—O4WA	2.804 (15)	Ni1B—O1B	1.8975 (14)
K3B—O4 <sup>iv</sup>	2.851 (8)	O1B—C7B	1.279 (2)
K3B—O3W <sup>v</sup>	2.868 (15)	O2B—C1B	1.279 (2)
K3B—O4WB	2.979 (15)	O3B—C1B	1.235 (2)

K3B—O5W	2.990 (7)	O4B—C2B	1.247 (2)
K3B—N2 <sup>iv</sup>	2.995 (6)	O5B—C4B	1.420 (3)
K3B—C2 <sup>iv</sup>	3.492 (6)	O5B—C5B	1.428 (2)
K3B—K4B <sup>v</sup>	4.51 (2)	O6B—C6B	1.249 (2)
K4A—K4B	0.815 (18)	O7B—C7B	1.239 (2)
K4A—O3W	2.696 (2)	N1B—C2B	1.320 (2)
K4A—O3B	2.7100 (16)	N1B—N2B	1.423 (2)
K4A—O7B <sup>vi</sup>	2.7633 (17)	N2B—C4B	1.457 (3)
K4A—O4B	2.8223 (17)	N2B—C3B	1.471 (2)
K4A—O2W	2.872 (2)	N3B—N4B	1.429 (2)
K4A—O6 <sup>iv</sup>	2.8815 (16)	N3B—C5B	1.459 (3)
K4A—C1B	3.265 (2)	N3B—C3B	1.468 (3)
K4A—C2B	3.311 (2)	N4B—C6B	1.318 (2)
K4A—C7B <sup>vi</sup>	3.470 (2)	C1B—C2B	1.539 (3)
K4B—O3W	2.040 (17)	C3B—H3B1	0.9900
K4B—O4B	2.744 (15)	C3B—H3B2	0.9900
K4B—O6 <sup>iv</sup>	2.792 (14)	C4B—H4B1	0.9900
K4B—O7 <sup>iv</sup>	3.061 (17)	C4B—H4B2	0.9900
K4B—O4WB <sup>iv</sup>	3.201 (19)	C5B—H5B1	0.9900
K4B—O7B <sup>vi</sup>	3.216 (16)	C5B—H5B2	0.9900
K4B—O5W <sup>iv</sup>	3.220 (18)	C6B—C7B	1.536 (3)
N4—Ni1—N1	96.01 (7)	O3W—K4A—C7B <sup>vi</sup>	97.56 (5)
N4—Ni1—O1	85.25 (6)	O3B—K4A—C7B <sup>vi</sup>	117.90 (5)
N1—Ni1—O1	178.74 (6)	O7B <sup>vi</sup> —K4A—C7B <sup>vi</sup>	18.91 (4)
N4—Ni1—O2	178.28 (7)	O4B—K4A—C7B <sup>vi</sup>	104.56 (5)
N1—Ni1—O2	85.10 (6)	O2W—K4A—C7B <sup>vi</sup>	94.93 (5)
O1—Ni1—O2	93.65 (6)	O6 <sup>iv</sup> —K4A—C7B <sup>vi</sup>	161.44 (5)
O4B <sup>i</sup> —K1—O1W	80.90 (5)	C1B—K4A—C7B <sup>vi</sup>	131.24 (5)
O4B <sup>i</sup> —K1—O3 <sup>ii</sup>	95.01 (5)	C2B—K4A—C7B <sup>vi</sup>	123.72 (5)
O1W—K1—O3 <sup>ii</sup>	95.56 (5)	O3W—K4A—K2	112.75 (5)
O4B <sup>i</sup> —K1—O3	152.85 (5)	O3B—K4A—K2	45.40 (3)
O1W—K1—O3	126.25 (5)	O7B <sup>vi</sup> —K4A—K2	120.72 (4)
O3 <sup>ii</sup> —K1—O3	83.05 (4)	O4B—K4A—K2	98.76 (3)
O4B <sup>i</sup> —K1—O6B <sup>iii</sup>	90.81 (5)	O2W—K4A—K2	45.59 (3)
O1W—K1—O6B <sup>iii</sup>	122.79 (5)	O6 <sup>iv</sup> —K4A—K2	46.85 (3)
O3 <sup>ii</sup> —K1—O6B <sup>iii</sup>	141.65 (5)	C1B—K4A—K2	52.60 (3)
O3—K1—O6B <sup>iii</sup>	75.07 (5)	C2B—K4A—K2	77.78 (3)
O4B <sup>i</sup> —K1—O4	148.05 (5)	C7B <sup>vi</sup> —K4A—K2	134.15 (4)
O1W—K1—O4	69.17 (4)	O3W—K4A—K1 <sup>vii</sup>	117.46 (5)
O3 <sup>ii</sup> —K1—O4	98.66 (4)	O3B—K4A—K1 <sup>vii</sup>	78.47 (4)
O3—K1—O4	58.15 (4)	O7B <sup>vi</sup> —K4A—K1 <sup>vii</sup>	53.51 (4)
O6B <sup>iii</sup> —K1—O4	96.01 (4)	O4B—K4A—K1 <sup>vii</sup>	43.77 (3)
O4B <sup>i</sup> —K1—O7B <sup>iii</sup>	90.06 (5)	O2W—K4A—K1 <sup>vii</sup>	132.91 (4)
O1W—K1—O7B <sup>iii</sup>	68.77 (5)	O6 <sup>iv</sup> —K4A—K1 <sup>vii</sup>	136.40 (3)
O3 <sup>ii</sup> —K1—O7B <sup>iii</sup>	162.58 (4)	C1B—K4A—K1 <sup>vii</sup>	77.55 (4)
O3—K1—O7B <sup>iii</sup>	99.85 (4)	C2B—K4A—K1 <sup>vii</sup>	62.40 (3)
O6B <sup>iii</sup> —K1—O7B <sup>iii</sup>	54.64 (4)	C7B <sup>vi</sup> —K4A—K1 <sup>vii</sup>	61.41 (4)

O4—K1—O7B <sup>iii</sup>	69.24 (4)	K2—K4A—K1 <sup>vii</sup>	123.652 (17)
O4B <sup>i</sup> —K1—O2W	85.38 (5)	O3W—K4B—O4B	135.2 (8)
O1W—K1—O2W	162.52 (5)	O3W—K4B—O6 <sup>iv</sup>	82.0 (5)
O3 <sup>ii</sup> —K1—O2W	74.82 (4)	O4B—K4B—O6 <sup>iv</sup>	96.4 (4)
O3—K1—O2W	67.91 (4)	O3W—K4B—O7 <sup>iv</sup>	62.4 (4)
O6B <sup>iii</sup> —K1—O2W	67.90 (4)	O4B—K4B—O7 <sup>iv</sup>	79.1 (4)
O4—K1—O2W	126.05 (4)	O6 <sup>iv</sup> —K4B—O7 <sup>iv</sup>	57.1 (3)
O7B <sup>iii</sup> —K1—O2W	122.28 (4)	O3W—K4B—O4WB <sup>iv</sup>	84.3 (6)
O4B <sup>i</sup> —K1—C1	156.68 (5)	O4B—K4B—O4WB <sup>iv</sup>	56.6 (4)
O1W—K1—C1	113.65 (5)	O6 <sup>iv</sup> —K4B—O4WB <sup>iv</sup>	117.5 (5)
O3 <sup>ii</sup> —K1—C1	101.25 (5)	O7 <sup>iv</sup> —K4B—O4WB <sup>iv</sup>	62.6 (4)
O3—K1—C1	20.96 (4)	O3W—K4B—O7B <sup>vi</sup>	122.4 (5)
O6B <sup>iii</sup> —K1—C1	66.10 (5)	O4B—K4B—O7B <sup>vi</sup>	88.6 (4)
O4—K1—C1	45.11 (4)	O6 <sup>iv</sup> —K4B—O7B <sup>vi</sup>	137.4 (7)
O7B <sup>iii</sup> —K1—C1	79.38 (4)	O7 <sup>iv</sup> —K4B—O7B <sup>vi</sup>	162.7 (6)
O2W—K1—C1	82.91 (4)	O3W—K4B—O5W <sup>iv</sup>	59.8 (4)
O4B <sup>i</sup> —K1—C2	154.85 (5)	O4B—K4B—O5W <sup>iv</sup>	85.9 (4)
O1W—K1—C2	87.46 (5)	O6 <sup>iv</sup> —K4B—O5W <sup>iv</sup>	123.3 (6)
O3 <sup>ii</sup> —K1—C2	108.32 (4)	O7 <sup>iv</sup> —K4B—O5W <sup>iv</sup>	68.1 (4)
O3—K1—C2	44.20 (4)	O7B <sup>vi</sup> —K4B—O5W <sup>iv</sup>	99.1 (4)
O6B <sup>iii</sup> —K1—C2	76.85 (5)	O3W—K4B—O3B	150.9 (7)
O4—K1—C2	21.21 (4)	O4B—K4B—O3B	54.9 (3)
O7B <sup>iii</sup> —K1—C2	64.89 (4)	O6 <sup>iv</sup> —K4B—O3B	69.2 (3)
O2W—K1—C2	109.27 (4)	O7 <sup>iv</sup> —K4B—O3B	102.3 (4)
C1—K1—C2	26.38 (4)	O4WB <sup>iv</sup> —K4B—O3B	111.5 (5)
O4B <sup>i</sup> —K1—K4A <sup>i</sup>	46.13 (3)	O7B <sup>vi</sup> —K4B—O3B	79.9 (4)
O1W—K1—K4A <sup>i</sup>	73.12 (4)	O5W <sup>iv</sup> —K4B—O3B	140.8 (5)
O3 <sup>ii</sup> —K1—K4A <sup>i</sup>	140.17 (3)	O3W—K4B—C2B	133.3 (7)
O3—K1—K4A <sup>i</sup>	134.72 (3)	O4B—K4B—C2B	21.17 (12)
O6B <sup>iii</sup> —K1—K4A <sup>i</sup>	61.69 (4)	O6 <sup>iv</sup> —K4B—C2B	75.6 (3)
O4—K1—K4A <sup>i</sup>	111.64 (3)	O7 <sup>iv</sup> —K4B—C2B	71.1 (3)
O7B <sup>iii</sup> —K1—K4A <sup>i</sup>	44.36 (3)	O4WB <sup>iv</sup> —K4B—C2B	71.3 (4)
O2W—K1—K4A <sup>i</sup>	104.74 (3)	O7B <sup>vi</sup> —K4B—C2B	101.2 (5)
C1—K1—K4A <sup>i</sup>	118.37 (3)	O5W <sup>iv</sup> —K4B—C2B	100.5 (4)
C2—K1—K4A <sup>i</sup>	109.12 (3)	O3B—K4B—C2B	42.9 (2)
O4B <sup>i</sup> —K1—K4B <sup>i</sup>	42.7 (2)	O3W—K4B—O6B <sup>vi</sup>	95.5 (5)
O1W—K1—K4B <sup>i</sup>	84.2 (3)	O4B—K4B—O6B <sup>vi</sup>	80.1 (4)
O3 <sup>ii</sup> —K1—K4B <sup>i</sup>	137.4 (2)	O6 <sup>iv</sup> —K4B—O6B <sup>vi</sup>	172.1 (7)
O3—K1—K4B <sup>i</sup>	130.6 (2)	O7 <sup>iv</sup> —K4B—O6B <sup>vi</sup>	115.1 (5)
O6B <sup>iii</sup> —K1—K4B <sup>i</sup>	55.6 (2)	O7B <sup>vi</sup> —K4B—O6B <sup>vi</sup>	49.9 (2)
O4—K1—K4B <sup>i</sup>	120.4 (2)	O5W <sup>iv</sup> —K4B—O6B <sup>vi</sup>	49.7 (2)
O7B <sup>iii</sup> —K1—K4B <sup>i</sup>	51.4 (2)	O3B—K4B—O6B <sup>vi</sup>	113.5 (5)
O2W—K1—K4B <sup>i</sup>	93.1 (3)	C2B—K4B—O6B <sup>vi</sup>	101.2 (4)
C1—K1—K4B <sup>i</sup>	117.9 (2)	O3W—K4B—K1 <sup>vii</sup>	136.5 (6)
C2—K1—K4B <sup>i</sup>	114.2 (2)	O4B—K4B—K1 <sup>vii</sup>	42.0 (2)
K4A <sup>i</sup> —K1—K4B <sup>i</sup>	11.7 (3)	O6 <sup>iv</sup> —K4B—K1 <sup>vii</sup>	135.1 (5)
O3B—K2—O2W	80.18 (5)	O7 <sup>iv</sup> —K4B—K1 <sup>vii</sup>	113.5 (4)
O3B—K2—O3	155.07 (4)	O7B <sup>vi</sup> —K4B—K1 <sup>vii</sup>	50.5 (2)

O2W—K2—O3	75.67 (5)	O5W <sup>iv</sup> —K4B—K1 <sup>vii</sup>	78.1 (3)
O3B—K2—O6 <sup>iv</sup>	76.67 (5)	O3B—K4B—K1 <sup>vii</sup>	71.2 (3)
O2W—K2—O6 <sup>iv</sup>	78.03 (5)	C2B—K4B—K1 <sup>vii</sup>	61.0 (3)
O3—K2—O6 <sup>iv</sup>	103.92 (4)	O6B <sup>vi</sup> —K4B—K1 <sup>vii</sup>	44.33 (19)
O3B—K2—O6B <sup>iii</sup>	92.95 (5)	C7—O1—Ni1	113.55 (12)
O2W—K2—O6B <sup>iii</sup>	75.63 (5)	C1—O2—Ni1	112.85 (11)
O3—K2—O6B <sup>iii</sup>	75.23 (5)	C1—O2—K2	87.38 (10)
O6 <sup>iv</sup> —K2—O6B <sup>iii</sup>	152.98 (4)	Ni1—O2—K2	147.29 (7)
O3B—K2—O2	154.02 (4)	C1—O3—K1 <sup>ii</sup>	143.74 (13)
O2W—K2—O2	120.44 (5)	C1—O3—K2	91.90 (11)
O3—K2—O2	45.94 (4)	K1 <sup>ii</sup> —O3—K2	114.99 (5)
O6 <sup>iv</sup> —K2—O2	120.63 (4)	C1—O3—K1	104.05 (12)
O6B <sup>iii</sup> —K2—O2	78.74 (4)	K1 <sup>ii</sup> —O3—K1	96.95 (4)
O3B—K2—N3 <sup>iv</sup>	106.02 (4)	K2—O3—K1	96.36 (5)
O2W—K2—N3 <sup>iv</sup>	130.10 (5)	C2—O4—K3A <sup>iii</sup>	113.48 (14)
O3—K2—N3 <sup>iv</sup>	94.35 (4)	C2—O4—K3B <sup>iii</sup>	110.5 (2)
O6 <sup>iv</sup> —K2—N3 <sup>iv</sup>	56.79 (4)	C2—O4—K1	100.39 (12)
O6B <sup>iii</sup> —K2—N3 <sup>iv</sup>	149.67 (5)	K3A <sup>iii</sup> —O4—K1	97.80 (11)
O2—K2—N3 <sup>iv</sup>	73.88 (4)	K3B <sup>iii</sup> —O4—K1	94.6 (2)
O3B—K2—N3B <sup>iii</sup>	77.60 (5)	C4—O5—C5	109.67 (15)
O2W—K2—N3B <sup>iii</sup>	125.18 (5)	C6—O6—K4B <sup>iii</sup>	117.5 (4)
O3—K2—N3B <sup>iii</sup>	111.66 (4)	C6—O6—K2 <sup>iii</sup>	113.93 (12)
O6 <sup>iv</sup> —K2—N3B <sup>iii</sup>	141.08 (5)	K4B <sup>iii</sup> —O6—K2 <sup>iii</sup>	101.5 (4)
O6B <sup>iii</sup> —K2—N3B <sup>iii</sup>	56.45 (4)	C6—O6—K4A <sup>iii</sup>	127.32 (13)
O2—K2—N3B <sup>iii</sup>	77.33 (4)	K2 <sup>iii</sup> —O6—K4A <sup>iii</sup>	85.11 (4)
N3 <sup>iv</sup> —K2—N3B <sup>iii</sup>	104.14 (5)	C7—O7—K3A	132.83 (17)
O3B—K2—C1	162.38 (5)	C7—O7—K3B	133.15 (17)
O2W—K2—C1	96.17 (6)	C7—O7—K4B <sup>iii</sup>	109.9 (3)
O3—K2—C1	23.29 (4)	K3A—O7—K4B <sup>iii</sup>	115.4 (3)
O6 <sup>iv</sup> —K2—C1	119.69 (5)	K3B—O7—K4B <sup>iii</sup>	113.2 (3)
O6B <sup>iii</sup> —K2—C1	69.48 (5)	K1—O1W—K3A <sup>iii</sup>	102.44 (11)
O2—K2—C1	24.28 (4)	K1—O1W—K3B <sup>iii</sup>	100.96 (14)
N3 <sup>iv</sup> —K2—C1	89.59 (5)	K1—O1W—H1W1	118.2
N3B <sup>iii</sup> —K2—C1	90.89 (5)	K3A <sup>iii</sup> —O1W—H1W1	106.9
O3B—K2—O2B	43.31 (4)	K3B <sup>iii</sup> —O1W—H1W1	111.9
O2W—K2—O2B	121.24 (5)	K1—O1W—H2W1	114.3
O3—K2—O2B	161.52 (4)	K3A <sup>iii</sup> —O1W—H2W1	103.7
O6 <sup>iv</sup> —K2—O2B	74.95 (4)	K3B <sup>iii</sup> —O1W—H2W1	99.8
O6B <sup>iii</sup> —K2—O2B	114.34 (4)	H1W1—O1W—H2W1	109.7
O2—K2—O2B	118.26 (4)	K2—O2W—K4A	86.48 (5)
N3 <sup>iv</sup> —K2—O2B	69.34 (4)	K2—O2W—K1	87.99 (5)
N3B <sup>iii</sup> —K2—O2B	66.28 (4)	K4A—O2W—K1	168.91 (7)
C1—K2—O2B	142.47 (4)	K2—O2W—H1W2	131.5
O3B—K2—C1B	22.33 (4)	K4A—O2W—H1W2	90.2
O2W—K2—C1B	98.18 (6)	K1—O2W—H1W2	86.3
O3—K2—C1B	170.77 (5)	K2—O2W—H2W2	118.8
O6 <sup>iv</sup> —K2—C1B	67.72 (5)	K4A—O2W—H2W2	97.9
O6B <sup>iii</sup> —K2—C1B	110.25 (5)	K1—O2W—H2W2	93.2



O2—K2—C1B	141.22 (5)	H1W2—O2W—H2W2	109.6
N3 <sup>iv</sup> —K2—C1B	84.33 (5)	K4B—O3W—K3A <sup>viii</sup>	131.1 (5)
N3B <sup>iii</sup> —K2—C1B	77.48 (5)	K3A <sup>viii</sup> —O3W—K4A	119.59 (11)
C1—K2—C1B	165.07 (5)	K4B—O3W—K3B <sup>viii</sup>	132.7 (5)
O2B—K2—C1B	23.09 (4)	K4A—O3W—K3B <sup>viii</sup>	121.30 (15)
O3B—K2—C6B <sup>iii</sup>	99.54 (5)	K4B—O3W—H1W3	77.2
O2W—K2—C6B <sup>iii</sup>	95.40 (5)	K3A <sup>viii</sup> —O3W—H1W3	111.5
O3—K2—C6B <sup>iii</sup>	76.89 (4)	K4A—O3W—H1W3	83.7
O6 <sup>iv</sup> —K2—C6B <sup>iii</sup>	172.82 (5)	K3B <sup>viii</sup> —O3W—H1W3	110.2
O6B <sup>iii</sup> —K2—C6B <sup>iii</sup>	20.01 (4)	K4B—O3W—H2W3	100.3
O2—K2—C6B <sup>iii</sup>	65.14 (4)	K3A <sup>viii</sup> —O3W—H2W3	121.6
N3 <sup>iv</sup> —K2—C6B <sup>iii</sup>	130.38 (5)	K4A—O3W—H2W3	108.4
N3B <sup>iii</sup> —K2—C6B <sup>iii</sup>	41.68 (4)	K3B <sup>viii</sup> —O3W—H2W3	121.0
C1—K2—C6B <sup>iii</sup>	63.46 (5)	H1W3—O3W—H2W3	104.6
O2B—K2—C6B <sup>iii</sup>	106.60 (4)	K3B—O4WA—H1W4	56.6
C1B—K2—C6B <sup>iii</sup>	110.89 (5)	K3A—O4WA—H1W4	58.4
O3W <sup>v</sup> —K3A—O7	74.60 (13)	K3B—O4WA—H2W4	109.2
O3W <sup>v</sup> —K3A—O4 <sup>iv</sup>	93.60 (12)	K3A—O4WA—H2W4	108.2
O7—K3A—O4 <sup>iv</sup>	149.9 (2)	H1W4—O4WA—H2W4	109.5
O3W <sup>v</sup> —K3A—O1W <sup>iv</sup>	90.25 (12)	K3B—O5W—K4B <sup>iii</sup>	103.2 (3)
O7—K3A—O1W <sup>iv</sup>	134.80 (18)	K3B—O5W—H5WC	151.0
O4 <sup>iv</sup> —K3A—O1W <sup>iv</sup>	71.35 (10)	K3A—O5W—H5WC	155.6
O3W <sup>v</sup> —K3A—N2 <sup>iv</sup>	102.80 (15)	K4B <sup>iii</sup> —O5W—H5WC	78.9
O7—K3A—N2 <sup>iv</sup>	97.36 (14)	K3A—O5W—H5WB	48.8
O4 <sup>iv</sup> —K3A—N2 <sup>iv</sup>	57.62 (10)	K4B <sup>iii</sup> —O5W—H5WB	96.7
O1W <sup>iv</sup> —K3A—N2 <sup>iv</sup>	127.71 (15)	H5WC—O5W—H5WB	106.8
O3W <sup>v</sup> —K3A—O7B	159.98 (16)	K3B—O4WB—K4B <sup>iii</sup>	103.9 (5)
O7—K3A—O7B	123.54 (12)	K3A—O4WB—K4B <sup>iii</sup>	101.1 (4)
O4 <sup>iv</sup> —K3A—O7B	74.25 (12)	K3B—O4WB—H3W4	102.6
O1W <sup>iv</sup> —K3A—O7B	70.95 (12)	K3A—O4WB—H3W4	103.2
N2 <sup>iv</sup> —K3A—O7B	84.34 (12)	K4B <sup>iii</sup> —O4WB—H3W4	66.6
O3W <sup>v</sup> —K3A—O4WA	137.03 (17)	K3B—O4WB—H4W4	139.2
O7—K3A—O4WA	70.82 (9)	K3A—O4WB—H4W4	136.3
O4 <sup>iv</sup> —K3A—O4WA	128.73 (16)	K4B <sup>iii</sup> —O4WB—H4W4	61.3
O1W <sup>iv</sup> —K3A—O4WA	96.31 (15)	H3W4—O4WB—H4W4	104.5
N2 <sup>iv</sup> —K3A—O4WA	106.17 (12)	C2—N1—N2	116.68 (15)
O7B—K3A—O4WA	55.03 (8)	C2—N1—Ni1	116.46 (12)
O3W <sup>v</sup> —K3A—O5W	91.65 (14)	N2—N1—Ni1	126.77 (12)
O7—K3A—O5W	73.88 (12)	N1—N2—C4	110.56 (14)
O4 <sup>iv</sup> —K3A—O5W	135.11 (18)	N1—N2—C3	109.18 (14)
O1W <sup>iv</sup> —K3A—O5W	64.08 (12)	C4—N2—C3	108.78 (15)
N2 <sup>iv</sup> —K3A—O5W	160.64 (13)	N1—N2—K3A <sup>iii</sup>	107.01 (13)
O7B—K3A—O5W	86.35 (13)	C4—N2—K3A <sup>iii</sup>	107.21 (13)
O4WA—K3A—O5W	54.85 (10)	C3—N2—K3A <sup>iii</sup>	114.08 (12)
O3W <sup>v</sup> —K3A—O4WB	115.5 (2)	N1—N2—K3B <sup>iii</sup>	105.80 (15)
O7—K3A—O4WB	66.17 (18)	C4—N2—K3B <sup>iii</sup>	112.0 (3)
O4 <sup>iv</sup> —K3A—O4WB	142.0 (2)	C3—N2—K3B <sup>iii</sup>	110.5 (3)
O1W <sup>iv</sup> —K3A—O4WB	84.0 (2)	N4—N3—C5	110.76 (15)

N2 <sup>iv</sup> —K3A—O4WB	130.4 (2)	N4—N3—C3	109.68 (14)
O7B—K3A—O4WB	70.46 (19)	C5—N3—C3	108.53 (15)
O3W <sup>v</sup> —K3A—C2 <sup>iv</sup>	106.96 (13)	N4—N3—K2 <sup>iii</sup>	108.26 (10)
O7—K3A—C2 <sup>iv</sup>	139.22 (17)	C5—N3—K2 <sup>iii</sup>	115.07 (11)
O4 <sup>iv</sup> —K3A—C2 <sup>iv</sup>	19.39 (5)	C3—N3—K2 <sup>iii</sup>	104.28 (10)
O1W <sup>iv</sup> —K3A—C2 <sup>iv</sup>	85.77 (11)	C6—N4—N3	117.21 (15)
N2 <sup>iv</sup> —K3A—C2 <sup>iv</sup>	41.94 (7)	C6—N4—Ni1	116.14 (12)
O7B—K3A—C2 <sup>iv</sup>	65.93 (10)	N3—N4—Ni1	126.28 (12)
O4WA—K3A—C2 <sup>iv</sup>	115.84 (13)	O3—C1—O2	125.22 (17)
O5W—K3A—C2 <sup>iv</sup>	144.82 (17)	O3—C1—C2	119.59 (17)
O3W <sup>v</sup> —K3A—K4B <sup>v</sup>	21.2 (3)	O2—C1—C2	115.18 (15)
O7—K3A—K4B <sup>v</sup>	95.2 (3)	O3—C1—K2	64.80 (10)
O4 <sup>iv</sup> —K3A—K4B <sup>v</sup>	73.1 (3)	O2—C1—K2	68.34 (10)
O1W <sup>iv</sup> —K3A—K4B <sup>v</sup>	78.9 (2)	C2—C1—K2	148.69 (12)
N2 <sup>iv</sup> —K3A—K4B <sup>v</sup>	95.5 (2)	O3—C1—K1	54.99 (10)
O7B—K3A—K4B <sup>v</sup>	141.0 (3)	O2—C1—K1	140.18 (13)
O4WA—K3A—K4B <sup>v</sup>	155.3 (3)	C2—C1—K1	78.81 (10)
O5W—K3A—K4B <sup>v</sup>	102.4 (2)	K2—C1—K1	81.17 (4)
C2 <sup>iv</sup> —K3A—K4B <sup>v</sup>	88.2 (3)	O4—C2—N1	128.58 (17)
O3W <sup>v</sup> —K3A—K1 <sup>iv</sup>	112.95 (11)	O4—C2—C1	121.66 (16)
O7—K3A—K1 <sup>iv</sup>	167.00 (15)	N1—C2—C1	109.76 (15)
O4 <sup>iv</sup> —K3A—K1 <sup>iv</sup>	42.72 (7)	O4—C2—K1	58.41 (10)
O1W <sup>iv</sup> —K3A—K1 <sup>iv</sup>	38.45 (7)	N1—C2—K1	144.78 (13)
N2 <sup>iv</sup> —K3A—K1 <sup>iv</sup>	91.31 (11)	C1—C2—K1	74.82 (10)
O7B—K3A—K1 <sup>iv</sup>	47.58 (7)	O4—C2—K3A <sup>iii</sup>	47.13 (11)
O4WA—K3A—K1 <sup>iv</sup>	97.50 (12)	N1—C2—K3A <sup>iii</sup>	87.14 (12)
O5W—K3A—K1 <sup>iv</sup>	94.88 (13)	C1—C2—K3A <sup>iii</sup>	150.62 (14)
C2 <sup>iv</sup> —K3A—K1 <sup>iv</sup>	50.58 (6)	K1—C2—K3A <sup>iii</sup>	77.71 (9)
K4B <sup>v</sup> —K3A—K1 <sup>iv</sup>	93.6 (2)	O4—C2—K3B <sup>iii</sup>	49.9 (2)
O3W <sup>v</sup> —K3A—H1W4	152.5	N1—C2—K3B <sup>iii</sup>	86.22 (14)
O7—K3A—H1W4	82.7	C1—C2—K3B <sup>iii</sup>	147.7 (2)
O4 <sup>iv</sup> —K3A—H1W4	113.6	K1—C2—K3B <sup>iii</sup>	76.31 (12)
O1W <sup>iv</sup> —K3A—H1W4	95.0	N3—C3—N2	114.33 (15)
N2 <sup>iv</sup> —K3A—H1W4	95.2	N3—C3—H3A	108.7
O7B—K3A—H1W4	41.2	N2—C3—H3A	108.7
O4WA—K3A—H1W4	15.6	N3—C3—H3B	108.7
O5W—K3A—H1W4	66.9	N2—C3—H3B	108.7
C2 <sup>iv</sup> —K3A—H1W4	100.3	H3A—C3—H3B	107.6
K4B <sup>v</sup> —K3A—H1W4	169.3	O5—C4—N2	112.75 (15)
K1 <sup>iv</sup> —K3A—H1W4	86.9	O5—C4—H4A	109.0
O3W <sup>v</sup> —K3A—H5WB	105.0	N2—C4—H4A	109.0
O7—K3A—H5WB	73.7	O5—C4—H4B	109.0
O4 <sup>iv</sup> —K3A—H5WB	136.4	N2—C4—H4B	109.0
O1W <sup>iv</sup> —K3A—H5WB	69.6	H4A—C4—H4B	107.8
N2 <sup>iv</sup> —K3A—H5WB	147.0	O5—C5—N3	113.17 (15)
O7B—K3A—H5WB	75.4	O5—C5—H5A	108.9
O4WA—K3A—H5WB	40.9	N3—C5—H5A	108.9
O5W—K3A—H5WB	14.2	O5—C5—H5B	108.9

C2 <sup>iv</sup> —K3A—H5WB	139.3	N3—C5—H5B	108.9
K4B <sup>v</sup> —K3A—H5WB	116.6	H5A—C5—H5B	107.8
K1 <sup>iv</sup> —K3A—H5WB	93.8	O6—C6—N4	128.70 (17)
H1W4—K3A—H5WB	52.7	O6—C6—C7	121.70 (17)
O7—K3B—O1W <sup>iv</sup>	133.9 (2)	N4—C6—C7	109.59 (16)
O7—K3B—O7B	131.8 (5)	O6—C6—K2 <sup>iii</sup>	47.14 (10)
O1W <sup>iv</sup> —K3B—O7B	74.2 (2)	N4—C6—K2 <sup>iii</sup>	86.88 (11)
O7—K3B—O4WA	74.4 (2)	C7—C6—K2 <sup>iii</sup>	152.63 (13)
O1W <sup>iv</sup> —K3B—O4WA	102.1 (4)	O7—C7—O1	125.28 (18)
O7B—K3B—O4WA	60.0 (3)	O7—C7—C6	119.73 (17)
O7—K3B—O4 <sup>iv</sup>	142.7 (5)	O1—C7—C6	114.98 (16)
O1W <sup>iv</sup> —K3B—O4 <sup>iv</sup>	69.98 (15)	N1B—Ni1B—N4B	95.98 (7)
O7B—K3B—O4 <sup>iv</sup>	76.28 (15)	N1B—Ni1B—O2B	85.01 (6)
O4WA—K3B—O4 <sup>iv</sup>	135.7 (5)	N4B—Ni1B—O2B	177.89 (7)
O7—K3B—O3W <sup>v</sup>	70.7 (3)	N1B—Ni1B—O1B	178.86 (7)
O1W <sup>iv</sup> —K3B—O3W <sup>v</sup>	85.4 (3)	N4B—Ni1B—O1B	85.08 (7)
O7B—K3B—O3W <sup>v</sup>	156.9 (3)	O2B—Ni1B—O1B	93.94 (6)
O4WA—K3B—O3W <sup>v</sup>	137.15 (18)	C7B—O1B—Ni1B	112.61 (12)
O4 <sup>iv</sup> —K3B—O3W <sup>v</sup>	86.7 (4)	C1B—O2B—Ni1B	112.81 (12)
O7—K3B—O4WB	68.8 (2)	C1B—O2B—K2	78.99 (10)
O1W <sup>iv</sup> —K3B—O4WB	87.6 (3)	Ni1B—O2B—K2	150.81 (7)
O7B—K3B—O4WB	76.2 (4)	C1B—O3B—K4A	105.49 (12)
O4 <sup>iv</sup> —K3B—O4WB	148.3 (4)	C1B—O3B—K2	99.92 (12)
O3W <sup>v</sup> —K3B—O4WB	114.3 (3)	K4A—O3B—K2	90.02 (5)
O7—K3B—O5W	75.20 (14)	C1B—O3B—K4B	93.9 (3)
O1W <sup>iv</sup> —K3B—O5W	65.33 (14)	K2—O3B—K4B	92.3 (3)
O7B—K3B—O5W	92.1 (4)	C2B—O4B—K1 <sup>vii</sup>	142.90 (14)
O4WA—K3B—O5W	58.2 (2)	C2B—O4B—K4B	106.2 (3)
O4 <sup>iv</sup> —K3B—O5W	135.30 (19)	K1 <sup>vii</sup> —O4B—K4B	95.3 (3)
O3W <sup>v</sup> —K3B—O5W	89.0 (2)	C2B—O4B—K4A	101.84 (12)
O7—K3B—N2 <sup>iv</sup>	96.10 (18)	K1 <sup>vii</sup> —O4B—K4A	90.10 (5)
O1W <sup>iv</sup> —K3B—N2 <sup>iv</sup>	125.9 (2)	C4B—O5B—C5B	109.77 (15)
O7B—K3B—N2 <sup>iv</sup>	87.4 (2)	C6B—O6B—K2 <sup>iv</sup>	108.65 (13)
O4WA—K3B—N2 <sup>iv</sup>	111.6 (4)	C6B—O6B—K1 <sup>iv</sup>	119.80 (13)
O4 <sup>iv</sup> —K3B—N2 <sup>iv</sup>	56.26 (13)	K2 <sup>iv</sup> —O6B—K1 <sup>iv</sup>	95.01 (5)
O3W <sup>v</sup> —K3B—N2 <sup>iv</sup>	96.2 (4)	C6B—O6B—K4B <sup>ix</sup>	98.8 (3)
O5W—K3B—N2 <sup>iv</sup>	167.8 (4)	K2 <sup>iv</sup> —O6B—K4B <sup>ix</sup>	150.5 (3)
O7—K3B—C2 <sup>iv</sup>	136.7 (3)	K1 <sup>iv</sup> —O6B—K4B <sup>ix</sup>	80.1 (3)
O1W <sup>iv</sup> —K3B—C2 <sup>iv</sup>	85.01 (14)	C7B—O7B—K4A <sup>ix</sup>	114.78 (13)
O7B—K3B—C2 <sup>iv</sup>	67.41 (13)	C7B—O7B—K3B	120.48 (16)
O4WA—K3B—C2 <sup>iv</sup>	121.9 (4)	K4A <sup>ix</sup> —O7B—K3B	123.07 (13)
O4 <sup>iv</sup> —K3B—C2 <sup>iv</sup>	19.60 (5)	C7B—O7B—K3A	120.27 (16)
O3W <sup>v</sup> —K3B—C2 <sup>iv</sup>	100.7 (4)	K4A <sup>ix</sup> —O7B—K3A	123.98 (10)
O5W—K3B—C2 <sup>iv</sup>	148.1 (2)	C7B—O7B—K1 <sup>iv</sup>	110.33 (13)
N2 <sup>iv</sup> —K3B—C2 <sup>iv</sup>	41.43 (8)	K4A <sup>ix</sup> —O7B—K1 <sup>iv</sup>	82.14 (4)
O7—K3B—K1 <sup>iv</sup>	172.3 (2)	K3B—O7B—K1 <sup>iv</sup>	90.9 (2)
O1W <sup>iv</sup> —K3B—K1 <sup>iv</sup>	39.15 (8)	K3A—O7B—K1 <sup>iv</sup>	88.18 (8)
O7B—K3B—K1 <sup>iv</sup>	48.23 (8)	C7B—O7B—K4B <sup>ix</sup>	104.3 (3)

O4WA—K3B—K1 <sup>iv</sup>	102.6 (3)	K3B—O7B—K4B <sup>ix</sup>	134.9 (3)
O4 <sup>iv</sup> —K3B—K1 <sup>iv</sup>	43.58 (8)	K3A—O7B—K4B <sup>ix</sup>	135.4 (3)
O3W <sup>v</sup> —K3B—K1 <sup>iv</sup>	108.7 (3)	K1 <sup>iv</sup> —O7B—K4B <sup>ix</sup>	78.1 (3)
O5W—K3B—K1 <sup>iv</sup>	97.18 (18)	C2B—N1B—N2B	116.70 (16)
N2 <sup>iv</sup> —K3B—K1 <sup>iv</sup>	91.58 (11)	C2B—N1B—Ni1B	116.37 (13)
C2 <sup>iv</sup> —K3B—K1 <sup>iv</sup>	50.88 (7)	N2B—N1B—Ni1B	126.63 (12)
O7—K3B—K4B <sup>v</sup>	89.6 (4)	N1B—N2B—C4B	110.68 (15)
O1W <sup>iv</sup> —K3B—K4B <sup>v</sup>	74.3 (4)	N1B—N2B—C3B	109.51 (14)
O7B—K3B—K4B <sup>v</sup>	138.6 (3)	C4B—N2B—C3B	108.53 (15)
O4WA—K3B—K4B <sup>v</sup>	154.1 (3)	N4B—N3B—C5B	110.58 (15)
O4 <sup>iv</sup> —K3B—K4B <sup>v</sup>	68.1 (4)	N4B—N3B—C3B	109.35 (15)
O3W <sup>v</sup> —K3B—K4B <sup>v</sup>	19.4 (3)	C5B—N3B—C3B	108.84 (16)
O5W—K3B—K4B <sup>v</sup>	98.4 (3)	N4B—N3B—K2 <sup>iv</sup>	104.06 (10)
N2 <sup>iv</sup> —K3B—K4B <sup>v</sup>	89.9 (4)	C5B—N3B—K2 <sup>iv</sup>	123.74 (11)
C2 <sup>iv</sup> —K3B—K4B <sup>v</sup>	83.7 (4)	C3B—N3B—K2 <sup>iv</sup>	99.25 (11)
K1 <sup>iv</sup> —K3B—K4B <sup>v</sup>	90.6 (3)	C6B—N4B—N3B	116.71 (16)
O7—K3B—H1W4	87.3	C6B—N4B—Ni1B	116.48 (13)
O1W <sup>iv</sup> —K3B—H1W4	101.2	N3B—N4B—Ni1B	126.38 (12)
O7B—K3B—H1W4	45.0	O3B—C1B—O2B	124.92 (18)
O4WA—K3B—H1W4	16.9	O3B—C1B—C2B	119.87 (17)
O4 <sup>iv</sup> —K3B—H1W4	119.2	O2B—C1B—C2B	115.19 (16)
O3W <sup>v</sup> —K3B—H1W4	154.0	O3B—C1B—K2	57.75 (10)
O5W—K3B—H1W4	71.5	O2B—C1B—K2	77.92 (10)
N2 <sup>iv</sup> —K3B—H1W4	100.0	C2B—C1B—K2	142.67 (13)
C2 <sup>iv</sup> —K3B—H1W4	105.0	O3B—C1B—K4A	53.12 (10)
K1 <sup>iv</sup> —K3B—H1W4	91.2	O2B—C1B—K4A	143.73 (13)
K4B <sup>v</sup> —K3B—H1W4	170.0	C2B—C1B—K4A	78.17 (10)
O7—K3B—H5WB	75.7	K2—C1B—K4A	73.31 (4)
O1W <sup>iv</sup> —K3B—H5WB	71.6	O4B—C2B—N1B	128.98 (18)
O7B—K3B—H5WB	81.8	O4B—C2B—C1B	121.58 (17)
O4WA—K3B—H5WB	44.5	N1B—C2B—C1B	109.44 (16)
O4 <sup>iv</sup> —K3B—H5WB	139.6	O4B—C2B—K4A	56.53 (11)
O3W <sup>v</sup> —K3B—H5WB	102.2	N1B—C2B—K4A	147.78 (14)
O5W—K3B—H5WB	14.0	C1B—C2B—K4A	74.78 (10)
N2 <sup>iv</sup> —K3B—H5WB	155.9	O4B—C2B—K4B	52.6 (3)
C2 <sup>iv</sup> —K3B—H5WB	145.6	N1B—C2B—K4B	136.4 (3)
K1 <sup>iv</sup> —K3B—H5WB	97.1	C1B—C2B—K4B	86.4 (3)
K4B <sup>v</sup> —K3B—H5WB	112.4	N3B—C3B—N2B	114.29 (15)
H1W4—K3B—H5WB	57.6	N3B—C3B—H3B1	108.7
O3W—K4A—O3B	144.09 (5)	N2B—C3B—H3B1	108.7
O3W—K4A—O7B <sup>vi</sup>	116.45 (5)	N3B—C3B—H3B2	108.7
O3B—K4A—O7B <sup>vi</sup>	99.01 (5)	N2B—C3B—H3B2	108.7
O3W—K4A—O4B	106.80 (6)	H3B1—C3B—H3B2	107.6
O3B—K4A—O4B	60.94 (4)	O5B—C4B—N2B	113.06 (16)
O7B <sup>vi</sup> —K4A—O4B	96.81 (5)	O5B—C4B—H4B1	109.0
O3W—K4A—O2W	104.92 (6)	N2B—C4B—H4B1	109.0
O3B—K4A—O2W	78.94 (5)	O5B—C4B—H4B2	109.0
O7B <sup>vi</sup> —K4A—O2W	90.47 (5)	N2B—C4B—H4B2	109.0

O4B—K4A—O2W	139.85 (5)	H4B1—C4B—H4B2	107.8
O3W—K4A—O6 <sup>iv</sup>	70.42 (5)	O5B—C5B—N3B	112.88 (16)
O3B—K4A—O6 <sup>iv</sup>	76.37 (5)	O5B—C5B—H5B1	109.0
O7B <sup>vi</sup> —K4A—O6 <sup>iv</sup>	165.73 (5)	N3B—C5B—H5B1	109.0
O4B—K4A—O6 <sup>iv</sup>	92.69 (4)	O5B—C5B—H5B2	109.0
O2W—K4A—O6 <sup>iv</sup>	75.44 (5)	N3B—C5B—H5B2	109.0
O3W—K4A—C1B	125.55 (5)	H5B1—C5B—H5B2	107.8
O3B—K4A—C1B	21.38 (4)	O6B—C6B—N4B	129.67 (19)
O7B <sup>vi</sup> —K4A—C1B	113.59 (5)	O6B—C6B—C7B	121.00 (18)
O4B—K4A—C1B	46.47 (4)	N4B—C6B—C7B	109.32 (16)
O2W—K4A—C1B	94.60 (5)	O6B—C6B—K2 <sup>iv</sup>	51.34 (11)
O6 <sup>iv</sup> —K4A—C1B	66.25 (5)	N4B—C6B—K2 <sup>iv</sup>	86.86 (12)
O3W—K4A—C2B	110.36 (5)	C7B—C6B—K2 <sup>iv</sup>	146.62 (13)
O3B—K4A—C2B	45.75 (5)	O7B—C7B—O1B	124.88 (19)
O7B <sup>vi</sup> —K4A—C2B	112.13 (5)	O7B—C7B—C6B	119.26 (18)
O4B—K4A—C2B	21.63 (4)	O1B—C7B—C6B	115.85 (17)
O2W—K4A—C2B	121.52 (5)	O7B—C7B—K4A <sup>ix</sup>	46.30 (11)
O6 <sup>iv</sup> —K4A—C2B	74.55 (5)	O1B—C7B—K4A <sup>ix</sup>	132.10 (13)
C1B—K4A—C2B	27.05 (5)	C6B—C7B—K4A <sup>ix</sup>	91.96 (11)
O3B—K4A—K4B—O3W	-136.2 (12)	K2—C1—C2—N1	92.1 (2)
O7B <sup>vi</sup> —K4A—K4B—O3W	97.0 (17)	K1—C1—C2—N1	143.32 (14)
O4B—K4A—K4B—O3W	-172.4 (19)	O3—C1—C2—K1	38.29 (16)
O2W—K4A—K4B—O3W	-23 (2)	O2—C1—C2—K1	-140.55 (16)
O6 <sup>iv</sup> —K4A—K4B—O3W	-75.9 (16)	K2—C1—C2—K1	-51.2 (2)
C1B—K4A—K4B—O3W	-135.8 (14)	O3—C1—C2—K3A <sup>iii</sup>	59.6 (3)
C2B—K4A—K4B—O3W	-151.6 (18)	O2—C1—C2—K3A <sup>iii</sup>	-119.2 (2)
C7B <sup>vi</sup> —K4A—K4B—O3W	85.3 (17)	K2—C1—C2—K3A <sup>iii</sup>	-29.9 (4)
K2—K4A—K4B—O3W	-80.6 (18)	K1—C1—C2—K3A <sup>iii</sup>	21.3 (2)
K1 <sup>vii</sup> —K4A—K4B—O3W	146.5 (16)	O3—C1—C2—K3B <sup>iii</sup>	65.7 (5)
O3W—K4A—K4B—O4B	172.4 (19)	O2—C1—C2—K3B <sup>iii</sup>	-113.1 (4)
O3B—K4A—K4B—O4B	36.2 (10)	K2—C1—C2—K3B <sup>iii</sup>	-23.8 (5)
O7B <sup>vi</sup> —K4A—K4B—O4B	-90.7 (6)	K1—C1—C2—K3B <sup>iii</sup>	27.4 (4)
O2W—K4A—K4B—O4B	149.0 (7)	N4—N3—C3—N2	-69.27 (19)
O6 <sup>iv</sup> —K4A—K4B—O4B	96.5 (4)	C5—N3—C3—N2	51.86 (19)
C1B—K4A—K4B—O4B	36.6 (5)	K2 <sup>iii</sup> —N3—C3—N2	174.98 (11)
C2B—K4A—K4B—O4B	20.78 (14)	N1—N2—C3—N3	68.50 (19)
C7B <sup>vi</sup> —K4A—K4B—O4B	-102.3 (3)	C4—N2—C3—N3	-52.22 (19)
K2—K4A—K4B—O4B	91.7 (7)	K3A <sup>iii</sup> —N2—C3—N3	-171.85 (14)
K1 <sup>vii</sup> —K4A—K4B—O4B	-41.1 (3)	K3B <sup>iii</sup> —N2—C3—N3	-175.6 (3)
O3W—K4A—K4B—O6 <sup>iv</sup>	75.9 (16)	C5—O5—C4—N2	-59.19 (19)
O3B—K4A—K4B—O6 <sup>iv</sup>	-60.3 (10)	N1—N2—C4—O5	-64.63 (19)
O7B <sup>vi</sup> —K4A—K4B—O6 <sup>iv</sup>	172.8 (3)	C3—N2—C4—O5	55.24 (19)
O4B—K4A—K4B—O6 <sup>iv</sup>	-96.5 (4)	K3A <sup>iii</sup> —N2—C4—O5	179.06 (14)
O2W—K4A—K4B—O6 <sup>iv</sup>	52.5 (11)	K3B <sup>iii</sup> —N2—C4—O5	177.64 (17)
C1B—K4A—K4B—O6 <sup>iv</sup>	-59.9 (5)	C4—O5—C5—N3	59.2 (2)
C2B—K4A—K4B—O6 <sup>iv</sup>	-75.7 (3)	N4—N3—C5—O5	65.7 (2)
C7B <sup>vi</sup> —K4A—K4B—O6 <sup>iv</sup>	161.16 (10)	C3—N3—C5—O5	-54.8 (2)

K2—K4A—K4B—O6 <sup>iv</sup>	-4.8 (9)	K2 <sup>iii</sup> —N3—C5—O5	-171.15 (11)
K1 <sup>vii</sup> —K4A—K4B—O6 <sup>iv</sup>	-137.6 (2)	K4B <sup>iii</sup> —O6—C6—N4	151.4 (4)
O3W—K4A—K4B—O7 <sup>iv</sup>	103 (3)	K2 <sup>iii</sup> —O6—C6—N4	33.0 (3)
O3B—K4A—K4B—O7 <sup>iv</sup>	-33 (3)	K4A <sup>iii</sup> —O6—C6—N4	135.77 (18)
O7B <sup>vi</sup> —K4A—K4B—O7 <sup>iv</sup>	-159.8 (13)	K4B <sup>iii</sup> —O6—C6—C7	-29.9 (5)
O4B—K4A—K4B—O7 <sup>iv</sup>	-69.2 (17)	K2 <sup>iii</sup> —O6—C6—C7	-148.30 (14)
O2W—K4A—K4B—O7 <sup>iv</sup>	80 (2)	K4A <sup>iii</sup> —O6—C6—C7	-45.5 (3)
O6 <sup>iv</sup> —K4A—K4B—O7 <sup>iv</sup>	27.3 (15)	K4B <sup>iii</sup> —O6—C6—K2 <sup>iii</sup>	118.4 (4)
C1B—K4A—K4B—O7 <sup>iv</sup>	-33 (2)	K4A <sup>iii</sup> —O6—C6—K2 <sup>iii</sup>	102.78 (16)
C2B—K4A—K4B—O7 <sup>iv</sup>	-48.4 (17)	N3—N4—C6—O6	-0.5 (3)
C7B <sup>vi</sup> —K4A—K4B—O7 <sup>iv</sup>	-171.5 (16)	Ni1—N4—C6—O6	-173.90 (17)
K2—K4A—K4B—O7 <sup>iv</sup>	23 (2)	N3—N4—C6—C7	-179.34 (15)
K1 <sup>vii</sup> —K4A—K4B—O7 <sup>iv</sup>	-110.2 (18)	Ni1—N4—C6—C7	7.3 (2)
O3W—K4A—K4B—O4WB <sup>iv</sup>	-155 (3)	N3—N4—C6—K2 <sup>iii</sup>	23.05 (15)
O3B—K4A—K4B—O4WB <sup>iv</sup>	68.6 (18)	Ni1—N4—C6—K2 <sup>iii</sup>	-150.34 (10)
O7B <sup>vi</sup> —K4A—K4B—O4WB <sup>iv</sup>	-58.3 (17)	K3A—O7—C7—O1	12.2 (4)
O4B—K4A—K4B—O4WB <sup>iv</sup>	32.4 (12)	K3B—O7—C7—O1	4.8 (6)
O2W—K4A—K4B—O4WB <sup>iv</sup>	-178.6 (5)	K4B <sup>iii</sup> —O7—C7—O1	-151.0 (4)
O6 <sup>iv</sup> —K4A—K4B—O4WB <sup>iv</sup>	128.9 (15)	K3A—O7—C7—C6	-167.15 (17)
C1B—K4A—K4B—O4WB <sup>iv</sup>	69.0 (15)	K3B—O7—C7—C6	-174.6 (5)
C2B—K4A—K4B—O4WB <sup>iv</sup>	53.2 (13)	K4B <sup>iii</sup> —O7—C7—C6	29.6 (4)
C7B <sup>vi</sup> —K4A—K4B—O4WB <sup>iv</sup>	-69.9 (14)	Ni1—O1—C7—O7	179.31 (18)
K2—K4A—K4B—O4WB <sup>iv</sup>	124.2 (12)	Ni1—O1—C7—C6	-1.3 (2)
K1 <sup>vii</sup> —K4A—K4B—O4WB <sup>iv</sup>	-8.7 (14)	O6—C6—C7—O7	-3.3 (3)
O3W—K4A—K4B—O7B <sup>vi</sup>	-97.0 (17)	N4—C6—C7—O7	175.6 (2)
O3B—K4A—K4B—O7B <sup>vi</sup>	126.8 (13)	K2 <sup>iii</sup> —C6—C7—O7	-60.2 (4)
O4B—K4A—K4B—O7B <sup>vi</sup>	90.7 (6)	O6—C6—C7—O1	177.25 (18)
O2W—K4A—K4B—O7B <sup>vi</sup>	-120.4 (13)	N4—C6—C7—O1	-3.8 (2)
O6 <sup>iv</sup> —K4A—K4B—O7B <sup>vi</sup>	-172.8 (3)	K2 <sup>iii</sup> —C6—C7—O1	120.4 (2)
C1B—K4A—K4B—O7B <sup>vi</sup>	127.3 (8)	N4B—Ni1B—O1B—C7B	6.27 (14)
C2B—K4A—K4B—O7B <sup>vi</sup>	111.5 (5)	O2B—Ni1B—O1B—C7B	-171.86 (14)
C7B <sup>vi</sup> —K4A—K4B—O7B <sup>vi</sup>	-11.7 (3)	N1B—Ni1B—O2B—C1B	9.98 (14)
K2—K4A—K4B—O7B <sup>vi</sup>	-177.6 (12)	O1B—Ni1B—O2B—C1B	-169.56 (14)
K1 <sup>vii</sup> —K4A—K4B—O7B <sup>vi</sup>	49.6 (5)	N1B—Ni1B—O2B—K2	-99.18 (14)
O3W—K4A—K4B—O5W <sup>iv</sup>	-110 (3)	O1B—Ni1B—O2B—K2	81.28 (13)
O3B—K4A—K4B—O5W <sup>iv</sup>	113.5 (19)	N4B—Ni1B—N1B—C2B	172.86 (15)
O7B <sup>vi</sup> —K4A—K4B—O5W <sup>iv</sup>	-13 (3)	O2B—Ni1B—N1B—C2B	-9.00 (15)
O4B—K4A—K4B—O5W <sup>iv</sup>	77 (2)	N4B—Ni1B—N1B—N2B	-0.66 (16)
O2W—K4A—K4B—O5W <sup>iv</sup>	-133.8 (18)	O2B—Ni1B—N1B—N2B	177.48 (16)
O6 <sup>iv</sup> —K4A—K4B—O5W <sup>iv</sup>	174 (2)	C2B—N1B—N2B—C4B	-83.8 (2)
C1B—K4A—K4B—O5W <sup>iv</sup>	114 (2)	Ni1B—N1B—N2B—C4B	89.67 (18)
C2B—K4A—K4B—O5W <sup>iv</sup>	98 (2)	C2B—N1B—N2B—C3B	156.56 (17)
C7B <sup>vi</sup> —K4A—K4B—O5W <sup>iv</sup>	-25 (2)	Ni1B—N1B—N2B—C3B	-29.9 (2)
K2—K4A—K4B—O5W <sup>iv</sup>	169.0 (15)	C5B—N3B—N4B—C6B	98.5 (2)
K1 <sup>vii</sup> —K4A—K4B—O5W <sup>iv</sup>	36 (2)	C3B—N3B—N4B—C6B	-141.70 (17)
O3W—K4A—K4B—O3B	136.2 (12)	K2 <sup>iv</sup> —N3B—N4B—C6B	-36.42 (18)
O7B <sup>vi</sup> —K4A—K4B—O3B	-126.8 (13)	C5B—N3B—N4B—Ni1B	-89.30 (18)
O4B—K4A—K4B—O3B	-36.2 (10)	C3B—N3B—N4B—Ni1B	30.5 (2)

O2W—K4A—K4B—O3B	112.8 (14)	K2 <sup>iv</sup> —N3B—N4B—Ni1B	135.82 (11)
O6 <sup>iv</sup> —K4A—K4B—O3B	60.3 (10)	N1B—Ni1B—N4B—C6B	172.60 (15)
C1B—K4A—K4B—O3B	0.4 (5)	O1B—Ni1B—N4B—C6B	-7.82 (15)
C2B—K4A—K4B—O3B	-15.4 (9)	N1B—Ni1B—N4B—N3B	0.35 (17)
C7B <sup>vi</sup> —K4A—K4B—O3B	-138.5 (10)	O1B—Ni1B—N4B—N3B	179.92 (16)
K2—K4A—K4B—O3B	55.6 (6)	K4A—O3B—C1B—O2B	134.87 (18)
K1 <sup>vii</sup> —K4A—K4B—O3B	-77.3 (8)	K2—O3B—C1B—O2B	42.1 (2)
O3W—K4A—K4B—C2B	151.6 (18)	K4B—O3B—C1B—O2B	135.1 (3)
O3B—K4A—K4B—C2B	15.4 (9)	K4A—O3B—C1B—C2B	-43.4 (2)
O7B <sup>vi</sup> —K4A—K4B—C2B	-111.5 (5)	K2—O3B—C1B—C2B	-136.21 (15)
O4B—K4A—K4B—C2B	-20.78 (14)	K4B—O3B—C1B—C2B	-43.2 (3)
O2W—K4A—K4B—C2B	128.2 (9)	K4A—O3B—C1B—K2	92.80 (8)
O6 <sup>iv</sup> —K4A—K4B—C2B	75.7 (3)	K4B—O3B—C1B—K2	93.0 (3)
C1B—K4A—K4B—C2B	15.8 (4)	K2—O3B—C1B—K4A	-92.80 (8)
C7B <sup>vi</sup> —K4A—K4B—C2B	-123.12 (18)	K4B—O3B—C1B—K4A	0.2 (3)
K2—K4A—K4B—C2B	71.0 (7)	Ni1B—O2B—C1B—O3B	172.58 (16)
K1 <sup>vii</sup> —K4A—K4B—C2B	-61.87 (15)	K2—O2B—C1B—O3B	-35.41 (19)
O3W—K4A—K4B—O6B <sup>vi</sup>	-108.1 (18)	Ni1B—O2B—C1B—C2B	-9.1 (2)
O3B—K4A—K4B—O6B <sup>vi</sup>	115.7 (7)	K2—O2B—C1B—C2B	142.93 (16)
O7B <sup>vi</sup> —K4A—K4B—O6B <sup>vi</sup>	-11.2 (10)	Ni1B—O2B—C1B—K2	-152.01 (9)
O4B—K4A—K4B—O6B <sup>vi</sup>	79.5 (5)	Ni1B—O2B—C1B—K4A	-114.02 (18)
O2W—K4A—K4B—O6B <sup>vi</sup>	-131.5 (8)	K2—O2B—C1B—K4A	37.99 (18)
O6 <sup>iv</sup> —K4A—K4B—O6B <sup>vi</sup>	176.0 (7)	K1 <sup>vii</sup> —O4B—C2B—N1B	113.4 (2)
C1B—K4A—K4B—O6B <sup>vi</sup>	116.1 (4)	K4B—O4B—C2B—N1B	-123.6 (4)
C2B—K4A—K4B—O6B <sup>vi</sup>	100.3 (5)	K4A—O4B—C2B—N1B	-140.3 (2)
C7B <sup>vi</sup> —K4A—K4B—O6B <sup>vi</sup>	-22.8 (6)	K1 <sup>vii</sup> —O4B—C2B—C1B	-67.2 (3)
K2—K4A—K4B—O6B <sup>vi</sup>	171.2 (3)	K4B—O4B—C2B—C1B	55.8 (4)
K1 <sup>vii</sup> —K4A—K4B—O6B <sup>vi</sup>	38.4 (4)	K4A—O4B—C2B—C1B	39.1 (2)
O3W—K4A—K4B—K1 <sup>vii</sup>	-146.5 (16)	K1 <sup>vii</sup> —O4B—C2B—K4A	-106.3 (2)
O3B—K4A—K4B—K1 <sup>vii</sup>	77.3 (8)	K4B—O4B—C2B—K4A	16.7 (4)
O7B <sup>vi</sup> —K4A—K4B—K1 <sup>vii</sup>	-49.6 (5)	K1 <sup>vii</sup> —O4B—C2B—K4B	-123.0 (5)
O4B—K4A—K4B—K1 <sup>vii</sup>	41.1 (3)	K4A—O4B—C2B—K4B	-16.7 (4)
O2W—K4A—K4B—K1 <sup>vii</sup>	-170.0 (10)	N2B—N1B—C2B—O4B	-0.2 (3)
O6 <sup>iv</sup> —K4A—K4B—K1 <sup>vii</sup>	137.6 (2)	Ni1B—N1B—C2B—O4B	-174.38 (18)
C1B—K4A—K4B—K1 <sup>vii</sup>	77.7 (3)	N2B—N1B—C2B—C1B	-179.70 (15)
C2B—K4A—K4B—K1 <sup>vii</sup>	61.87 (15)	Ni1B—N1B—C2B—C1B	6.1 (2)
C7B <sup>vi</sup> —K4A—K4B—K1 <sup>vii</sup>	-61.3 (2)	N2B—N1B—C2B—K4A	-87.5 (3)
K2—K4A—K4B—K1 <sup>vii</sup>	132.8 (7)	Ni1B—N1B—C2B—K4A	98.3 (2)
N4—Ni1—O1—C7	4.19 (14)	N2B—N1B—C2B—K4B	-73.8 (5)
O2—Ni1—O1—C7	-174.48 (14)	Ni1B—N1B—C2B—K4B	112.1 (4)
N4—Ni1—N1—C2	175.16 (14)	O3B—C1B—C2B—O4B	1.1 (3)
O2—Ni1—N1—C2	-6.16 (14)	O2B—C1B—C2B—O4B	-177.33 (18)
N4—Ni1—N1—N2	-1.06 (16)	K2—C1B—C2B—O4B	-73.7 (3)
O2—Ni1—N1—N2	177.62 (15)	K4A—C1B—C2B—O4B	-33.06 (18)
C2—N1—N2—C4	-86.08 (19)	O3B—C1B—C2B—N1B	-179.34 (18)
Ni1—N1—N2—C4	90.13 (17)	O2B—C1B—C2B—N1B	2.2 (2)
C2—N1—N2—C3	154.28 (16)	K2—C1B—C2B—N1B	105.8 (2)
Ni1—N1—N2—C3	-29.5 (2)	K4A—C1B—C2B—N1B	146.49 (15)

C2—N1—N2—K3A <sup>iii</sup>	30.35 (19)	O3B—C1B—C2B—K4A	34.17 (17)
Ni1—N1—N2—K3A <sup>iii</sup>	-153.43 (12)	O2B—C1B—C2B—K4A	-144.27 (17)
C2—N1—N2—K3B <sup>iii</sup>	35.4 (4)	K2—C1B—C2B—K4A	-40.66 (17)
Ni1—N1—N2—K3B <sup>iii</sup>	-148.4 (3)	O3B—C1B—C2B—K4B	42.3 (3)
C5—N3—N4—C6	98.02 (19)	O2B—C1B—C2B—K4B	-136.1 (3)
C3—N3—N4—C6	-142.21 (17)	K2—C1B—C2B—K4B	-32.5 (3)
K2 <sup>iii</sup> —N3—N4—C6	-29.02 (19)	K4A—C1B—C2B—K4B	8.1 (3)
C5—N3—N4—Ni1	-89.34 (18)	N4B—N3B—C3B—N2B	-69.1 (2)
C3—N3—N4—Ni1	30.4 (2)	C5B—N3B—C3B—N2B	51.8 (2)
K2 <sup>iii</sup> —N3—N4—Ni1	143.62 (10)	K2 <sup>iv</sup> —N3B—C3B—N2B	-177.62 (12)
N1—Ni1—N4—C6	173.36 (15)	N1B—N2B—C3B—N3B	68.8 (2)
O1—Ni1—N4—C6	-6.73 (14)	C4B—N2B—C3B—N3B	-52.1 (2)
N1—Ni1—N4—N3	0.65 (16)	C5B—O5B—C4B—N2B	-59.4 (2)
O1—Ni1—N4—N3	-179.44 (15)	N1B—N2B—C4B—O5B	-64.8 (2)
K1 <sup>ii</sup> —O3—C1—O2	-105.7 (2)	C3B—N2B—C4B—O5B	55.4 (2)
K2—O3—C1—O2	33.8 (2)	C4B—O5B—C5B—N3B	58.9 (2)
K1—O3—C1—O2	130.80 (17)	N4B—N3B—C5B—O5B	65.6 (2)
K1 <sup>ii</sup> —O3—C1—C2	75.6 (3)	C3B—N3B—C5B—O5B	-54.5 (2)
K2—O3—C1—C2	-144.95 (15)	K2 <sup>iv</sup> —N3B—C5B—O5B	-170.11 (11)
K1—O3—C1—C2	-47.91 (18)	K2 <sup>iv</sup> —O6B—C6B—N4B	41.0 (3)
K1 <sup>ii</sup> —O3—C1—K2	-139.4 (2)	K1 <sup>iv</sup> —O6B—C6B—N4B	148.43 (18)
K1—O3—C1—K2	97.04 (7)	K4B <sup>ix</sup> —O6B—C6B—N4B	-128.0 (4)
K1 <sup>ii</sup> —O3—C1—K1	123.5 (2)	K2 <sup>iv</sup> —O6B—C6B—C7B	-140.07 (15)
K2—O3—C1—K1	-97.04 (7)	K1 <sup>iv</sup> —O6B—C6B—C7B	-32.6 (2)
Ni1—O2—C1—O3	173.77 (16)	K4B <sup>ix</sup> —O6B—C6B—C7B	50.9 (4)
K2—O2—C1—O3	-32.75 (19)	K1 <sup>iv</sup> —O6B—C6B—K2 <sup>iv</sup>	107.42 (14)
Ni1—O2—C1—C2	-7.5 (2)	K4B <sup>ix</sup> —O6B—C6B—K2 <sup>iv</sup>	-169.0 (3)
K2—O2—C1—C2	146.01 (14)	N3B—N4B—C6B—O6B	-0.7 (3)
Ni1—O2—C1—K2	-153.48 (10)	Ni1B—N4B—C6B—O6B	-173.75 (18)
Ni1—O2—C1—K1	-110.71 (16)	N3B—N4B—C6B—C7B	-179.74 (15)
K2—O2—C1—K1	42.77 (17)	Ni1B—N4B—C6B—C7B	7.2 (2)
K3A <sup>iii</sup> —O4—C2—N1	-34.1 (3)	N3B—N4B—C6B—K2 <sup>iv</sup>	30.15 (15)
K3B <sup>iii</sup> —O4—C2—N1	-38.5 (4)	Ni1B—N4B—C6B—K2 <sup>iv</sup>	-142.88 (10)
K1—O4—C2—N1	-137.41 (19)	K4A <sup>ix</sup> —O7B—C7B—O1B	117.66 (19)
K3A <sup>iii</sup> —O4—C2—C1	145.53 (17)	K3B—O7B—C7B—O1B	-48.1 (4)
K3B <sup>iii</sup> —O4—C2—C1	141.1 (3)	K3A—O7B—C7B—O1B	-51.5 (3)
K1—O4—C2—C1	42.23 (18)	K1 <sup>iv</sup> —O7B—C7B—O1B	-151.74 (17)
K3A <sup>iii</sup> —O4—C2—K1	103.30 (14)	K4B <sup>ix</sup> —O7B—C7B—O1B	125.8 (4)
K3B <sup>iii</sup> —O4—C2—K1	98.9 (3)	K4A <sup>ix</sup> —O7B—C7B—C6B	-61.2 (2)
K3B <sup>iii</sup> —O4—C2—K3A <sup>iii</sup>	-4.4 (3)	K3B—O7B—C7B—C6B	133.0 (3)
K1—O4—C2—K3A <sup>iii</sup>	-103.30 (14)	K3A—O7B—C7B—C6B	129.56 (17)
K3A <sup>iii</sup> —O4—C2—K3B <sup>iii</sup>	4.4 (3)	K1 <sup>iv</sup> —O7B—C7B—C6B	29.4 (2)
K1—O4—C2—K3B <sup>iii</sup>	-98.9 (3)	K4B <sup>ix</sup> —O7B—C7B—C6B	-53.1 (4)
N2—N1—C2—O4	-0.1 (3)	K3B—O7B—C7B—K4A <sup>ix</sup>	-165.7 (3)
Ni1—N1—C2—O4	-176.74 (17)	K3A—O7B—C7B—K4A <sup>ix</sup>	-169.2 (2)
N2—N1—C2—C1	-179.80 (15)	K1 <sup>iv</sup> —O7B—C7B—K4A <sup>ix</sup>	90.60 (11)
Ni1—N1—C2—C1	3.6 (2)	K4B <sup>ix</sup> —O7B—C7B—K4A <sup>ix</sup>	8.2 (3)
N2—N1—C2—K1	-88.3 (2)	Ni1B—O1B—C7B—O7B	177.15 (17)



Ni1—N1—C2—K1	95.1 (2)	Ni1B—O1B—C7B—C6B	-3.9 (2)
N2—N1—C2—K3A <sup>iii</sup>	-24.43 (16)	Ni1B—O1B—C7B—K4A <sup>ix</sup>	-123.19 (13)
Ni1—N1—C2—K3A <sup>iii</sup>	158.96 (12)	O6B—C6B—C7B—O7B	-2.1 (3)
N2—N1—C2—K3B <sup>iii</sup>	-28.6 (3)	N4B—C6B—C7B—O7B	177.02 (18)
Ni1—N1—C2—K3B <sup>iii</sup>	154.8 (3)	K2 <sup>iv</sup> —C6B—C7B—O7B	-67.7 (3)
O3—C1—C2—O4	1.9 (3)	O6B—C6B—C7B—O1B	178.91 (19)
O2—C1—C2—O4	-176.93 (17)	N4B—C6B—C7B—O1B	-2.0 (2)
K2—C1—C2—O4	-87.6 (3)	K2 <sup>iv</sup> —C6B—C7B—O1B	113.3 (2)
K1—C1—C2—O4	-36.38 (17)	O6B—C6B—C7B—K4A <sup>ix</sup>	-41.5 (2)
O3—C1—C2—N1	-178.40 (17)	N4B—C6B—C7B—K4A <sup>ix</sup>	137.66 (14)
O2—C1—C2—N1	2.8 (2)	K2 <sup>iv</sup> —C6B—C7B—K4A <sup>ix</sup>	-107.1 (2)

Symmetry codes: (i)  $x-1/2, -y+1/2, -z+1$ ; (ii)  $-x+1, -y, -z+1$ ; (iii)  $x-1/2, y, -z+1/2$ ; (iv)  $x+1/2, y, -z+1/2$ ; (v)  $-x+3/2, -y, z-1/2$ ; (vi)  $x, -y+1/2, z+1/2$ ; (vii)  $x+1/2, -y+1/2, -z+1$ ; (viii)  $-x+3/2, -y, z+1/2$ ; (ix)  $x, -y+1/2, z-1/2$ .

Hydrogen-bond geometry ( $\text{\AA}, ^\circ$ )

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
O1W—H1W1 $\cdots$ O6 <sup>x</sup>	0.92	1.94	2.840 (2)	166
O1W—H2W1 $\cdots$ O5W <sup>iii</sup>	0.83	2.61	3.120 (4)	121
O1W—H2W1 $\cdots$ O3B <sup>i</sup>	0.83	2.23	3.001 (2)	154
O2W—H2W2 $\cdots$ O4 <sup>ii</sup>	0.93	1.83	2.754 (2)	171
O4WA—H2W4 $\cdots$ O4B <sup>iii</sup>	0.91	2.44	2.993 (2)	119
O4WA—H2W4 $\cdots$ N2B <sup>iii</sup>	0.91	2.02	2.895 (3)	161
O5W—H5WC $\cdots$ O6B <sup>xi</sup>	0.85	1.95	2.774 (3)	162
O4WB—H3W4 $\cdots$ O4B <sup>iii</sup>	0.85	2.09	2.848 (9)	149
O4WB—H4W4 $\cdots$ O6B <sup>xi</sup>	0.88	2.15	3.024 (9)	174

Symmetry codes: (i)  $x-1/2, -y+1/2, -z+1$ ; (ii)  $-x+1, -y, -z+1$ ; (iii)  $x-1/2, y, -z+1/2$ ; (x)  $-x+1/2, -y, z+1/2$ ; (xi)  $x-1/2, -y+1/2, -z$ .