This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.

Author(s): Forsberg, Ulla; Leino, Matti

Title: Comment on 'Analysis of decay chains of superheavy nuclei produced in the $^{249}\text{Bk} + ^{48}\text{Ca}$ and $^{243}\text{Am} + ^{48}\text{Ca}$ reactions'

Year: 2019

Version: Accepted version (Final draft)

Copyright: © 2018 IOP Publishing Ltd

Rights: In Copyright

Rights url: <http://rightsstatements.org/page/InC/1.0/?language=en>

Please cite the original version:

Forsberg, U., & Leino, M. (2019). Comment on 'Analysis of decay chains of superheavy nuclei produced in the $^{249}\text{Bk} + ^{48}\text{Ca}$ and $^{243}\text{Am} + ^{48}\text{Ca}$ reactions'. *Journal of Physics G : Nuclear and Particle Physics*, 46(1), Article 018001. <https://doi.org/10.1088/1361-6471/aaeba0>

ACCEPTED MANUSCRIPT

Comment on 'Analysis of decay chains of superheavy nuclei produced in the $^{249}\text{Bk} + ^{48}\text{Ca}$ and $^{243}\text{Am} + ^{48}\text{Ca}$ reactions'

To cite this article before publication: Ulrika Forsberg *et al* 2018 *J. Phys. G: Nucl. Part. Phys.* in press <https://doi.org/10.1088/1361-6471/aaeba0>

Manuscript version: Accepted Manuscript

Accepted Manuscript is "the version of the article accepted for publication including all changes made as a result of the peer review process, and which may also include the addition to the article by IOP Publishing of a header, an article ID, a cover sheet and/or an 'Accepted Manuscript' watermark, but excluding any other editing, typesetting or other changes made by IOP Publishing and/or its licensors"

This Accepted Manuscript is © 2018 IOP Publishing Ltd.

During the embargo period (the 12 month period from the publication of the Version of Record of this article), the Accepted Manuscript is fully protected by copyright and cannot be reused or reposted elsewhere.

As the Version of Record of this article is going to be / has been published on a subscription basis, this Accepted Manuscript is available for reuse under a CC BY-NC-ND 3.0 licence after the 12 month embargo period.

After the embargo period, everyone is permitted to use copy and redistribute this article for non-commercial purposes only, provided that they adhere to all the terms of the licence <https://creativecommons.org/licences/by-nc-nd/3.0>

Although reasonable endeavours have been taken to obtain all necessary permissions from third parties to include their copyrighted content within this article, their full citation and copyright line may not be present in this Accepted Manuscript version. Before using any content from this article, please refer to the Version of Record on IOPscience once published for full citation and copyright details, as permissions will likely be required. All third party content is fully copyright protected, unless specifically stated otherwise in the figure caption in the Version of Record.

View the [article online](#) for updates and enhancements.

Comment on "Analysis of decay chains of superheavy nuclei produced in the $^{249}\text{Bk} + ^{48}\text{Ca}$ and $^{243}\text{Am} + ^{48}\text{Ca}$ reactions"

U. Forsberg^{1,2,3} and M. Leino³

¹ Lund University, Department of Physics, Nuclear Physics, P.O Box 118, SE-22100 Lund, Sweden

² Department of Physics, University of York, Heslington, York YO10 5DD, United Kingdom

³ University of Jyväskylä, Department of Physics, P.O Box 35, FI-40014 Jyväskylä, Finland

E-mail: ulrika.forsberg@nuclear.lu.se

Abstract.

Zlokazov and Utyonkov [J. Phys. G: Nucl. Part. Phys. **44**, 075107 (2017)] question the validity of the methods and conclusions presented by Forsberg *et al.* [Nucl. Phys. A **953**, 117 (2016)]. In this comment, we argue that the criticism is invalid.

The main point behind the statistical method published by Forsberg *et al.* [1] is that there is more information to access if entire α -decay chains are considered, compared to when each decay step is considered separately. The method used in Ref. [1] applies to entire chains. Using this method, it is seen that the set of fourteen "short" α -decay chains observed in the reaction $^{48}\text{Ca} + ^{243}\text{Am}$ are unlikely to have a common origin. This is *not* contradictory to the calculations by Zlokazov and Utyonkov [2], which show that *if each decay step is considered separately* there is no strong reason for questioning the congruence of the data set including both these fourteen short chains and decay chains assigned to start from the isotope $^{293}117$. If the methods used by Zlokazov and Utyonkov were applied to the same data set as was considered in Ref. [1], the result would be that there is no strong reason to question the congruence of the fourteen short chains. This will be the conclusion of any method that uses each decay step separately, be it the method by K.-H. Schmidt [3], a χ -square test or a Student's test. In fact, in Ref. [1] the Schmidt test [3] was applied to separate decay steps of the fourteen short chains, and the result from this test is that there is no strong reason to question their congruence. *The non-congruence is seen only when entire decay chains are considered.*

It is stated by Zlokazov and Utyonkov that the method described in Ref. [1] is doubtful, because in Fig. 4 in Ref. [1] it can be seen that "... none of the 14 FoM₁ values, only one of the 14 FoM₂ values, and one of the 10 FoM₃ values fall within the suggested 90% interval of 0.181-0.255...". However, the confidence interval 0.181-0.255

is *not* meant to be used for individual $\text{FoM}_{1,2,3}$ values or FoM_{geom} values, but for the “FoM” for the entire data set. The fact that almost all individual $\text{FoM}_{1,2,3}$ values are outside the 90% confidence interval *for the FoM value* is irrelevant, and it does not make the method suggested in Ref. [1] doubtful.

Although it is in contradiction to how the proposed method should be used, Zlokazov and Utyonkov seem to argue that the confidence intervals for $\text{FoM}_{1,2,3}$, FoM_{geom} , and FoM *should* be the same or at least similar. This will be discussed now. Zlokazov and Utyonkov argue that “... observation of decay chain with times which are close to one or another maximum should be much more probable than observation of chains with lower or larger times”. It is indeed built into the method in Ref. [1] that the assigned $\text{FoM}_{1,2,3}$ value is high if a measured lifetime is close to the average lifetime. This leads to the distribution of $\text{FoM}_{1,2,3}$ values from single measurements being skewed to the extent that it is not meaningful to give an upper confidence limit: The highest $\text{FoM}_{1,2,3}$ value is the most probable value (see Fig. 7.7 in Ref. [4]). Similarly, the distribution for FoM_{geom} for a single chain with two members is strongly skewed (see Fig. 6 in Ref. [1]) and an upper confidence limit is not given. However, as the chains get longer and/or averages are taken over a set of chains, the distributions for FoM_{geom} and FoM approach normal distributions. This is an inevitable consequence of the central limit theorem, as the FoM_{geom} and FoM are constructed as averages. The advance towards normal distributions explains why confidence intervals for FoM_{geom} and FoM are necessarily different from those of $\text{FoM}_{1,2,3}$. The upper confidence limit for the FoM value expresses that it is unlikely for a data set to *only* contain chains with members that all have measured lifetimes that are close to the average lifetime. Such a data set is “too good” and it is unlikely that the lifetimes originate from a wide probability density function such as that from radioactive decay.

We would also like to clarify that $g(t)$ is the probability density function for data from an exponential decay when the data are sorted in logarithmic-sized bins (see Ref. [3]). In the main part of Fig. 1 in Ref. [2] the function $g(t)$ is plotted on a linear scale, which is perhaps misleading.

Acknowledgments

U. Forsberg would like to thank the Birgit and Hellmuth Hertz’ Foundation for financial support.

References

- [1] U. Forsberg *et al.*, Nucl. Phys. A **953**, 117 (2016)
- [2] V. B. Zlokazov and V. K. Utyonkov, J. Phys. G: Nucl. Part. Phys. **44**, 075107 (2017)
- [3] K.-H. Schmidt, Eur. Phys. J. A **8**, 141 (2000)
- [4] U. Forsberg, *Element 115*, Lund University, Faculty of Science, Division of Nuclear Physics, ISBN-978-91-7623-812-7, <http://portal.research.lu.se/portal/files/7495513/thesis.pdf>