

This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.

Author(s): Cronin, Neil; Rantalainen, Timo; Ahtiainen, Juha; Hynynen, Esa; Waller, Benjamin

Title: Markerless 2D kinematic analysis of underwater running : A deep learning approach

Year: 2019

Version: Accepted version (Final draft)

Copyright: © 2019 Elsevier Ltd.

Rights: CC BY-NC-ND 4.0

Rights url: <https://creativecommons.org/licenses/by-nc-nd/4.0/>

Please cite the original version:

Cronin, N., Rantalainen, T., Ahtiainen, J., Hynynen, E., & Waller, B. (2019). Markerless 2D kinematic analysis of underwater running : A deep learning approach. *Journal of Biomechanics*, 87, 75-82. <https://doi.org/10.1016/j.jbiomech.2019.02.021>

1 **Markerless 2D Kinematic Analysis of Underwater Running: A Deep Learning Approach**

2 Neil Cronin¹, Timo Rantalainen¹, Juha Ahtiainen¹, Esa Hynynen², Ben Waller^{1,3}

3 ¹ Faculty of Sport and Health Sciences, University of Jyväskylä, Finland

4 ² KIHU- Research Institute for Olympic Sports, Jyväskylä, Finland

5 ³ Physical Activity, Physical Education, Sport and Health Research Centre (PAPESH), Sports
6 Science Department, School of Science and Engineering, Reykjavik University, Reykjavik, Iceland

7

8 Original Article

9

10 Correspondence:

11 Neil Cronin

12 University of Jyväskylä, Neuromuscular Research Center, Faculty of Sport and Health Sciences, P.

13 O. Box 35, FI-40014, University of Jyväskylä, Finland

14 tel: +358 40 805 3735

15 e-mail: neil.j.cronin@jyu.fi

16

17 Keywords: deepwater running, kinematics, deep learning, artificial intelligence, motion analysis

18

19 Word count: 2339

20

21

22

23

24

25

26 Abstract

27

28 Kinematic analysis is often performed with a camera system combined with reflective markers
29 placed over bony landmarks. This method is restrictive (and often expensive), and limits the ability
30 to perform analyses outside of the lab. In the present study, we used a markerless deep learning-
31 based method to perform 2D kinematic analysis of deepwater running, a task that poses several
32 challenges to image processing methods. A single GoPro camera recorded sagittal plane lower limb
33 motion. A deep neural network was trained using data from 17 individuals, and then used to predict
34 the locations of markers that approximated joint centres. We found that 300-400 labelled images
35 were sufficient to train the network to be able to position joint markers with an accuracy similar to
36 that of a human labeler (mean difference <3 pixels, around 1cm). This level of accuracy is sufficient
37 for many 2D applications, such as sports biomechanics, coaching/training, and rehabilitation. The
38 method was sensitive enough to differentiate between closely-spaced running cadences (45-85
39 strides per minute in increments of 5). We also found high test-retest reliability of mean stride data,
40 with between-session correlation coefficients of 0.90-0.97. Our approach represents a low-cost,
41 adaptable solution for kinematic analysis, and could easily be modified for use in other movements
42 and settings. Using additional cameras, this approach could also be used to perform 3D analyses.
43 The method presented here may have broad applications in different fields, for example by enabling
44 markerless motion analysis to be performed during rehabilitation, training or even competition
45 environments.

46

47 Introduction

48

49 Kinematic analysis is used to characterise changes in joint angles during human movement. This
50 information can be combined with other sources, e.g. force data, to build a more complete picture of

51 how a movement is performed (Winter, 1991), and thus has important implications for various
52 fields such as sports biomechanics, injury risk assessment and rehabilitation (see Colyer et al. 2018
53 for a review). Kinematic analysis is often performed with a camera system combined with a set of
54 reflective markers placed over bony landmarks, allowing a digital model of the moving person to be
55 reconstructed (van der Kruk and Reijne, 2018). However, the use of reflective markers can restrict
56 the settings in which data can realistically be collected, and many existing camera-based methods
57 still rely on expensive hardware and software. Moreover, in an aquatic environment, the use of
58 markers is impractical because they impede normal movement and are prone to significant motion
59 artifact.

60

61 Recently, several attempts have been made to develop markerless methods, which in theory could
62 be used outside of the laboratory and allow movement to be analysed in more natural, unconstrained
63 conditions (see Drory, Li, and Hartley 2017 for a comprehensive overview). In particular, methods
64 that rely on artificial intelligence have demonstrated promising results (see Colyer et al., 2018 for
65 review), and have the potential to revolutionise the way movement analysis is performed due to
66 their powerful ability to ‘learn’ patterns in data. In the present study, we used DeepLabCut
67 (Insafutdinov et al., 2016; Mathis et al., 2018; Pishchulin et al., 2015) to track the locations of
68 (approximated) lower limb joint centres and used this information to perform 2D kinematic analysis
69 of deepwater running, a task that poses several challenges to image processing methods, such as
70 poor contrast and changes in light intensity. DeepLabCut is an open-source method that combines a
71 residual neural network (ResNet-50) pretrained on ImageNet with deep convolutional and
72 deconvolutional neural network layers (Insafutdinov et al., 2016) to predict the ‘learned’ locations
73 of individual points in an image using feature detectors (He et al. 2015). The network ‘learns’
74 marker locations by being trained on labeled data, which consists of individual images accompanied
75 by a human-defined label of the ‘correct’ marker location. During training, the weights are adjusted

76 iteratively so that for each image, the network assigns high probabilities to target marker locations
77 and low probabilities to all other regions. Training thus allows the network to ‘learn’ feature
78 detectors for each user-defined marker, rather than relying on hard-coded, pre-defined features.

79

80 In this study we demonstrate that a modified version of the DeepLabCut method can be used for
81 accurate 2D kinematic analysis of deepwater running filmed using a single GoPro camera. We used
82 this method to determine lower limb segment lengths and joint angles, and we present various other
83 parameters that could be useful in motion analysis applications.

84

85 Methods

86

87 **Participants.** A total of 21 individuals (age: 24 ± 4 years, height: 177 ± 10 cm, mass 67 ± 9 ; 13 males
88 and 8 females) volunteered to participate and provided written informed consent. The study was
89 approved by the University’s ethics committee, and testing was conducted in accordance with the
90 most recent Helsinki declaration.

91

92 **Experimental protocol.** Participants performed bouts of deepwater running whilst immersed to
93 shoulder level, and were tethered to the edge of the pool by a non-elastic cable attached to a
94 buoyancy aid (Aquawallgym©, Hungary). A single GoPro camera (Hero 3 model) was enclosed in
95 a waterproof case and positioned underwater in the sagittal plane to the participants’ left side at a
96 distance of approximately 5 m. A custom-made calibration frame (2m x 2m) was used to calibrate
97 the field of view for each participant and test. The camera was then set to record at 60Hz whilst
98 participants ‘ran’ at different cadences controlled by a metronome (increased by 5 strides per
99 minutes (spm) from 45 to 90 spm). A subset of participants were tested a second time
100 approximately 1 week after the first test, to enable test-retest comparisons to be performed. A deep

101 neural network was trained and then used to predict the locations of several markers that
102 approximated joint centres. Predicted joint coordinates were used to determine lower limb segment
103 lengths and joint angles from the left leg, which was closest to the camera.

104

105 **Deep Neural Network.** The method used here largely followed the method described by Mathis et
106 al. (Mathis et al., 2018; v1). We first trained the network using 500 images from 17 randomly
107 chosen participants (i.e. 28-30 images per participant), leaving aside data from the remaining 4
108 participants (see below). The training images were randomly selected using a custom-written script
109 in Matlab (Mathworks, v2016b). These images were cropped (dimensions: 580 x 480 pixels) and
110 then manually labelled, with markers placed on the lateral side of the trunk (approximately mid-way
111 between the shoulder and hip), greater trochanter, lateral femoral condyle, lateral malleolus, and 5th
112 meta-tarsal head. The labelled images were used to train a deep neural network with a 90% training,
113 10% test split. The ResNet model was initialised with weights trained on ImageNet (He et al.,
114 2015), and the cross-entropy loss between the predicted score-map and the ground truth score-map
115 was minimised using stochastic gradient descent (Insafutdinov et al., 2016). The network was
116 trained for 200,000 iterations using a single Tesla K80 GPU via Microsoft Azure's cloud platform
117 running Python (Python Software Foundation; v.3.5) and Tensorflow (Abadi et al. 2018; v.1.2.1).
118 The training process was repeated with smaller training sets (400, 300, 200 and 100 images
119 respectively), to determine the minimum number of images required to reach satisfactory predictive
120 performance for this task. The number of frames used for training was selected based on previous
121 work using a similar method (Mathis et al., 2018), and for each trained model, frames were
122 randomly assigned to the test or training set.

123

124 **Evaluation of deep neural network performance.** To compare between joint coordinates labelled
125 by a human and those labelled by the network, pairwise Euclidean distances were computed for

126 each marker location (root mean square error: RMSE). In the results section the RMSE values are
127 shown for individual joints or as the average across all joints, as appropriate. To quantify the
128 evolution of the training error, and to enable training to be resumed later if needed, the Tensorflow
129 weights were stored every 10,000 iterations. As noted above, data from 4 randomly chosen
130 participants were excluded completely from the training set. After training of the neural networks
131 was complete, videos from these 4 participants were evaluated by each neural network model,
132 thereby serving as additional test data. This approach was chosen to enable out of sample
133 predictions that were completely independent of the training process, thus giving some indication of
134 the generalisability of our trained models.

135

136 **Determining joint angles and segment lengths.** Segment lengths were initially computed in terms
137 of pixels, using the coordinate data of each point exported during the analysis of each video.

138 Segment lengths were calculated based on the distance formula: $d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$,
139 where d = segment length in pixels, and x and y values denote the coordinates of the two points that
140 make up a segment. A scaling factor was calculated for each participant and trial based on the
141 corresponding calibration frame video, and used to scale segment lengths. Joint angles at the hip,
142 knee and ankle were determined using the atan2 function in Matlab. In several cases, the neural
143 network did not attempt to place a marker because the target joint location was blocked by the hand
144 or moved beyond the image field of view. To overcome the effect of missed (and misplaced)
145 markers on the resulting kinematic and segment length data, raw data were first filtered with a
146 median filter (10-20 data points generally yielded good results) followed by a Butterworth 4th order
147 low-pass filter (Figure 3). In some cases, e.g. when a marker was missing for several consecutive
148 frames, it was necessary to experiment with different filtering procedures.

149

150 Results

151

152 Deep Neural Network Performance

153

154 Using the full training set of 500 labelled images, the mean training error across all images was 1.4
155 pixels. The mean test error was 2.92 pixels (approximately 1 cm). This model represents the best
156 performance achieved out of all of the tested models. As seen in Figure 1A, training performance
157 was similar between all of the tested models after 200,000 iterations. Test performance, i.e. how
158 well the network predicts marker locations on images it has not ‘seen’ during training, was similar
159 between models trained on 300-500 images, suggesting that 300 training images was sufficient for
160 this task. However, test performance clearly decreased with training datasets of 100-200 images,
161 indicating overfitting of these models during the training stage. For all models, training time varied
162 between approximately 9-12 hours.

163

164 *** FIGURE 1 HERE ***

165

166 For the better performing models, both training and test errors were largely independent of which
167 marker was being tracked, whereas for the poorer performing models, the disparity between
168 different markers was much larger (Figure 1B and C). It should be noted that the trunk marker was
169 not placed by the network in around 20% of frames due to the hand blocking the target area. In
170 some images, the 5th metatarsal marker also was not placed because the foot moved beyond the
171 camera field of view. However, these issues did not substantially affect kinematic tracking (Figures
172 3 and 4).

173

174 *** FIGURE 2 HERE ***

175

176 Figure 2 shows some examples of the same images labelled by the 100 and 500 models. In some
177 cases, the models make similar predictions, compared to each other and to a human labeller (e.g.
178 middle image in Figure 2). In other images, the 100 model consistently makes larger errors, and in
179 the most extreme cases, identifies an ostensibly correct location but on the wrong limb (left image
180 in Figure 2), which largely accounts for the bigger test errors of the poorer performing models (for
181 further model comparisons see Supplementary Video 1). Segment length calculations yielded
182 consistent traces across consecutive stride cycles, particularly for models trained on more images.
183 Segment lengths varied somewhat throughout a stride (see Figure S1), due to minor fluctuations in
184 marker locations, as well as the inevitable 3D rotation of the lower limb that cannot be quantified
185 with this method.

186

187 Kinematics of deepwater running

188

189 Using this method we obtained consistent joint angle traces over several consecutive stride cycles.
190 Figure 3 shows examples of data computed from three different 10s videos obtained from different
191 individuals whose data were not seen by the neural network during training. These videos were
192 processed entirely by a trained neural network, and did not require a human labeler at any stage (see
193 also Supplementary Videos 2-4).

194

195 *** FIGURE 3 HERE ***

196

197 Based on visual identification from the videos, it was possible to approximate the start of individual
198 stride cycles. Figure 4 shows the results of this segmentation for a single 20s trial from a participant
199 whose data were not seen by the neural network during training.

200

201 *** FIGURE 4 HERE ***

202

203 For the data shown in Figure 4, the mean range of motion at the hip joint was $96.7 \pm 5.4^\circ$.

204 Corresponding values for the knee and ankle joint were $124.0 \pm 8.2^\circ$ and $59.0 \pm 6.3^\circ$ respectively.

205 Similar range of motion values were also obtained for the 3 participants' data in Figure 3 (hip:

206 102.2 - 121.7° ; knee: 102.0 - 133.0° ; ankle: 67.2 - 78.2°). To demonstrate some additional applications

207 of our method, we used it to examine kinematics at a range of different cadences, to ensure that the

208 method was sufficiently robust to small changes in movement velocity and the resulting kinematics.

209 These results are shown in Figure 5, demonstrating that small changes in cadence of 5 spm can be

210 distinguished reliably based on the kinematic traces.

211

212 *** FIGURE 5 HERE ***

213

214 We also performed test-retest comparisons on data collected from the same individual one week

215 apart (Figure 6). Figure 6 shows a segment of data (~30s), as well as individual strides from each

216 session. Based on the mean strides, the range of motion values for tests 1 and 2 were 107.9° and

217 102.1° (hip), 115.2° and 121.9° (knee), and 35.5° and 33.8° (ankle) respectively. Corresponding

218 mean differentials of these traces were 0.004 and 0.011 (hip), -0.014 and -0.011 (knee), and -0.062

219 and 0.003 (ankle). Correlation coefficients computed on the pairwise mean stride data showed

220 values of 0.97, 0.90 and 0.93 using the raw data, and 0.93, 0.78 and 0.79 when computed on the

221 differential of the mean stride data, for the hip, knee and ankle respectively.

222

223 *** FIGURE 6 HERE ***

224

225 Discussion

226

227 In this paper we demonstrate the ability to perform markerless 2D kinematic tracking using a deep
228 residual neural network trained on human-labelled data. Our results show that 300-400 labelled
229 images were sufficient to train the network to be able to position joint markers with an accuracy
230 similar to that of a human labeler (with a mean difference of around 1cm). This level of accuracy is
231 sufficient for many 2D applications, such as sports biomechanics and coaching, and
232 rehabilitation/training scenarios. Moreover, it is likely that network performance could be further
233 improved, for example by using a deeper pre-trained network or by modifying model
234 hyperparameters (Mathis et al., 2018). In addition to assessing joint kinematics, we also
235 demonstrate the ability to compute relevant parameters such as joint range of motion and cadence
236 on a stride by stride basis, and show strong test-retest reliability of kinematics measured with this
237 method.

238

239 The kinematic results obtained in this study are largely comparable to those of the few previous
240 studies conducted in this area. For example, our joint range of motion results (Figures 3 and 4) are
241 similar to values reported by Kato et al. (2001) and Kilding et al. (2007). For some participants we
242 observed larger hip range of motion than in the Kato study, but this is likely due to the
243 unconstrained nature of deepwater running, compared to running on a treadmill in Kato's study.
244 Similarly, we observed less peak knee flexion than Kilding et al., likely due to differences in
245 deepwater running technique (high knees versus cross-country technique). At all joints, the
246 kinematic traces in our study were qualitatively similar to those observed in overground running
247 (e.g. Voloshina and Ferris 2015).

248

249 We applied Deep Learning to a task that is very challenging from an image processing perspective.
250 For example, the light intensity of the image background varied between (and even within) tests due
251 to the fact that data were collected in a public swimming pool. The camera used in the present study

252 had automatic shutter speed, and due to the low amount of light, motion blur was evident in the
253 videos, particularly in the distal portion of the image, which may have contributed to the larger
254 RMSE at the ankle than at other joints for some models (Figure 1). This could conceivably have
255 increased errors in marker placement by both the human and the neural networks. As light is filtered
256 by the water, the contrast of the videos also seemed to be low. With these constraints, image quality
257 was arguably quite low, further exacerbated by isolating and cropping individual video frames
258 during training. It seems likely that using a more advanced camera could have improved overall
259 image quality and thereby minimised tracking errors (for human and neural network labelling).
260 However, we see this as a strength of the present approach, since it highlights the robustness of the
261 method in spite of the factors mentioned above.

262

263 Aside from issues related to filming underwater, we also encountered difficulties common to gait
264 analysis such as an arm blocking a marker's position. Additional cameras were not necessary to
265 overcome this issue, and a simple filtering procedure combined with a robust deep neural network
266 was sufficient to produce consistent kinematic results. Nonetheless, implementing this method in
267 3D may help to reduce the effect of marker occlusion, due to the redundancy provided by additional
268 cameras (see Drory et al., 2017 for a similar approach based on single images). Other difficulties
269 included the occasional placement of a marker on the wrong limb by the neural network. To
270 overcome this issue, other studies have used information about spatial relations between markers
271 (e.g. the hip is always an approximately constant distance from the knee) to better inform
272 predictions (Drory et al., 2017), and these techniques could have helped to improve accuracy in the
273 present study. It should also be noted that camera-based methods are not the only possible solution
274 for kinematic analysis. Some studies have used inertial measurement units (Dadashi et al., 2012),
275 with the advantage that cameras are not needed, and so the issue of placing markers is avoided
276 completely. Finally, we only compared neural network performance to that of a human labeler, and

277 could not evaluate our method against traditional systems that use reflective markers. However,
278 reflective markers in the image would influence neural network performance during training, with a
279 high risk that the network would simply learn to identify the reflective markers, and subsequently
280 fail when used to predict marker positions in images where reflective markers are not present.
281 Overcoming this issue thus requires an alternative approach.

282
283 The approach used here offers a very low-cost, adaptable solution for simple kinematic analysis.
284 The method only requires a small amount of manual labelling of image frames, and in the best case,
285 this training process only needs to be performed once. The successfully trained network can then be
286 used to label new videos quickly (45s for a 10s video on a standard CPU), and near real-time
287 tracking is also possible with GPU support (Nath et al., 2018). Given the challenges associated with
288 imaging deepwater running, it is likely that this approach could easily be modified to analyse
289 kinematics in other human movements and measurement settings, simply by re-training the network
290 using a suitable dataset. Moreover, using additional cameras, this approach could be used to
291 perform 3D analyses (Nath et al., 2018). As stated by Coyler et al. (2018), the development of
292 methods aided by artificial intelligence could revolutionise sports biomechanics and rehabilitation
293 by broadening the applications of motion analysis to training or even competition environments.

294

295 Acknowledgements

296

297 The authors gratefully acknowledge the technical assistance of Markku Ruuskanen during data
298 collection.

299

300 References

301

302 Abadi, M., Agarwal, A., Barham, P., Brevdo, E., Chen, Z., Citro, C., Corrado, G.S., Davis, A.,
303 Dean, J., Devin, M., Ghemawat, S., Goodfellow, I., Harp, A., Irving, G., Isard, M., Jia, Y.,
304 Jozefowicz, R., Kaiser, L., Kudlur, M., Levenberg, J., Mané, D., Monga, R., Moore, S.,

305 Murray, D., Olah, C., Schuster, M., Shlens, J., Steiner, B., Sutskever, I., Talwar, K., Tucker,
306 P., Vanhoucke, V., Vasudevan, V., Viégas, F., Vinyals, O., Warden, P., Wattenberg, M.,
307 Wicke, M., Yu, Y., Zheng, X., Research, G., 2015. TensorFlow: Large-Scale Machine
308 Learning on Heterogeneous Distributed Systems.

309 Colyer, S.L., Evans, M., Cosker, D.P., Salo, A.I.T., 2018. A Review of the Evolution of Vision-
310 Based Motion Analysis and the Integration of Advanced Computer Vision Methods Towards
311 Developing a Markerless System. *Sport. Med. - Open* 4, 24. doi:10.1186/s40798-018-0139-y

312 Dadashi, F., Crettenand, F., Millet, G.P., Aminian, K., 2012. Front-Crawl Instantaneous Velocity
313 Estimation Using a Wearable Inertial Measurement Unit. *Sensors* 12, 12927–12939.
314 doi:10.3390/s121012927

315 Drory, A., Li, H., Hartley, R., 2017. A learning-based markerless approach for full-body kinematics
316 estimation in-natura from a single image. *J. Biomech.* 55, 1–10.
317 doi:10.1016/J.JBIOMECH.2017.01.028

318 He, K., Zhang, X., Ren, S., Sun, J., 2015. Deep Residual Learning for Image Recognition. arXiv.

319 Insafutdinov, E., Pishchulin, L., Andres, B., Andriluka, M., Schiele, B., 2016. DeeperCut: A
320 Deeper, Stronger, and Faster Multi-Person Pose Estimation Model. arXiv.

321 Kato, T., Onishi, S., Kitagawa, K., 2001. Kinematical Analysis of Underwater Walking and
322 Running. *Sport. Med. Train. Rehabil.* 10, 165–182. doi:10.1080/10578310210396

323 Kilding, A.E., Scott, M.A., Mullineaux, D.R., 2007. A Kinematic Comparison of Deep Water
324 Running and Overground Running in Endurance Runners. *J. Strength Cond. Res.* 21, 476.
325 doi:10.1519/R-17975.1

326 Mathis, A., Mamidanna, P., Cury, K.M., Abe, T., Murthy, V.N., Mathis, M.W., Bethge, M., 2018.
327 DeepLabCut: markerless pose estimation of user-defined body parts with deep learning. *Nat.*
328 *Neurosci.* 21, 1281–1289. doi:10.1038/s41593-018-0209-y

329 Nath, T., Mathis, A., Chen, A.C., Patel, A., Bethge, M., Mathis, M.W., 2018. Using DeepLabCut
330 for 3D markerless pose estimation across species and behaviors. bioRxiv 476531.
331 doi:10.1101/476531

332 Pishchulin, L., Insafutdinov, E., Tang, S., Andres, B., Andriluka, M., Gehler, P., Schiele, B., 2015.
333 DeepCut: Joint Subset Partition and Labeling for Multi Person Pose Estimation. arXiv.

334 van der Kruk, E., Reijne, M.M., 2018. Accuracy of human motion capture systems for sport
335 applications; state-of-the-art review. *Eur. J. Sport Sci.* 18, 806–819.
336 doi:10.1080/17461391.2018.1463397

337 Voloshina, A.S., Ferris, D.P., 2015. Biomechanics and energetics of running on uneven terrain. *J.*
338 *Exp. Biol.* 218, 711–719. doi:10.1242/jeb.106518

339 Winter, D.A., 1991. The biomechanics and motor control of human gait : normal, elderly and
340 pathological. University of Waterloo Press.

341

342