



This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.

Author(s): Haapanen, Markus J.; von Bonsdorff, Mikaela B.; Fisher, Diana; Jonasson, Fridbert; Eiriksdottir, Gudny; Gudnason, Vilmundur; Cotch, Mary Frances

Title: Body size at birth and age-related macular degeneration in old age

Year: 2020

Version: Accepted version (Final draft)

Copyright: © 2019 Acta Ophthalmologica Scandinavica Foundation. Published by John Wiley & Sons Ltd.

Rights: In Copyright

Rights url: <http://rightsstatements.org/page/InC/1.0/?language=en>

Please cite the original version:

Haapanen, M. J., von Bonsdorff, M. B., Fisher, D., Jonasson, F., Eiriksdottir, G., Gudnason, V., & Cotch, M. F. (2020). Body size at birth and age-related macular degeneration in old age. *Acta Ophthalmologica*, 98(5), 455-463. <https://doi.org/10.1111/aos.14340>

Supplemental Table 1. Mortality and Age-Related Macular Degeneration for Individuals in the AGES-Reykjavik Study who have Birth Size data

| | All Individuals | | | Men | | | Women | | | |
|-------------------------------------|--------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | Total ^a (N=1691) | 1914-1924 (N=454) | 1925-1929 (N=529) | 1930-1936 (N=708) | 1914-1924 (N=209) | 1925-1929 (N=221) | 1930-1936 (N=314) | 1914-1924 (N=245) | 1925-1929 (N=308) | 1930-1936 (N=394) |
| AGES-I AMD Status Available | | | | | | | | | | |
| Yes | 88.5 (1497) | 80.8 (367) | 91.1 (482) | 91.5 (648) | 81.3 (170) | 91.0 (201) | 91.1 (286) | 80.4 (197) | 91.2 (281) | 91.9 (362) |
| No | 11.5 (194) | 19.2 (87) | 8.9 (47) | 8.5 (60) | 18.7 (39) | 9.1 (20) | 8.9 (28) | 19.6 (48) | 8.8 (27) | 8.1 (32) |
| Died before Examination* | 77.8 (151) | 95.4 (83) | 76.6 (36) | 53.3 (32) | 100.0 (39) | 70.0 (14) | 64.3 (18) | 91.7 (44) | 81.5 (22) | 43.8 (14) |
| Missing for Other Reason* | 22.2 (43) | 4.6 (4) | 23.4 (11) | 46.7 (28) | 0.0 (0) | 30.0 (6) | 35.7 (10) | 8.3 (4) | 18.5 (5) | 56.2 (18) |
| | | | | | | | | | | |
| All Individuals | | | Men | | | Women | | | | |
| Total ^b (N=1497) | 1914-1924 (N=367) | 1925-1929 (N=482) | 1930-1936 (N=648) | 1914-1924 (N=170) | 1925-1929 (N=201) | 1930-1936 (N=286) | 1914-1924 (N=197) | 1925-1929 (N=281) | 1930-1936 (N=362) | |
| AGES-II AMD Status Available | | | | | | | | | | |
| Yes | 61.3 (917) | 37.1 (136) | 62.2 (300) | 74.2 (481) | 29.4 (50) | 61.7 (124) | 73.8 (211) | 43.6 (86) | 62.6 (176) | 74.6 (270) |
| No | 38.7 (580) | 62.9 (231) | 37.8 (182) | 25.8 (167) | 70.6 (120) | 38.3 (77) | 26.2 (75) | 56.4 (111) | 37.4 (105) | 25.4 (92) |
| Died before Examination* | 36.7 (213) | 36.8 (85) | 35.2 (64) | 38.3 (64) | 38.3 (46) | 44.2 (34) | 49.3 (37) | 35.1 (39) | 28.6 (30) | 29.3 (27) |
| Missing for Other Reason* | 63.3 (367) | 63.2 (146) | 64.8 (118) | 61.7 (103) | 61.7 (74) | 55.8 (43) | 50.7 (38) | 64.9 (72) | 71.4 (75) | 70.7 (65) |

* Percentage denominator is the number of individuals who do not have available AMD status (e.g. 'No').

^a Sample of individuals with birth size data who participated in the AGES-Reykjavik study.

^b Sample of individuals with birth size data and AGES-I AMD data who participated in the AGES-Reykjavik study.

Figure 1a




Figure 1b




Figure 2

