

This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.

Author(s): Eyvindson, Kyle; Duflot, Rémi; Triviño, Mária; Blattert, Clemens; Potterf, Mária; Mönkkönen, Mikko

Title: High boreal forest multifunctionality requires continuous cover forestry as a dominant management

Year: 2021

Version: Accepted version (Final draft)

Copyright: © 2020 Elsevier Ltd. All rights reserved.

Rights: CC BY-NC-ND 4.0

Rights url: https://creativecommons.org/licenses/by-nc-nd/4.0/

Please cite the original version:

Eyvindson, K., Duflot, R., Triviño, M., Blattert, C., Potterf, M., & Mönkkönen, M. (2021). High boreal forest multifunctionality requires continuous cover forestry as a dominant management. Land Use Policy, 100, 104918. https://doi.org/10.1016/j.landusepol.2020.104918

Appendix B

Kyle Eyvindson, Rémi Duflot, María Triviño, Mária Potterf, Clemens Blattert, Mikko Mönkkönen

July 2020

1 Introduction

This appendix provides a comprehensive analysis of the distance metrics used to evaluate the multifunctionality of the forest. Each indicator sets (ecosystem services, climate mitigation, vertebrate habitat suitability, deadwood dependent suitability) are assigned either the distance metric 1 or ∞ . The proportion of management alternatives used to achieve the specific outcome also portrayed for each combination of distance metrics. For this appendix, we have utilized a discount rate of 4 percent.

Alternative distance measures: Distance measure for each multifunctionality measure: Ecosystem service multifunctionality, $L^p=\infty$ Climate mitigation multifunctionality, $L^p=\infty$ Vertebrate habitat suitability multifunctionality, $L^p=1$ Deadwood dependent multifunctionality, $L^p=1$




Figure 1: Comparison of the multifunctionality measures. The black line represents the multifunctionality value for the specific set of criteria. All management alternatives are allowed (ALL), when only continuous cover forestry alternatives are allowed (CCF) or when only rotation forestry alternatives are allowed (RF).




Figure 2: Land-use intensity of the differing scenarios, measured as proportion of unmanaged forests. All – all management options allowed, CCF – only continuous cover forest (alternatives 1-11), RF – only rotation forestry management (alternatives 1 and 12-28). For a detailed explanation of the management alternatives, readers are guided to Appendix A.