

This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.

Author(s): Bao, Ran; Wade, Levi; Leahy, Angus A.; Owen, Katherine B.; Hillman, Charles H.; Jaakkola, Timo; Lubans, David Revalds

Title: Associations Between Motor Competence and Executive Functions in Children and Adolescents : A Systematic Review and Meta-analysis

Year: 2024

Version: Published version

Copyright: © The Author(s) 2024

Rights: CC BY 4.0

Rights url: <https://creativecommons.org/licenses/by/4.0/>

Please cite the original version:

Bao, R., Wade, L., Leahy, A. A., Owen, K. B., Hillman, C. H., Jaakkola, T., & Lubans, D. R. (2024). Associations Between Motor Competence and Executive Functions in Children and Adolescents : A Systematic Review and Meta-analysis. *Sports Medicine*, Early online. <https://doi.org/10.1007/s40279-024-02040-1>



Associations Between Motor Competence and Executive Functions in Children and Adolescents: A Systematic Review and Meta-analysis

Ran Bao^{1,2,3} · Levi Wade^{1,2,3} · Angus A. Leahy^{1,2,3} · Katherine B. Owen⁴ · Charles H. Hillman^{5,6} · Timo Jaakkola⁷ · David Revalds Lubans^{1,2,3,7} 

Accepted: 20 April 2024
© The Author(s) 2024

Abstract

Background Motor competence and executive functions co-develop throughout childhood and adolescence, and there is emerging evidence that improvements in motor competence may have cognitive benefits in these populations. There is a need to provide a quantitative synthesis of the cross-sectional, longitudinal and experimental studies that have examined the association between motor competence and executive functions in school-aged youth.

Objectives The primary aim of our systematic review was to synthesise evidence of the association between motor competence and executive functions in school-aged children and adolescents (5–18 years). Our secondary aim was to examine key moderators of this association.

Methods We searched the PubMed, PsycINFO, Scopus, Ovid MEDLINE, SPORTDiscus and EMBASE databases from inception up to 27 June 2023. We included cross-sectional, longitudinal and experimental studies that assessed the association between motor competence (e.g., general motor competence, locomotor skills, object control skills and stability skills) and executive functions (e.g., general executive functions, inhibition, working memory and cognitive flexibility) in children and adolescents aged 5–18 years.

Results In total, 12,117 records were screened for eligibility, and 44 studies were included. From the 44 included studies, we meta-analysed 37 studies with 251 effect sizes using a structural equation modelling approach in the statistical program R. We found a small positive association ($r=0.18$, [95% confidence interval (CI) 0.13–0.22]) between motor competence and executive functions. The positive associations were observed in cross-sectional ($r=0.17$, [95% CI 0.13–0.22]), longitudinal ($r=0.15$, [95% CI 0.03–0.28]) and experimental studies ($r=0.25$, [95% CI 0.01–0.45]). We also found that general motor competence ($r=0.25$, [95% CI 0.18–0.33]), locomotor ($r=0.15$, [95% CI 0.09–0.21]), object control ($r=0.14$, [95% CI 0.08–0.20]) and stability ($r=0.14$, [95% CI 0.08–0.20]) skills were associated with executive functions. We did not find any moderating effects for participants' age on the associations between motor competence and executive functions.

Conclusions Our findings suggest a small-to-moderate positive association between motor competence and executive functions in children and adolescents. The small number of experimental studies included in this review support the assertion that interventions targeting children's motor competence may be a promising strategy to improve their executive functions; however, more research is needed to confirm these findings. Future studies should explore the underlying mechanisms linking motor competence and executive functions as their comprehension may be used to optimise future intervention design and delivery.

PROSPERO Registration CRD42021285134.

Key Points

Findings from our systematic review and meta-analyses suggest a small-to-moderate positive association between motor competence and executive functions in children and adolescents.

Locomotor, object control and stability skills were all positively associated with executive functions (e.g., inhibition, working memory, cognitive flexibility).

Most observational studies focused on children, while a limited number of studies involved adolescent participants.

Due to the small number of experimental studies, we were unable to establish a causal link between motor competence and executive functions in young people.

1 Introduction

Motor competence is defined as the mastery of physical skills and movement patterns that enable participation in a range of physical activities [1]. It includes locomotor (e.g., running and jumping), object control (e.g., catching and throwing) and stability (e.g., balancing and twisting) skills [1]. The umbrella term “motor competence” is often used interchangeably with “motor proficiency”, “motor performance”, “motor ability” and “motor coordination” [2]. The development of motor competence is associated with a range of psychological (e.g., perceived competence [3]), physiological (e.g., physical fitness [4, 5], healthy weight status [2, 6]), and behavioural (e.g., physical activity [6, 7]) benefits [8]. Further, there is accumulating evidence that developing motor competence may also have benefits for young people’s executive functions [9–11].

Executive functions (EFs) are complex and can be understood from multiple perspectives. For example, prior research has explored EFs from evolutionary (e.g., ability to make decisions and behave in a purposeful, goal-directed, future-oriented manner), syndrome-based (i.e., impairments in individuals’ cognitive functioning), neurobiological (i.e., changes in brain structure and function) and statistical (e.g., psychometric properties of tests that assess inhibitory control, updating/working memory and shifting/cognitive flexibility) perspectives [12, 13]. For the purposes of our review, we define EFs as higher-order cognitive processes underlying the selection, scheduling, coordination and monitoring of complex, goal-directed processes [14]. In this definition, EFs typically include three core components: inhibitory control (e.g., the ability to maintain focus and suppress prepotent or automated responses), updating/working memory

(e.g., retaining and updating of information), and shifting/cognitive flexibility (e.g., the ability to shift attention to changing task demands) [14, 15].

Previous studies have found positive associations between executive functions and academic performance (e.g., mathematics achievement) [16–18], and between executive functions and quality of life in children and adolescents [19]. Alternatively, poor executive functions are related to mental health disorders (e.g., depression, conduct disorder, attention deficit hyperactivity) [20, 21], poor physical health (e.g., obesity) [22], as well as social problems (e.g., violence, crime, reckless behaviour) [23, 24] in children and adolescents [25]. Engagement in physical activity has been shown to benefit executive functions [26], and it has been hypothesised that this may occur via a range of neurobiological, psychosocial and behavioural mechanisms [27, 28]. There is growing interest in the idea that the development of motor competence might provide some explanation of the effects of physical activity on executive functions. Indeed, there is evidence that motor competence and executive functions may develop via similar pathways [29–31]. The same cortical and subcortical regions of the brain (comprising functional neural networks) are partially responsible for the development of motor competence and executive functions in childhood, including the prefrontal cortex, cerebellum and basal ganglia [30]. Consequently, just as there is a neurobiological basis for asserting that regular physical activity in children contributes to the development of executive functions, there is also a neurobiological justification for the belief that involvement in motor learning activities can similarly enhance executive functions [15]. As highlighted by Hill (2023) in their review on the relationship of motor competence to broader cognitive and social outcomes, physical activity may improve executive functions via its quantitative characteristics (e.g., intensity, frequency, etc.) or via qualitative characteristics (e.g., motor skill complexity). Learning motor skills requires the input of executive processes of inhibition, working memory and cognitive flexibility [10], meaning that greater executive functioning could plausibly translate into the performance of complex or novel skills. In sum, there is likely a bidirectional relationship between executive functions and motor skills acquisition and performance.

A recent systematic review including a meta-analysis found a positive association between motor skills (except for object control skills) and executive functions in children [11]. However, this review only included children aged 3–12 years and did not examine the role of key moderators (e.g., study design). More recently, Hill and colleagues published a conceptual model and systematic review that included a qualitative synthesis of the association between motor competence and cognitive outcomes in young people [32]. Consistent with the model proposed

by Lubans and colleagues [33], the authors acknowledged that motor competence may support cognitive development via a range of neurobiological, psychosocial and/or behavioural mechanisms, and pointed out that clear patterns of domain-specific relationships are lacking [32]. As noted by the authors, young people typically perform motor skills in environments (e.g., physical education and sport practice) that challenge both their motor and cognitive abilities, and thus likely contribute to improvements in both motor and cognitive development simultaneously. However, due to the small number of experimental studies, the authors were unable to draw conclusions regarding the causal relationship between motor competence and cognitive outcomes [32]. In their narrative review of the literature, Willoughby and Hudson [15] discuss the contribution of motor skills and physical activity to the development of executive functions in early childhood. Based on their review of the literature, they note that it remains unclear whether increases in physical activity are enough to explain improvements in executive functioning, and suggest that the development of children's motor skills is more strongly associated with executive function development in early childhood than the frequency, duration or intensity of their physical activity.

Despite increasing interest in the link between motor competence and executive functioning, no previous systematic review has conducted a quantitative synthesis of this relationship in children and adolescents. Narrative syntheses of quantitative data have notable limitations, including lack of transparency and conclusions based on subjective interpretation [34, 35]. Alternatively, meta-analyses are considered a superior approach to data synthesis because they: (i) involve the calculation of effect sizes, (ii) can correct for small-scale studies that are not adequately powered, and (iii) allow for the examination of moderator effects. Therefore, the primary aim of our systematic review and meta-analysis was to assess the strength of the association between motor competence and executive functions in school-aged children and adolescents (5–18 years). Our secondary aim was to examine key moderators of this association.

2 Methods

2.1 Protocol and Registration

Our systematic review was conducted according to the 2020 Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) statement [36]. The current review was prospectively registered with PROSPERO (CRD42021285134).

2.2 Identification of Studies and Search Strategy

We conducted a comprehensive literature search to identify studies on the associations between motor competence and executive functions in children and adolescents. We searched six electronic databases (PubMed, PsycINFO, Scopus, Ovid MEDLINE, SPORTDiscus and EMBASE) from the year of their inception up to 27 June 2023. After automatically and manually removing duplicates, the remaining studies were subjected to a screening process. Our search strategy was modified in accordance with each of the databases (e.g., using MeSH terms where possible), and included the following keywords: motor competence (e.g., locomotor, object control and stability skills), executive functions (e.g., inhibition, working memory, cognitive flexibility), and population (e.g., children, adolescents). The search terms are detailed in the Online Supplementary Material (OSM; Table S1).

Where possible, search results were limited by language (English), species (human) and type (journal). The reference lists of included studies were checked for additional relevant studies.

2.3 Inclusion/Exclusion Criteria

Two authors independently screened titles, abstracts and full-texts (RB and LW) against inclusion and exclusion criteria. Any disagreements between the two authors were resolved via discussion, and a consensus was reached with two other authors (AAL and DRL). The following inclusion criteria were applied: (1) experimental or quasi-experimental studies designed to promote motor competency and executive functions (i.e., inhibition, working memory, and cognitive flexibility) in children and adolescents; (2) observational studies focused on the associations between motor competence and executive functions; (3) data on school-aged children and adolescents (5–18 years of age); (4) data on participants' motor competency (i.e., motor proficiency, motor performance, fundamental movement/motor skills, motor ability and motor coordination) and executive function (i.e., inhibition, working memory, cognitive flexibility); (5) objective assessment such as process-based (e.g., Test of Gross Motor Development-3rd Edition (TGMD-3)) and/or product-based measures (e.g., Movement Assessment Battery for Children-2nd Edition (MABC-2)) of motor competence and performance-based measures of executive functions (e.g., flanker task, trail-making task, digit span task) were eligible for this review. The following exclusion criteria were applied: (1) only reported fine motor skills (e.g., writing); (2) utilised fitness as a proxy for motor competence (e.g., strength); (3) individuals living with disability (e.g., intellectual and/or physical disability); (4) measured perceived motor competence or used rating scales to measure executive functions;

(5) reported general cognition, but did not provide outcome data specific to executive functions (either as a composite score or domain specific).

2.4 Data Extraction

Information regarding study location, first author's name, year of publication, design (i.e., experimental, quasi-experimental, longitudinal, or cross-sectional study design), participant age, sample size, measures of motor competence and executive functions, and correlations between motor competency and executive function outcomes, were independently extracted by two authors (RB and LW). Differences in the extraction and coding of information were discussed and resolved with two other authors (AAL and DRL). In accordance with previous studies [1, 3, 8], motor competence components were classified into three categories, including locomotor skills, object control skills, and stability skills. Additionally, those studies that only reported the association between the composite scores of motor competence (e.g., locomotor, object control, and stability skills) and executive functions were labelled as "general motor competence". The term "motor competence" encompassed all motor competence components, including general motor competence, locomotor skills, object control skills, and stability skills. Similarly, executive function domains were also classified into three categories [25], including inhibition, working memory, and cognitive flexibility. Studies that only reported the association between motor competence and composite scores of multiple executive function domains (e.g., inhibition, working memory, and cognitive flexibility), were coded as "general executive functions". The term "executive functions" comprised general executive functions, inhibition, working memory and cognitive flexibility. For tests of executive functions, where reported, we used information on the accuracy and reaction time (i.e., the reaction time of correct responses) for calculation of effect sizes. Where this was not reported, we used accuracy data, unless the primary outcome of the test was time to completion (e.g., in the trail-making test).

2.5 Criteria for Risk of Bias Assessment

Risk of bias was evaluated independently by two authors (RB and LW). Experimental studies were assessed using the Cochrane Risk of Bias Tool (RoB 2.0) for randomised controlled trials (RCTs) and the Risk Of Bias In Non-randomised Studies-of Interventions (ROBINS-I) for non-randomised controlled trials [37]. Disagreements between assessors were resolved by discussion. The criteria were: (1) randomisation process; (2) deviations from intended interventions; (3) missing outcome data; (4) measurement of the outcomes; and

(5) selection of the reported results. Observational studies were assessed using the following items developed from the Joanna Briggs Institute critical appraisal checklists [37]: (1) study design allowed for causal inference (only for longitudinal study design); (2) random selection of study participants and/or study sites; (3) detailed description of sample characteristics; (4) valid assessment of motor competence; (5) valid assessment of executive functions; and (6) adjustment for relevant confounders in the analysis. Based on the assessment criteria, the risk bias for each included study was categorised based on the percentage of items rated as "yes" > 70% (low), 50–69% (moderate), or < 50% (high) [38, 39].

2.6 Meta-analyses

We combined effect sizes using a structural equation modelling approach to multilevel meta-analysis. The main advantage of this approach is that it is not limited by the assumption of independence (i.e., effect sizes are nested within studies), and multiple effect sizes can be included from each study [40]. Unconditional mixed-effects models using maximum likelihood estimation were conducted to calculate the overall pooled effect size. For each pooled effect size, 95% likelihood-based confidence intervals (Cis) were calculated. All analyses were conducted using the metaSEM package in R Version 4.2.2 (code provided in OSM 1) [41].

We extracted various summary measures, including standardised mean differences and correlation coefficients. Summary metrics that were not reported as r values were converted to correlation coefficients (r) for observational and experimental studies. For observational studies, correlation coefficients were extracted according to whether the effect sizes were cross-sectional effect (one point in time) or longitudinal (changes over time). Correlation coefficients that controlled for relevant covariates (e.g., age and sex) were extracted. Where these were not available, the zero-order correlation coefficients were extracted. The correlation coefficients were converted into Fisher's z for all analyses using the following formula (Eq. 1) [42]:

$$z = 0.5 * \ln \left(\frac{1+r}{1-r} \right), \quad (1)$$

where \ln is the natural logarithm [43]. Then, the results were converted back to r -values using the following conversion formulas (Eq. 2):

$$r = \frac{(e^{2*z} - 1)}{(e^{2*z} + 1)}, \quad (2)$$

where e refers to the base of the natural logarithm [44]. For experimental studies, correlation coefficients (r) of change scores for both motor competence and executive functions between pre and post measurements were extracted from one

study. For another study, we used the pre and post experimental means and standard deviations to calculate Cohen's d using the formula (Eq. 3):

$$d = \frac{\bar{X}_1 - \bar{X}_2}{s_d}, \quad (3)$$

where \bar{X}_1 is the mean change in the first group, \bar{X}_2 is the mean change in the second group, s_d is the pooled standard deviation of the two groups [42]. Then, Cohen's d was converted into r values using the following formula (Eq. 4):

$$r = \frac{d}{\sqrt{d^2 + 4}}, \quad (4)$$

where d is Cohen's d [42]. To aid with interpretation, the correlation coefficients are referred to as small (0.10–0.20), moderate (0.21–0.35) or large (>0.35) [45]. For consistency, negative summary outcomes (i.e., where negative numbers indicate greater performance – such as outcomes including reaction time) were inverted to positive summary measures. In addition, 95% likelihood-based CIs were calculated for each effect size.

Heterogeneity was assessed using the I^2 statistic, with values from 0–40%, 30–60%, 50–90%, and 75–100% indicating low, moderate, substantial, and high heterogeneity, respectively [46]. Publication bias was analysed using funnel plots and Egger's regression test, which provides a metric of the asymmetry present in the plot (with a p -value >0.05 indicating no evidence of publication bias). Moderator analyses were conducted to determine whether the association between motor competence and executive functions differed according to the type of motor competence (e.g., locomotor, object control, and stability skills), executive function domain (e.g., inhibition, working memory, cognitive flexibility), age of participants (treated as a continuous variable), and study design (e.g., cross-sectional, longitudinal, experimental). Initially, we treated age as a binary moderator, but age did not influence the association between motor competence and executive functions. Given the small number of the included studies involving adolescents, we subsequently treated age as a continuous moderator, which allowed for a more precise examination of its effects on the association between motor competence and executive functions. The R^2 values were computed to determine the proportion of explained variance for each potential moderator variable.

3 Results

3.1 Study Selection

After conducting a comprehensive literature search, a total of 20,498 records were identified. After removing 8,381 duplicates, 12,117 records were screened via title and abstract

for suitability. After the removal of irrelevant records, 220 records were assessed for eligibility via full-text screening. Finally, 44 studies were included in the qualitative synthesis and 37 studies [47–83] were included in the meta-analysis (Fig. 1).


3.2 Characteristics of Included Studies

Study characteristics are presented in Table S2 (OSM). Most studies were conducted in Germany ($n=7$) [49, 55, 61, 64, 70, 73, 74], followed by Switzerland ($n=6$) [53, 54, 56, 62, 75, 76], the Netherlands ($n=6$) [63, 69, 78, 84–86], Australia ($n=5$) [47, 52, 57, 66, 87], Brazil ($n=3$) [48, 50, 88], Italy ($n=3$) [51, 65, 89], the USA ($n=2$) [58, 72], Norway ($n=2$) [71, 79], China ($n=2$) [77, 81], Denmark ($n=1$) [90], Finland ($n=1$) [59], Greece ($n=1$) [83], Ireland ($n=1$) [82], Portugal ($n=1$) [67], and Spain ($n=1$) [80]. One study focused on children from Germany and Switzerland [68], and another targeted children from Germany and Oman [60]. Cross-sectional designs were used in 34 studies [48–50, 53–55, 57, 59, 60, 62–67, 69, 71, 73, 75–90], with the remainder consisting of longitudinal ($n=5$) [47, 56, 61, 68, 74], randomised controlled trials ($n=3$) [52, 58, 70] and non-randomised controlled trials ($n=2$) [51, 72]. Most studies included children between the ages of 5 and 12 years ($n=39$), with the remaining five studies focusing on adolescents (between the ages of 13 and 18 years) [53, 57, 59, 64, 87].

3.3 Measurement of Motor Competence and Executive Functions

Locomotor skills were examined in 26 studies [47, 48, 50–54, 56, 58, 59, 62, 63, 67, 69, 72, 74–78, 81–84, 86, 88], object control skills were reported in 28 studies [48, 49, 52–55, 57–61, 63, 64, 66, 69–71, 74, 77, 78, 80, 82–87, 89], and stability skills were assessed in 32 studies [49, 50, 53–55, 57, 61–63, 65–70, 72–75, 78–90]. The most widely used measurement tools for assessing motor competence were the Movement Assessment Battery for Children (MABC) [49, 55, 57, 61, 66, 70–72, 78, 80, 87, 89] and the Körperkoordinationstest Für Kinder (KTK) [48, 50, 62–64, 67, 69, 75, 81, 84, 86, 88], which were both used in 12 studies. Additionally, six studies used the Bruininks-Oseretsky Test of Motor Proficiency, second edition (BOT-2) [63, 69, 73, 82, 83, 86], three studies used the Basic Motor Competence in Fifth Grades (MOBAK-5) [53, 54, 74], and the Test of Gross Motor Development, second edition (TGMD-2) was used in four studies [48, 58, 77, 82]. Additionally, one study used the Peabody Developmental Motor Scale-Second Edition (PDMS-2) to assess motor competence [51]. Three core components of executive functions were measured, including inhibition ($n=21$) [51, 52, 54, 56, 57, 59, 61–63,

Fig. 1 PRISMA flow diagram for searching and selection of the included studies



66, 70–73, 75, 78, 80, 81, 84, 86, 89], working memory ($n=33$) [47, 51–57, 59–64, 68, 69, 71, 73–75, 77–87, 89, 90], and cognitive flexibility ($n=17$) [50–52, 54, 57, 62, 64, 70–73, 75, 76, 80, 81, 83, 88]. The most common tests used to assess inhibition were flanker tasks ($n=15$) [48, 52, 54, 56, 59, 61–63, 65, 72, 73, 75, 76, 80, 81] and stop signal tasks [63, 66, 78, 84, 86]. Cognitive flexibility was most often assessed using the mixed flanker task [54, 56, 62, 72], the trail-making task [50, 51, 71, 88], and the dimensional change card sort test [52, 75, 80]. The digit span test [55, 60, 63, 64, 71, 78, 83, 84, 86, 91] and N-back tasks [47, 54, 56, 57, 81, 87] were the most common measures of working memory. A list of the executive function measures used in the included studies can be found in Table S3 (OSM).

3.4 Risk of Bias of Included Studies

Based on the information provided, 65.9% of the included studies were considered to have a low risk of bias, while the remaining studies had a moderate risk (all risk-of-bias information is in OSM 2). Among cross-sectional studies, the majority (70.6%) were considered

to have a low risk of bias, with 29.4% studies having a moderate risk of bias. Regarding the measurement tools of all studies, a high percentage of studies used valid and reliable instruments to assess motor competence (91.2%) and executive functions (76.5%). Additionally, 61.8% of included studies controlled for relevant covariates when examining the association between motor competence and executive functions. Among longitudinal studies, 60% were considered to have a low risk of bias and the remaining studies had a moderate risk of bias. All longitudinal studies used valid and reliable measurement tools to assess motor competence, and the majority (80%) used valid and reliable measurement tools to assess executive functions. All longitudinal studies controlled for relevant covariates when examining the association between motor competence and executive functions. All RCTs were deemed to have a moderate risk based on the following criteria: “bias due to deviations from intended intervention” and “bias in selection of the reported result”. Both quasi-experimental studies were considered to have a low risk of bias.

Table 1 Associations between motor competence and executive functions in children and adolescents

Variable	No. of studies (No. of ES)	Pooled ES	95% CI	<i>Q</i>	<i>R</i> ² ₂	<i>R</i> ² ₃	Tau ₂ ₂	Tau ₂ ₃	<i>I</i> ² ₂	<i>I</i> ² ₃
Summary effect	37 (251)	0.18	0.13–0.22	<i>Q</i> ₂₅₀ = 709.70 (<i>p</i> = 0)			< 0.01	0.02	0.15	0.63
Moderation										
Design	37 (251)			<i>Q</i> ₂₅₀ = 709.70 (<i>p</i> = 0)	0.00	0.03	< 0.01	0.02		
Cross-sectional	34 (239)	0.17	0.13–0.22							
Longitudinal	4 (8)	0.15	0.03–0.28							
Experimental	2 (4)	0.25	0.01–0.45							
Age (treated as continuous)	36 (247)	< 0.01	– 0.03–0.04	<i>Q</i> ₂₄₆ = 697.65 (<i>p</i> = 0)	0.04	0.00	< 0.01	0.05		
Motor competence types	37 (251)			<i>Q</i> ₂₅₀ = 709.70 (<i>p</i> = 0)	0.15	0.00	< 0.01	0.02		
General	13 (41)	0.25	0.18–0.33							
Locomotor	12 (74)	0.15	0.09–0.21							
Object control	15 (64)	0.14	0.08–0.20							
Stability	17 (72)	0.14	0.08–0.20							
Executive function domains	37 (251)			<i>Q</i> ₂₅₀ = 709.70 (<i>p</i> = 0)	0.19	0.00	< 0.01	0.02		
General	5 (14)	0.29	0.21–0.36							
Inhibition	21 (74)	0.18	0.13–0.23							
Working Memory	28 (103)	0.17	0.12–0.23							
Cognitive Flexibility	17 (60)	0.13	0.08–0.19							

EFs executive functions, *Pooled ES* pooled effect sizes, *Heterogeneity at Level 2* ES from the same study, *Heterogeneity at Level 3* ES from the different studies, *I*² is only available for the overall ES. Fisher’s *z* has been converted to *r* values

3.5 Synthesis of Results

3.5.1 Overall Associations

Table 1 displays the results of the meta-analysis of the association between motor competence and executive functions. Overall, the findings of the meta-analysis, which included 37 studies and 251 effect sizes, indicate a small positive association between motor competence and executive functions in children and adolescents (*r* = 0.18, 95% CI 0.13–0.22). For this effect size, there was low heterogeneity within studies (*I*² = 0.15) and moderate heterogeneity between studies (*I*² = 0.63). The funnel plot (Fig. 2) and Egger’s regression (*z* = 1.18, *p* = 0.24) suggest that there was no evidence of publication bias.


General motor competence (*r* = 0.25, 95% CI 0.18–0.33), locomotor (*r* = 0.15, 95% CI 0.09–0.21), object control (*r* = 0.14, 95% CI 0.08–0.20) and stability (*r* = 0.14, 95% CI 0.08–0.20) skills were all positively associated with executive functions. Motor competence components explained the small variance of the heterogeneity within (Tau² < 0.01) and between (Tau² = 0.02) studies, while demonstrating negligible variation within (*R*² = 0.15) and between studies (*R*² = 0). In terms of motor competence, positive associations were observed for general executive functions (*r* = 0.29, 95% CI 0.21–0.36), inhibition (*r* = 0.18, 95% CI 0.13–0.23), working memory (*r* = 0.17, 95% CI 0.12–0.23), and cognitive flexibility (*r* = 0.13, 95% CI 0.08–0.19). Executive function

domains explained little variance in the heterogeneity within (Tau² < 0.01) and between (Tau² = 0.02) studies, while demonstrating negligible variation within (*R*² = 0.19) and between studies (*R*² = 0). Regarding the role of study design, positive associations were found for cross-sectional (*r* = 0.17, 95% CI 0.13–0.22), longitudinal (*r* = 0.15, 95% CI 0.03–0.28) and experimental (one RCT and one quasi-experimental study) (*r* = 0.25, 95% CI 0.01–0.45) studies. Study design explained none of the heterogeneity within (*R*² = 0) and little between (*R*² = 0.03) studies. Age was not a moderator of the association between motor competence and executive functions (*r* < 0.01, 95% CI – 0.03 to 0.04).

3.5.2 Motor Competence and Executive Function Domains

Motor competence and general executive functions: The results pertaining to general executive functions are outlined in Table 2. A positive association was observed between motor competence and general executive functions (*r* = 0.29, 95% CI 0.22–0.35). Most of the heterogeneity was attributed to the differences observed within studies (*I*² = 0.57) and no heterogeneity was observed between (*I*² = 0) studies. General motor competence (*r* = 0.34, 95% CI 0.25–0.42), locomotor (*r* = 0.32, 95% CI 0.18–0.44), object control (*r* = 0.23, 95% CI 0.13–0.33), and stability (*r* = 0.19, 95% CI 0.02–0.36) skills were positively associated with general executive functions. Motor competence components explained a small proportion of the heterogeneity within studies (*R*² = 0.32) and

Fig. 2 The funnel plot (Fisher's z) for all the included studies in this meta-analysis showed no evidence of publication bias



negligible variation between studies ($R^2=0$). No effect of age ($r=-0.01$, 95% CI -0.03 to 0.11) was observed in the association between motor competence and general executive functions.

Motor competence and inhibition: For inhibition (Table 3), there was a positive association with motor competence ($r=0.15$, 95% CI $0.11-0.18$). Low heterogeneity was attributed to the differences observed within ($I^2=0.07$) and between ($I^2=0.32$) studies. General motor competence ($r=0.12$, 95% CI $0.03-0.20$), locomotor ($r=0.14$, 95% CI $0.09-0.18$), object control ($r=0.16$, 95% CI $0.11-0.21$), and stability ($r=0.16$, 95% CI $0.12-0.21$) skills were positively associated with inhibition. Motor competence components explained a large proportion of the heterogeneity within studies ($R^2=0.65$) and negligible variation between studies ($R^2=0$). The positive association between motor competence and inhibition was observed in cross-sectional ($r=0.14$, 95% CI $0.11-0.18$) and experimental ($r=0.24$, 95% CI $0.05-0.41$) studies. However, no positive association was observed in only one longitudinal study ($r=0.15$, 95% CI -0.03 to 0.31). Study design explained a small proportion of the heterogeneity within studies ($R^2=0.01$) and negligible variation between studies ($R^2=0.03$). No effect of age ($r=0.01$, 95% CI -0.02 to 0.03) was observed in the association between motor competence and inhibition.

Motor competence and working memory: We observed a positive association between motor competence ($r=0.16$, 95% CI $0.12-0.20$) and working memory (Table 4). Low heterogeneity was attributed to differences observed within ($I^2=0.19$) and moderate heterogeneity between ($I^2=0.41$) studies. General motor competence ($r=0.20$, 95% CI $0.13-0.28$), locomotor ($r=0.14$, 95% CI $0.09-0.20$), object control ($r=0.14$, 95% CI $0.08-0.19$) and stability ($r=0.15$, 95% CI $0.09-0.20$) skills were positively associated with working memory. Motor competence components explained a small proportion of the heterogeneity

within ($R^2=0.20$) and between ($R^2=0.13$) studies. Positive associations between motor competence and working memory were observed in cross-sectional ($r=0.16$, 95% CI $0.12-0.20$) and longitudinal ($r=0.14$, 95% CI $0.03-0.26$) studies. Study design explained a small proportion of the heterogeneity within ($R^2=0$) and between ($R^2=0.01$) studies. No effect of age ($r<0.01$, 95% CI -0.03 to 0.04) was observed in the association between motor competence and working memory.

Motor competence and cognitive flexibility: We found a positive association between motor competence ($r=0.14$, 95% CI $0.03-0.25$) and cognitive flexibility (Table 5). Most of the heterogeneity was attributed to differences observed between studies ($I^2=0.86$). Locomotor ($r=0.20$, 95% CI $0.08-0.30$), object control ($r=0.14$, 95% CI $0.02-0.26$), and stability ($r=0.15$, 95% CI $0.03-0.26$) skills were positively associated with cognitive flexibility. Motor competence components explained a large proportion of heterogeneity within ($R^2=0.59$) studies. We observed a positive association between motor competence and cognitive flexibility in cross-sectional studies ($r=0.13$, 95% CI $0.02-0.24$). However, no positive association was observed in only one experimental ($r=0.26$, 95% CI -0.22 to 0.64) study. No heterogeneity was found within ($R^2=0$) and between ($R^2=0.01$) studies. No effect of age ($r=0.01$, 95% CI -0.04 to 0.07) was observed in the association between motor competence and cognitive flexibility.

4 Discussion

4.1 Summary of Findings

This is the first systematic review and meta-analysis to comprehensively synthesise the associations between motor competence (e.g., locomotor skills, object control skills,

Table 2 Associations between motor competence and general executive functions in children and adolescents

Variable	No. of studies (no. of ES)	Pooled ES	95% CI	Q	R ² ₂	R ² ₃	Tau2_2	Tau2_3	I ² ₂	I ² ₃
Summary effect	5 (14)	0.29 ^a	0.22 ^a –0.35 ^a	Q ₁₃ = 30.61 (p = 0.00)			0.01	<0.01	0.57	0.00
Moderation										
Age (treated as continuous)	5 (14)	-0.01	-0.13–0.11	Q ₁₃ = 30.61 (p = 0.00)	0.00	0.00	0.02	0.08		
Motor competence types				Q ₁₃ = 30.61 (p = 0.00)	0.32	0.00	0.01	<0.01		
General	3 (6)	0.34 ^a	0.25 ^a –0.42 ^a							
Locomotor	1 (3)	0.32 ^a	0.18 ^a –0.44 ^a							
Object control	2 (3)	0.23 ^a	0.13 ^a –0.33 ^a							
Stability	2 (2)	0.19 ^a	0.02 ^a –0.36 ^a							

^aPooled effect sizes calculated using Wald's confidence intervals (CIs)

Table 3 Associations between motor competence and inhibition in children and adolescents

Variable	No. of studies (no. of ES)	Pooled ES	95% CI	Q	R ² ₂	R ² ₃	Tau2_2	Tau2_3	I ² ₂	I ² ₃
Summary effect	21 (74)	0.15	0.11–0.18	Q ₇₃ = 129.40 (p < 0.001)			<0.01	<0.01	0.07	0.32
Moderation										
Design	21 (74)			Q ₇₃ = 129.40 (p < 0.001)	0.01	0.03	<0.01	<0.01		
Cross-sectional	18 (71)	0.14	0.11–0.18							
Longitudinal	1 (1)	0.15	-0.03–0.31							
Experimental	2 (2)	0.24	0.05–0.41							
Age (treated as continuous)	21 (74)	0.01	-0.02–0.03	Q ₇₃ = 129.40 (p < 0.001)	0.05	0.00	<0.01	0.03		
Motor competence types	21 (74)			Q ₇₃ = 129.40 (p < 0.001)	0.65	0.00	<0.01	<0.01		
General	5 (8)	0.12	0.03–0.20							
Locomotor	7 (23)	0.14	0.09–0.18							
Object control	8 (18)	0.16	0.11–0.21							
Stability	12 (25)	0.16	0.12–0.21							

Table 4 Associations between motor competence and working memory in children and adolescents

Variable	No. of studies (no. of ES)	Pooled ES	95% CI	Q	R ² ₂	R ² ₃	Tau2_2	Tau2_3	I ² ₂	I ² ₃
Summary effect	28 (103)	0.16	0.12–0.20	Q ₁₀₂ = 226.30 (p < 0.001)			<0.01	0.01	0.19	0.41
Moderation										
Design	28 (103)			Q ₁₀₂ = 226.30 (p < 0.001)	0.00	0.01	<0.01	0.01		
Cross-sectional	26 (96)	0.16	0.12–0.20							
Longitudinal	4 (7)	0.14	0.03–0.26							
Age (treated as continuous)	28 (103)	<0.01	-0.03–0.04	Q ₁₀₂ = 226.30 (p < 0.001)	0.00	0.00	<0.01	0.04		
Motor competence types	28 (103)			Q ₁₀₂ = 226.30 (p < 0.001)	0.20	0.13	<0.01	<0.01		
General	9 (21)	0.20	0.13–0.28							
Locomotor	10 (26)	0.14	0.09–0.20							
Object control	12 (30)	0.14	0.08–0.19							
Stability	11 (26)	0.15	0.09–0.20							

Table 5 Associations between motor competence and cognitive flexibility in children and adolescents

Variable	No. of studies (no. of ES)	Pooled ES	95% CI	<i>Q</i>	<i>R</i> ² ₂	<i>R</i> ² ₃	Tau _{2_2}	Tau _{2_3}	<i>I</i> ² ₂	<i>I</i> ² ₃
Summary effect	17 (60)	0.14	0.03–0.25	<i>Q</i> ₅₉ = 264.36 (<i>p</i> = 0)			< 0.01	0.04	0.01	0.86
Moderation										
Design	17 (60)			<i>Q</i> ₅₉ = 264.36 (<i>p</i> = 0)	0.00	0.01	< 0.01	0.04		
Cross-sectional	16 (58)	0.13	0.02–0.24							
Experimental	1 (2)	0.26	– 0.22–0.64							
Age (treated as continuous)	16 (56)	0.01	– 0.04–0.07	<i>Q</i> ₅₅ = 252.41 (<i>p</i> = 0)	0.24	0.00	< 0.01	0.07		
Motor competence types	17 (60)			<i>Q</i> ₅₉ = 264.36 (<i>p</i> = 0)	0.59	0.11	< 0.01	0.04		
General	3 (6)	< 0.01 ^a	– 0.24 ^a –0.25 ^a							
Locomotor	7 (22)	0.20 ^a	0.08 ^a –0.30 ^a							
Object control	6 (13)	0.14 ^a	0.02 ^a –0.26 ^a							
Stability	9 (19)	0.15 ^a	0.03 ^a –0.26 ^a							

^aPooled effect sizes calculated using Wald's confidence intervals (CIs)

stability skills) and executive functions (e.g., inhibition, working memory, cognitive flexibility) in children and adolescents. Our main findings suggest a small positive association between motor competence and executive functions in these populations that is consistent across cross-sectional, longitudinal and experimental studies. Our analyses revealed that all types of motor competence domains were significantly associated with each of the executive functioning domains. Similarly, age had no influence on the association between motor competence and executive functions, suggesting a consistent relationship between these outcomes across the ages included in the analysis.

4.2 Motor Competence and Executive Functions

Our meta-analysis provides support for the hypothesis that motor competence and executive functions in children and adolescents are connected [10, 30]. Although the magnitude of effect size was small ($r = 0.18$, 95% CI 0.13–0.22), the associations were consistent across types of motor competence and domains of executive function. Inhibition, working memory and cognitive flexibility are all involved in skill acquisition, and it has been proposed that the allocation of cognitive resources during skill acquisition may contribute to improvements in executive functioning [10, 92, 93]. The current review includes evidence from experimental studies, the findings of which suggest that motor competence interventions may improve children's executive functions [58, 72]. To illustrate, a 6-week motor competence intervention, targeting the improvement of locomotor and object control skills, demonstrated a positive relationship between the composite score of the two skills and enhancement in the composite score of executive functions [58]. In another intervention lasting 7 weeks, the results suggested

the enhancement of balance was related to greater inhibition and cognitive flexibility in children [72]. However, our risk of bias identified a number of methodological concerns with these studies, including: (1) deviations from intended intervention (e.g., variations in delivery resources), and (2) bias in the selection and reporting of outcomes (e.g., not providing the information on trial registration, not reporting the association between specific motor competence components and executive function sub-domains) [52, 58, 70]. Additionally, only two experimental studies were included in this analysis, meaning these findings should be interpreted with caution. Despite these limitations, these findings are in accordance with previous research indicating that motor competence acquisition may influence several brain regions and their associated networks, such as the prefrontal cortex, cerebellum, and basal ganglia [30, 94].

Our moderator analyses indicate that age did not moderate the association between motor competence and executive functions. Based on the current evidence, there is no indication that the strength of the relationship between motor competence and executive functions significantly differs from childhood to adolescence. However, it should be noted that only five studies in our systematic review involved adolescents. Further study is needed to better understand the association between motor competence and executive functions across these developmental stages. Findings from the longitudinal research in this review provide some indication that motor competence may predict improved executive functions. However, there are some nuances of the findings that are worth noting. For instance, in a sample of 8-year-olds, Rigoli et al. [47] found that working memory performance was predictive of later motor competence, rather than the other way around. In their longitudinal investigation, Ludyga et al. [74] found no longitudinal relationship between motor

competence and working memory performance. However, through analysis of electroencephalography, the authors found that children with low motor competency experience a change toward use of a less efficient cognitive control strategy (as indicated by a decrease in cue P300 and the initial contingent negative variation). This suggests that motor competence may not directly impact executive functions as measured by behavioural tasks. Instead, it may manifest through alterations in the underlying cognitive control mechanisms, such as changes in one's approach to complex tasks. The findings also suggest that the inclusion of neurophysiological markers alongside behavioural tasks may help us to gain a comprehensive understanding of the relationship between motor skills and changes in executive function, and to identify potential mechanisms.

Our findings are generally consistent with previous reviews on this topic [9–11, 15]. In their review, Willoughby and Hudson [15] concluded that there is a weak to moderate association between motor competence and executive functions in early childhood [15]. A meta-analysis investigating the relationship between motor skills and executive functions found a small but positive association ($r=0.18$, 95% CI 0.126–0.246) in children [11]. However, their further analyses found that only stability exhibited a positive association with all sub-domains of executive functions [11]. It is worth noting that this earlier meta-analysis incorporated data from preschool children aged 3–5 years and that differences in the relationship of motor competence to executive functions may exist between preschool children and school-aged children [1, 48, 95]. Moreover, the previous meta-analysis also included self-, teacher- and parent-reported ratings of children's executive functions (i.e., the Behaviour Rating Inventory of Executive Function–parent version) [11]. Several concerns regarding rating scales should be acknowledged, including weak construct and content validity, as well as the influence of the characteristics of raters on their ratings (e.g., education levels, experience with similar rating scales) [96]. The current study exclusively included performance-based measures as they offer a more objective assessment of executive functions [96].

Most of the studies included in our review used product-oriented instruments (e.g., MABC-2, KTK, BOT-2, MOBAK-5) to assess motor competence, while process-oriented measures (e.g., TGMD-2, PDMS-2) were used in only five studies. It is widely acknowledged that product-oriented tests primarily focus on outcome measures, such as the number of tosses or the distance of throwing, whereas process-oriented assessments evaluate the quality (e.g., form, mechanics of movement) of motor competence [97, 98]. It appears that process-oriented (e.g., TGMD-2) and product-oriented (e.g., KTK, BOT-2) instruments evaluate distinct facets of motor competence. The scientific evidence indicates a moderate level of agreement (with a variance of

27%) between MABC-2 and TGMD-2 in assessing motor competence in 5- to 8-year-old children [99]. It is noteworthy that TGMD is widely employed to assess motor competence, yet it does not include any stability skills [48, 82]. As such, it is recommended to include further studies to provide a comprehensive evaluation of motor competence [97, 98]. Researchers also highlighted several concerns associated with using different measures of motor competence, including the sensitivity and discriminatory capabilities, translating “success” in skill performance [100]. Consequently, the absence of a universally accepted “gold standard” measure for assessing motor competence poses challenges in synthesising effect sizes across specific sub-domains. It potentially impedes the identification of associations between specific motor competence and their impact on health outcomes. In general, there is a need for “gold standard” measures to assess both motor competence and executive functions.

Despite a positive association between general motor competence and general executive functions, drawing definitive conclusions from these results is challenging. This difficulty arises because the included effect sizes are derived from studies that examined different combinations of executive functions. For instance, certain studies solely reported the composite score of executive functions that were not domain-specific (e.g., inhibition, working memory, cognitive flexibility) [48, 57, 71, 75]. Although a higher effect was found, the associations between specific components of motor competence and different executive function sub-domains may provide more insight into the nature of these relationships.

4.3 Strengths and Limitations

To the best of our knowledge, this is the first systematic review to quantitatively synthesize the association between motor competence and executive functions in children and adolescents. A notable strength of our review is the multi-level structural equation modelling approach that adheres to best practice guidelines in sport and exercise science [101]. However, there are limitations that should be noted. First, it is important to acknowledge most of the studies used product-oriented instruments to assess motor competence. It is evident that process-oriented (e.g., TGMD-2) and product-oriented (e.g., MABC-2) instruments assess distinct facets of motor competence [97, 98]. Second, most of the included studies were observational, thus limiting our ability to infer causation. Third, due to the small number of studies involving adolescents, we were unable to draw firm conclusions regarding the relationship between motor competence and executive functions in this developmental stage. Fourth, using individual participant data (IPD) may be more suitable for our understanding of the association between motor competence and executive functions in children and

adolescents. However, this approach requires a significant amount of work, as well as author and ethics approval from each institution. Finally, none of the included studies examined the underlying mechanisms of the association between motor competence and executive functions. Therefore, to gain a comprehensive understanding of this association in children and adolescents, further studies focused on the testing potential mechanisms are needed.

4.4 Future Directions

Our findings suggest a positive association between motor competence and executive functions, which may be attributed to the presence of shared functional regions in the brain. Several studies have demonstrated that motor competence acquisition may impact various brain regions and their associated networks, including the prefrontal cortex, cerebellum and basal ganglia [30, 94]. The cerebellum plays a crucial role in instructing and guiding the prefrontal cortex to engage in “think ahead” functions, demonstrating the collaborative nature of these brain regions as an integrated network [93]. The functional regions of the brain are known to develop alongside executive functions in children and adolescents [102, 103]. Owing to a scarcity of evidence, the underlying mechanisms of this association remain unstudied. Therefore, further experimental studies are warranted to identify underlying mechanisms for this association. Additionally, motor competence is associated with physical activity and physical fitness [6, 15], both of which have benefits for executive functions in children and adolescents [104, 105]. Notably, there are indications that physical fitness may act as a moderator in the association between motor competence and executive functions [10]. However, none of the experimental studies in our systematic review considered physical activity or physical fitness when investigating this relationship. Given the interconnected association among physical activity, physical fitness, motor competence and executive functions [2, 10], more studies are needed in this area.

Our meta-analysis did not find any effect of age on the association between motor competence and executive functions. It is worth noting that most of the included studies were conducted in children (5–12 years of age), with only five studies involving adolescents (13–18 years of age). Given that both motor competence and executive functions continue to develop throughout adolescence, the relationship between the two may differ compared to childhood. Therefore, more research with adolescents may provide a more comprehensive perspective on how motor competence and executive functions are interconnected across development.

Researchers have proposed that motor tasks that are difficult (e.g., higher whole-body coordination requirements) are related to greater executive functions compared to easy motor tasks [75]. Interestingly, executive functions appear to become more involved in performing novel motor competence tasks and decrease when motor competence tasks are learned [15]. Future exploration of the influence of the cognitive demands of performing motor tasks (e.g., comparisons of a novice and someone already proficient in the movement) may enhance our understanding of the relationship between motor competence and executive functions in children and adolescents.

5 Conclusions

The findings from our review suggest a small positive association between motor competence and executive functions in children and adolescents. Specifically, all types of motor competence (e.g., locomotor, object control and stability skills) were significantly associated with each domain of executive functioning (e.g., inhibition, working memory, cognitive flexibility). The small number of experimental studies included in this review support the assertion that interventions targeting children’s motor competence may be a promising strategy to improve their executive functions; however, more research is needed to confirm these findings. Future studies should explore the underlying mechanisms linking motor competence and executive functions as their comprehension may be used to optimise future intervention design and delivery.

Supplementary Information The online version contains supplementary material available at <https://doi.org/10.1007/s40279-024-02040-1>.

Acknowledgements RB completed this work thanks to the China Scholarship Council Scholarship (No. 202108310013) and The University of Newcastle.

Funding Open Access funding enabled and organized by CAUL and its Member Institutions.

Declarations

Funding Open Access funding was enabled and organized by The University of Newcastle. No sources of funding other than as referred to in the Acknowledgements section were used to assist in the preparation of this article.

Conflict of Interest The authors declare that they have no conflicts of interest relevant to the content of this review.

Availability of Data and Material All data relevant to the study are included in the article or uploaded as supplementary information.

Ethics Approval Not applicable.

Consent to Participate Not applicable.

Consent for Publication Not applicable.

Code Availability R script used for the meta-analysis is available in the online supplementary material.

Author Contributions RB: Conceptualization, data curation, methodology, formal analysis, writing—original draft, writing—review and editing. LW: Data curation, methodology, supervision, writing—review and editing. AAL: Conceptualization, supervision, writing—review and editing. KBO: Methodology, resources, writing—review and editing. CHH: Methodology, supervision, writing—review and editing. TJ: Supervision, writing—review and editing. DRL: Conceptualization, methodology, supervision, writing—review and editing. All authors read and approved the final version of the manuscript.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- Goodway JD, Ozmun JC, Gallahue DL. Understanding motor development: Infants, children, adolescents, adults. Jones & Bartlett Learning; 2019.
- Robinson LE, et al. Motor competence and its effect on positive developmental trajectories of health. *Sports Med.* 2015;45(9):1273–84.
- De Meester A, et al. The relationship between actual and perceived motor competence in children, adolescents and young adults: a systematic review and meta-analysis. *Sports Med.* 2020;50(11):2001–49.
- Cattuzzo MT, et al. Motor competence and health related physical fitness in youth: A systematic review. *J Sci Med Sport.* 2016;19(2):123–9.
- Utesch T, et al. The relationship between motor competence and physical fitness from early childhood to early adulthood: a meta-analysis. *Sports Med.* 2019;49:541–51.
- Barnett LM, et al. Through the looking glass: a systematic review of longitudinal evidence, providing new insight for motor competence and health. *Sports Med.* 2022;52(4):875–920.
- Stodden DF, et al. A developmental perspective on the role of motor skill competence in physical activity: an emergent relationship. *Quest.* 2008;60(2):290–306.
- Lubans DR, et al. Fundamental movement skills in children and adolescents: review of associated health benefits. *Sports Med.* 2010;40:1019–35.
- Van Der Fels IMJ, et al. The relationship between motor skills and cognitive skills in 4–16 year old typically developing children: a systematic review. *J Sci Med Sport.* 2015;18(6):697–703.
- Tomporowski PD, Pesce C. Exercise, sports, and performance arts benefit cognition via a common process. *Psychol Bull.* 2019;145(9):929.
- Gandotra A, et al. A meta-analysis of the relationship between motor skills and executive functions in typically-developing children. *J Cogn Dev.* 2022;23(1):83–110.
- Suchy Y. Executive functioning: overview, assessment, and research issues for non-neuropsychologists. *Ann Behav Med.* 2009;37(2):106–16.
- Karr JE, et al. The unity and diversity of executive functions: a systematic review and re-analysis of latent variable studies. *Psychol Bull.* 2018;144(11):1147.
- Miyake A, et al. The unity and diversity of executive functions and their contributions to complex “frontal lobe” tasks: a latent variable analysis. *Cogn Psychol.* 2000;41(1):49–100.
- Willoughby MT, Hudson K. Contributions of motor skill development and physical activity to the ontogeny of executive function skills in early childhood. *Dev Rev.* 2023;70: 101102.
- Best JR, Miller PH, Jones LL. Executive functions after age 5: Changes and correlates. *Dev Rev.* 2009;29(3):180–200.
- Cortés Pascual A, Moyano Muñoz N, Quilez Robres A. The relationship between executive functions and academic performance in primary education: review and meta-analysis. *Front Psychol.* 2019;10:1582.
- Spiegel JA, et al. Relations between executive functions and academic outcomes in elementary school children: A meta-analysis. *Psychol Bull.* 2021;147(4):329.
- Diamond A, Lee K. Interventions shown to aid executive function development in children 4 to 12 years old. *Science.* 2011;333(6045):959–64.
- Halse M, et al. Longitudinal relations between impaired executive function and symptoms of psychiatric disorders in childhood. *J Child Psychol Psychiatry.* 2022;63(12):1574–82.
- Dolan M, Lennox C. Cool and hot executive function in conduct-disordered adolescents with and without co-morbid attention deficit hyperactivity disorder: relationships with externalizing behaviours. *Psychol Med.* 2013;43(11):2427–36.
- Mamrot P, Hanć T. The association of the executive functions with overweight and obesity indicators in children and adolescents: a literature review. *Neurosci Biobehav Rev.* 2019;107:59–68.
- Zou Z, et al. Executive functioning deficits and childhood trauma in juvenile violent offenders in China. *Psychiatry Res.* 2013;207(3):218–24.
- Pharo H, et al. Risky business: executive function, personality, and reckless behavior during adolescence and emerging adulthood. *Behav Neurosci.* 2011;125(6):970.
- Diamond A. Executive functions. *Annu Rev Psychol.* 2013;64(1):135–68.
- Xue Y, Yang Y, Huang T. Effects of chronic exercise interventions on executive function among children and adolescents: a systematic review with meta-analysis. *Br J Sports Med.* 2019;53(22):1397–404.
- Lubans D, et al. Physical activity for cognitive and mental health in youth: a systematic review of mechanisms. *Pediatrics.* 2016;138(3):e20161642–2016.
- Valkenborghs SR, et al. The impact of physical activity on brain structure and function in youth: a systematic review. *Pediatrics.* 2019;144(4):e20184032.
- Ridler K, et al. Fronto-cerebellar systems are associated with infant motor and adult executive functions in healthy adults but not in schizophrenia. *Proc Natl Acad Sci.* 2006;103(42):15651–6.
- Diamond A. Close interrelation of motor development and cognitive development and of the cerebellum and prefrontal cortex. *Child Dev.* 2000;71(1):44–56.

31. Patel R, Spreng RN, Turner GR. Functional brain changes following cognitive and motor skills training: a quantitative meta-analysis. *Neurorehabil Neural Repair*. 2013;27(3):187–99.
32. Hill PJ, et al. The influence of motor competence on broader aspects of health: a systematic review of the longitudinal associations between motor competence and cognitive and social-emotional outcomes. *Sports Med*. 2023;54(2):375–427.
33. Lubans D, et al. Physical activity for cognitive and mental health in youth: a systematic review of mechanisms. *Pediatrics*. 2016;138(3): e20161642.
34. Valentine JC, et al. Synthesizing evidence in public policy contexts: the challenge of synthesis when there are only a few studies. *Eval Rev*. 2017;41(1):3–26.
35. Higgins J, Green S. *Cochrane handbook for systematic reviews of interventions*. Higgins JP, Green S, editors. 2011, Chichester, UK: John Wiley & Sons, Ltd.
36. Page MJ, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *Int J Surg*. 2021;88: 105906.
37. Ma L-L, et al. Methodological quality (risk of bias) assessment tools for primary and secondary medical studies: what are they and which is better? *Mil Med Res*. 2020;7(1):1–11.
38. Goplen CM, et al. Preoperative opioid use is associated with worse patient outcomes after Total joint arthroplasty: a systematic review and meta-analysis. *BMC Musculoskeletal Disord*. 2019;20(1):1–12.
39. Li Q, et al. Sedentary behaviors and gestational diabetes mellitus: a systematic review. *J Obstet Gynaecol Res*. 2022;48(2):285–99.
40. Cheung MW-L. *Meta-analysis: A structural equation modeling approach*. Wiley; 2015.
41. Team, R.D.C., *A language and environment for statistical computing*. <http://www.R-project.org>. 2009.
42. Borenstein M, et al. *Introduction to meta-analysis*. Wiley; 2021.
43. Kenny DA. *Statistics for the social and behavioral sciences*. London: Longman; 1987.
44. MacBeth A, Gumley A. Exploring compassion: a meta-analysis of the association between self-compassion and psychopathology. *Clin Psychol Rev*. 2012;32(6):545–52.
45. Cohen J. *Statistical power analysis for the behavioral sciences*. Academic press; 2013.
46. Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, Welch VA (editors). *Cochrane Handbook for Systematic Reviews of Interventions version 6.4 (updated August 2023)*. Cochrane, 2023. Available from <https://training.cochrane.org/handbook>. Accessed 6 June 2023.
47. Rigoli D, et al. An 18-month follow-up investigation of motor coordination and working memory in primary school children. *Hum Mov Sci*. 2013;32(5):1116–26.
48. Albuquerque MR, et al. Association between motor competence and executive functions in children. *Appl Neuropsychol Child*. 2021;11(3):495–503.
49. Klotzbier TJ, Holfelder B, Schott N. Associations of motor performance and executive functions: comparing children with down syndrome to chronological and mental age-matched controls. *Children (Basel)*. 2022;9(1):73.
50. Mazzocante RP, et al. Attention and executive function are predicted by anthropometric indicators, strength, motor performance, and aerobic fitness in children aged 6–10 years. *Human Mov*. 2020;21(1):40–8.
51. Biino V, et al. Cognitively enriched physical activity may foster motor competence and executive function as early as preschool age: a pilot trial. *Phys Educ Sport Pedagog*. 2021;28(4):425–43.
52. Rudd J, et al. Comparing the efficacy (RCT) of learning a dance choreography and practicing creative dance on improving executive functions and motor competence in 6–7 years old children. *Psychol Sport Exerc*. 2021;53:101846.
53. Ludyga S, et al. Contingent negative variation and working memory maintenance in adolescents with low and high motor competencies. *Neural Plast*. 2018;2018:9628787.
54. Ludyga S, et al. Core executive functions are selectively related to different facets of motor competence in preadolescent children. *Eur J Sport Sci*. 2019;19(3):375–83.
55. Lehmann J, Quaiser-Pohl C, Jansen P. Correlation of motor skill, mental rotation, and working memory in 3- to 6-year-old children. *Eur J Dev Psychol*. 2014;11(5):560–73.
56. Schmidt M, et al. Disentangling the relationship between children's motor ability, executive function and academic achievement. *PLoS ONE*. 2017;12(8): e0182845.
57. Rigoli D, et al. An examination of the relationship between motor coordination and executive functions in adolescents. *Dev Med Child Neurol*. 2012;54(11):1025–31.
58. Mulvey KL, et al. Head, toes, knees, skip! improving preschool children's executive function through a motor competence intervention. *J Sport Exerc Psychol*. 2018;40(5):233–9.
59. Syväoja HJ, et al. How physical activity, fitness, and motor skills contribute to math performance: working memory as a mediating factor. *Scand J Med Sci Sports*. 2021;31(12):2310–21.
60. Jansen P, Scheer C, Zayed K. Motor ability and working memory in Omani and German primary school-aged children. *PLoS One*. 2019;14(1):e0209848.
61. Michel E, Molitor S, Schneider W. Motor coordination and executive functions as early predictors of reading and spelling acquisition. *Dev Neuropsychol*. 2019;44(3):282–95.
62. Oberer N, Gashaj V, Roebbers CM. Motor skills in kindergarten: Internal structure, cognitive correlates and relationships to background variables. *Hum Mov Sci*. 2017;52:170–80.
63. van der Fels IMJ, et al. Relations between gross motor skills and executive functions, controlling for the role of information processing and lapses of attention in 8–10 year old children. *PLoS ONE*. 2019;14(10): e0224219.
64. Scharfen HE, Memmert D. The relationship between cognitive functions and sport-specific motor skills in elite youth soccer players. *Front Psychol*. 2019;10:449774.
65. Trecroci A, et al. Relationship between cognitive functions and sport-specific physical performance in youth volleyball players. *Brain Sci*. 2021;11(2):1–11.
66. Livesey D, et al. The relationship between measures of executive function, motor performance and externalising behaviour in 5- and 6-year-old children. *Hum Mov Sci*. 2006;25(1):50–64.
67. Luz C, Rodrigues LP, Cordovil R. The relationship between motor coordination and executive functions in 4th grade children. *Eur J Dev Psychol*. 2015;12(2):129–41.
68. Niederer I, et al. Relationship of aerobic fitness and motor skills with memory and attention in preschoolers (Ballabeina): a cross-sectional and longitudinal study. *BMC Pediatr*. 2011;11:1–9.
69. van der Fels IMJ, et al. Relationships between gross motor skills, cardiovascular fitness, and visuospatial working memory-related brain activation in 8- to 10-year-old children. *Cogn Affect Behav Neurosci*. 2020;20(4):842–58.
70. Stein M, Auerswald M, Ebersbach M. Relationships between motor and executive functions and the effect of an acute coordinative intervention on executive functions in kindergartners. *Front Psychol*. 2017;8:258076.
71. Aadland KN, et al. Relationships between physical activity, sedentary time, aerobic fitness, motor skills and executive function and academic performance in children. *Ment Health Phys Act*. 2017;12:10–8.
72. Vazou S, et al. Rhythmic physical activity intervention: exploring feasibility and effectiveness in improving motor and executive function skills in children. *Front Psychol*. 2020;11:556249

73. Stuhr C, Hughes CML, Stöckel T. The role of executive functions for motor performance in preschool children as compared to young adults. *Front Psychol.* 2020;11:542282.
74. Ludyga S, et al. The role of motor competences in predicting working memory maintenance and preparatory processing. *Child Dev.* 2020;91(3):799–813.
75. Maurer MN, Roebbers CM. Towards a better understanding of the association between motor skills and executive functions in 5- to 6-year-olds: the impact of motor task difficulty. *Hum Mov Sci.* 2019;66:607–20.
76. Roebbers CM, Kauer M. Motor and cognitive control in a normative sample of 7-year-olds. *Dev Sci.* 2009;12(1):175–81.
77. Capio CM, Choi CS, Masters RS. Association of working memory with gross motor skills in early childhood. *Int J Sport Exerc Psychol.* 2022;21(6):992–1005.
78. de Bruijn AG, et al. The mediating role of neurocognitive functions in the relation between physical competencies and academic achievement of primary school children. *Psychol Sport Exerc.* 2023;66: 102390.
79. Eriksen AD, Olsen A, Sigmundsson H. Exploring the relationships between visuospatial working memory, math, letter-sound knowledge, motor competence, and gender in first grade children: a correlational study. *Front Psychol.* 2023;13: 981915.
80. Fernández-Sánchez A, et al. Sex differences on the relation among gross motor competence, cognition, and academic achievement in children. *Scand J Psychol.* 2022;63(5):504–12.
81. Liu S, Chen S-T, Cai Y. Associations between gross motor coordination and executive functions: considering the sex difference in Chinese middle-aged school children. *Front Psychol.* 2022;13: 875256.
82. O’Hagan AD, et al. Do our movement skills impact our cognitive skills? Exploring the relationship between cognitive function and fundamental movement skills in primary school children. *J Sci Med Sport.* 2022;25(11):871–7.
83. Spanou M, et al. “Move” their brain: motor competence mediates the relationship of physical activity and executive functions in children. *Appl Sci.* 2022;12(20):10527.
84. Meijer A, et al. The relationship between white matter microstructure, cardiovascular fitness, gross motor skills, and neurocognitive functioning in children. *J Neurosci Res.* 2021;99(9):2201–15.
85. Wassenberg R, et al. Relation between cognitive and motor performance in 5- To 6-year-old children: results from a large-scale cross-sectional study. *Child Dev.* 2005;76(5):1092–103.
86. Meijer A, et al. Resting state networks mediate the association between both cardiovascular fitness and gross motor skills with neurocognitive functioning. *Child Dev.* 2022;93(4):e412–26.
87. Rigoli D, et al. Motor coordination, working memory, and academic achievement in a normative adolescent sample: testing a mediation model. *Arch Clin Neuropsychol.* 2012;27(7):766–80.
88. Mazzoccante RP, et al. The influence of sports practice in children aged 6 to 7 years on physical fitness, motor coordination and executive functions. *Revista de Psicologia del Deporte.* 2020;29(4):175–84.
89. Policastro F, et al. Relation between motor and cognitive skills in Italian basketball players aged between 7 and 10 years old. *Sports (Basel).* 2018;6(3):80.
90. Geertsen SS, et al. Motor skills and exercise capacity are associated with objective measures of cognitive functions and academic performance in preadolescent children. *PLoS ONE.* 2016;11(8): e0161960.
91. Sääkslahti A, et al. Longitudinal associations of fitness, motor competence, and adiposity with cognition. *Med Sci Sports Exerc.* 2019;51(3):465–71.
92. Pesce, C. and T.D. Ben-Soussan, “Cogito ergo sum” or “ambulo ergo sum”? New perspectives in developmental exercise and cognition research. 2016.
93. Koziol LF, Budding DE, Chidekel D. From movement to thought: executive function, embodied cognition, and the cerebellum. *The Cerebellum.* 2012;11(2):505–25.
94. Pangelinan MM, et al. Beyond age and gender: Relationships between cortical and subcortical brain volume and cognitive-motor abilities in school-age children. *Neuroimage.* 2011;54(4):3093–100.
95. Korzeniowski C, Ison MS, Difabio De Anglat H. A summary of the developmental trajectory of executive functions from birth to adulthood. Springer International Publishing; 2021. p. 459–73.
96. Souissi S, Chamari K, Bellaj T. Assessment of executive functions in school-aged children: a narrative review. *Front Psychol.* 2022;13: 991699.
97. Logan SW, et al. Comparison of performance on process-and product-oriented assessments of fundamental motor skills across childhood. *J Sports Sci.* 2017;35(7):634–41.
98. Bardid F, et al. A hitchhiker’s guide to assessing young people’s motor competence: Deciding what method to use. *J Sci Med Sport.* 2019;22(3):311–8.
99. Logan SW, et al. The comparison of school-age children’s performance on two motor assessments: the Test of Gross Motor Development and the Movement Assessment Battery for Children. *Phys Educ Sport Pedagog.* 2014;19(1):48–59.
100. Hulsteen RM, et al. Reinvest to assess: advancing approaches to motor competence measurement across the lifespan. *Sports Med.* 2023;53(1):33–50.
101. Kadlec D, Sainani KL, Nimphius S. With great power comes great responsibility: Common errors in meta-analyses and meta-regressions in strength & conditioning research. *Sports Med.* 2023;53(2):313–25.
102. Riva D, et al. Executive functions and cerebellar development in children. *Appl Neuropsychol Child.* 2013;2(2):97–103.
103. Hazy TE, Frank MJ, O’Reilly RC. Towards an executive without a homunculus: computational models of the prefrontal cortex/basal ganglia system. *Philos Trans R Soc B Biol Sci.* 2007;362(1485):1601–13.
104. Singh AS, et al. Effects of physical activity interventions on cognitive and academic performance in children and adolescents: a novel combination of a systematic review and recommendations from an expert panel. *Br J Sports Med.* 2019;53(10):640–7.
105. Van Waelvelde H, et al. The relation between children’s aerobic fitness and executive functions: A systematic review. *Infant Child Dev.* 2020;29(3):e2163.

Authors and Affiliations

Ran Bao^{1,2,3} · Levi Wade^{1,2,3} · Angus A. Leahy^{1,2,3} · Katherine B. Owen⁴ · Charles H. Hillman^{5,6} · Timo Jaakkola⁷ · David Revalds Lubans^{1,2,3,7} 

✉ David Revalds Lubans
david.lubans@newcastle.edu.au

¹ Centre for Active Living and Learning, University of Newcastle, Callaghan, NSW, Australia

² College of Human and Social Futures, School of Education, University of Newcastle, Callaghan, NSW, Australia

³ Active Living Research Program, Hunter Medical Research Institute, New Lambton Heights, NSW, Australia

⁴ SPRINTER, Prevention Research Collaboration, Sydney School of Public Health, The University of Sydney, Sydney, NSW, Australia

⁵ Center for Cognitive and Brain Health, Department of Psychology, Northeastern University, Boston, MA, USA

⁶ Department of Physical Therapy, Movement, and Rehabilitation Sciences, Northeastern University, Boston, MA, USA

⁷ Faculty of Sport and Health Sciences, University of Jyväskylä, Jyväskylä, Finland