

This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.

Author(s): Haapanen, Markus J.; Perälä, Mia-Maria; Salonen, Minna K.; Guzzardi, Maria A.; Iozzo, Patricia; Kajantie, Eero; Rantanen, Taina; Simonen, Mika; Pohjolainen, Pertti; Eriksson, Johan G.; von Bonsdorff, Mikaela

Title: Telomere Length and Frailty : The Helsinki Birth Cohort Study

Year: 2018

Version: Published version

Copyright: © 2018 AMDA - The Society for Post-Acute and Long-Term Care Medicine.

Rights: CC BY-NC-ND

Rights url: <https://creativecommons.org/licenses/by-nc-nd/4.0/>

Please cite the original version:

Haapanen, M. J., Perälä, M.-M., Salonen, M. K., Guzzardi, M. A., Iozzo, P., Kajantie, E., Rantanen, T., Simonen, M., Pohjolainen, P., Eriksson, J. G., & von Bonsdorff, M. (2018). Telomere Length and Frailty : The Helsinki Birth Cohort Study. *Journal of the American Medical Directors Association*, 19(8), 658-662. <https://doi.org/10.1016/j.jamda.2018.05.011>

10. von Zglinicki T, Serra V, Lorenz M, et al. Short telomeres in patients with vascular dementia: An indicator of low antioxidative capacity and a possible risk factor? *Lab Invest* 2000;80:1739–1747.
11. Martín-Ruiz CM, Gussekloo J, Heemst D, et al. Telomere length in white blood cells is not associated with morbidity or mortality in the oldest old: A population-based study. *Aging Cell* 2005;4:287–290.
12. Cawthon RM, Smith KR, O'Brien E, et al. Association between telomere length in blood and mortality in people aged 60 years or older. *Lancet* 2003;361:393–395.
13. Aviv A. Telomeres and human somatic fitness. *J Gerontol A Biol Sci Med Sci* 2006;61:871–873.
14. Woo J, Tang NLS, Suen E, et al. Telomeres and frailty. *Mech Ageing Dev* 2008;129:642–648.
15. Yu R, Tang N, Leung J, Woo J. Telomere length is not associated with frailty in older Chinese elderly: Cross-sectional and longitudinal analysis. *Mech Ageing Dev* 2015;152:74–79.
16. Collerton J, Martín-Ruiz C, Davies K, et al. Frailty and the role of inflammation, immunosenescence and cellular ageing in the very old: Cross-sectional findings from the Newcastle 85+ Study. *Mech Ageing Dev* 2012;133:456–466.
17. Saum K-U, Dieffenbach AK, Müezzlinler A, et al. Frailty and telomere length: Cross-sectional analysis in 3537 older adults from the ESTHER cohort. *Exp Gerontol* 2014;58:250–255.
18. Breitling LP, Saum KU, Perna L, et al. Frailty is associated with the epigenetic clock but not with telomere length in a German cohort. *Clin Epigenetics* 2016;8:21.
19. Marzetti E, Lorenzi M, Antocicco M, et al. Shorter telomeres in peripheral blood mononuclear cells from older persons with sarcopenia: Results from an exploratory study. *Front Aging Neurosci* 2014;6:233.
20. Brault ME, Ohayon SM, Kwan R, et al. Telomere length and the clinical phenotype of frailty in older adults undergoing cardiac surgery. *J Am Geriatr Soc* 2014;62:2205–2207.
21. Barker DJP, Osmond C, Forsén TJ, et al. Trajectories of growth among children who have coronary events as adults. *N Engl J Med* 2005;353:1802–1809.
22. Eriksson JG, Osmond C, Perälä M-M, et al. Prenatal and childhood growth and physical performance in old age—findings from the Helsinki Birth Cohort Study 1934–1944. *Age (Dordr)* 2015;37:108.
23. Guzzardi MA, Iozzo P, Salonen M, et al. Rate of telomere shortening and metabolic and cardiovascular risk factors: A longitudinal study in the 1934–44 Helsinki Birth Cohort Study. *Ann Med* 2015;47:499–505.
24. Cawthon RM. Telomere measurement by quantitative PCR. *Nucleic Acids Res* 2002;30:e47.
25. Kajantie E, Pietiläinen KH, Wehkalampi K, et al. No association between body size at birth and leucocyte telomere length in adult life—evidence from three cohort studies. *Int J Epidemiol* 2012;41:1400–1408.
26. O'Callaghan N, Dhillon V, Thomas P, Fenech M. A quantitative real-time PCR method for absolute telomere length. *Biotechniques* 2008;44:807–809.
27. Cawthon RM. Telomere length measurement by a novel monochrome multiplex quantitative PCR method. *Nucleic Acids Res* 2009;37:e21.
28. Beck AT, Steer RABG. Manual for the Beck Depression Inventory-II. San Antonio, TX: Psychological Corporation; 1996.
29. Lakka TA, Salonen JT. Intra-person variability of various physical activity assessments in the Kuopio Ischaemic Heart Disease Risk Factor Study. *Int J Epidemiol* 1992;21:467–472.
30. Bedogni G, Malavolti M, Severi S, et al. Accuracy of an eight-point tactile-electrode impedance method in the assessment of total body water. *Eur J Clin Nutr* 2002;56:1143–1148.
31. Sartorio A, Malavolti M, Agosti F, et al. Body water distribution in severe obesity and its assessment from eight-polar bioelectrical impedance analysis. *Eur J Clin Nutr* 2005;59:155–160.
32. Svenson U, Nordfjäll K, Baird D, et al. Blood cell telomere length is a dynamic feature. *PLoS One* 2011;6:e21485.
33. Baylis D, Ntani G, Edwards MH, et al. Inflammation, telomere length, and grip strength: A 10-year longitudinal study. *Calcif Tissue Int* 2014;95:54–63.
34. Nordfjäll K, Svenson U, Norrback KF, et al. The individual blood cell telomere attrition rate is telomere length dependent. *PLoS Genet* 2009;5:e1000375.
35. Seo AY, Leeuwenburgh C. The role of genome instability in frailty: Mitochondria versus nucleus. *Nestle Nutr Inst Workshop Ser* 2015;83:19–27.
36. Soysal P, Stubbs B, Lucato P, et al. Inflammation and frailty in the elderly: A systematic review and meta-analysis. *Ageing Res Rev* 2016;31:1–8.
37. Wu IC, Shieh SC, Kuo PH, Lin XZ. High oxidative stress is correlated with frailty in elderly Chinese. *J Am Geriatr Soc* 2009;57:1666–1671.
38. Okuda K, Bardeguez A, Gardner JP, et al. Telomere length in the newborn. *Pediatr Res* 2002;52:377–381.
39. Cherkas LF, Hunkin JL, Kato BS, et al. The association between physical activity in leisure time and leukocyte telomere length. *Arch Intern Med* 2008;168:154.
40. Chan R, Woo J, Suen E, et al. Chinese tea consumption is associated with longer telomere length in elderly Chinese men. *Br J Nutr* 2010;103:107.
41. Fried LP, Ferrucci L, Darer J, et al. Untangling the concepts of disability, frailty, and comorbidity: Implications for improved targeting and care. *J Gerontol A Biol Sci Med Sci* 2004;59:255–263.