

**This is a self-archived version of an original article. This version may differ from the original in pagination and typographic details.**

**Author(s):** Yang, Xiaolin; Lounassalo, Irinja; Kankaanpää, Anna; Hirvensalo, Mirja; Rovio, Suvi P.; Tolvanen, Asko; Biddle, Stuart J. H.; Helajärvi, Harri; Palomäki, Sanna H.; Salin, Kasper; Hutri-Kähönen, Nina; Raitakari, Olli T.; Tammelin, Tuija H.

**Title:** Associations Between Trajectories of Leisure-Time Physical Activity and Television Viewing Time Across Adulthood : The Cardiovascular Risk in Young Finns Study

**Year:** 2019

**Version:** Accepted version (Final draft)

**Copyright:** © 2019 Human Kinetics, Inc.

**Rights:** In Copyright

**Rights url:** <http://rightsstatements.org/page/InC/1.0/?language=en>

**Please cite the original version:**

Yang, X., Lounassalo, I., Kankaanpää, A., Hirvensalo, M., Rovio, S. P., Tolvanen, A., Biddle, S. J. H., Helajärvi, H., Palomäki, S. H., Salin, K., Hutri-Kähönen, N., Raitakari, O. T., & Tammelin, T. H. (2019). Associations Between Trajectories of Leisure-Time Physical Activity and Television Viewing Time Across Adulthood : The Cardiovascular Risk in Young Finns Study. *Journal of Physical Activity and Health*, 16(12), 1078-1084. <https://doi.org/10.1123/jpah.2018-0650>

Table 3. Parameter estimates for the relationship between leisure-time physical activity and television viewing time and modifying effect of gender ( $n = 2934$ )

Group	TV-time class (consistently low as reference)					
	Consistently moderate			Consistently high		
	<i>b</i>	<i>s.e.</i>	<i>p</i>	<i>b</i>	<i>s.e.</i>	<i>p</i>
LTPA class						
<i>Model 1</i>						
Persistently low-active (as reference)						
Persistently moderately active	-0.22	0.33	.498	-1.14	0.35	.001
Persistently highly active	-0.59	0.39	.135	-2.35	0.84	.005
<i>Model 2</i>						
Persistently low-active (as reference)						
Persistently moderately active	0.07	0.34	.766	-0.60	0.37	.107
Persistently highly active	-0.12	0.40	.834	-1.44	0.70	.040
Gender effect (male) on TV time in distinct LTPA classes						
<i>Model 1</i>						
Persistently low-active	-0.31	0.37	.398	-0.32	0.41	.440
Persistently moderately active	0.31	0.20	.121	0.83	0.26	.001
Persistently highly active	0.96	0.38	.012	1.98	0.90	.027
<i>Model 2</i>						
Persistently low-active	-0.43	0.38	.262	-0.71	0.39	.068
Persistently moderately active	0.10	0.21	.639	0.49	0.26	.060
Persistently highly active	0.70	0.39	.068	1.41	0.74	.058

Note: The consistently very high TV-time class that constituted less than 5% of the sample was omitted from the table.

Model 1 was adjusted for age.

Model 2 was additionally adjusted for education, body mass index and smoking.

LTPA, leisure-time physical activity; TV, television viewing; *b*, regression coefficient; *s.e.*, standard error.